

**DANGER**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**KEEP OUT OF REACH OF CHILDREN. CORROSIVE.** Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.  
**STATEMENT OF PRACTICAL TREATMENT:** In case of contact immediately flush eyes or skin with running water for at least fifteen minutes. For eyes call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.  
**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.  
**STORAGE AND DISPOSAL:**  
 1. **PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.  
 2. **PESTICIDE DISPOSAL:** Pesticide spray, mixture or residue that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.  
 3. **CONTAINER DISPOSAL:** (a) Recycle container and offer for reconditioning, or (b) Triple rinse, if required, and offer for recycling, reconditioning, or disposal as approved and (c) bury in a safe place.  
 4. **GENERAL:** Consult local state or local disposal authority for approved alternative procedure.  
**DIRECTIONS FOR USE - GENERAL CLASSIFICATION:** This is a solution of formaldehyde for use as a disinfectant, deodorizer, and sanitizer.  
**COLD DISINFECTION:** For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments in a solution of 1.68% C-12 (1.68% DEO-CIDE) per gallon of water for 10 minutes.  
**FOR ROOM FOGGING:** To minimize the danger of mass contamination from environmental surfaces, use a solution of DEO-CIDE as a fog as described below. Before applying standard routine terminal cleaning and disinfecting practices. Remove all human, animal and quantitative from room. 1. Open closet doors and drawers. 2. Set up 34" revolving platform in center of room. 3. Mount Jet Fog Master Tri-Jet Model 200 on fogging device delivering equivalent spray at 3 RPM. 4. Fill sprayer reservoir with 1.5 ounces of DEO-CIDE (this will produce 1150 ppm active ingredients). 5. Set sprayer mechanism to deliver one gallon of solution in 10 minutes for an average 2100 cubic foot room. For other room sizes, vary spray time proportionately to insure complete wetting of exposed surfaces. 6. Wait 2 hours before entering room after treatment. 7. Rinse fogging equipment thoroughly with clear water following use.

EPA Reg. No. 6889-6  
 EPA Est. No. 6889-1

# DEO-CIDE

**Disinfectant      Deodorizer      Sanitizer**

**ACTIVE INGREDIENTS**

Formaldehyde (60% C-30) L-5% C-15% C-11 dimethylbenzylammonium chlorides ..... 5.0%  
 Formaldehyde (68% C-32) C-11 dimethylbenzylammonium chlorides ..... 5.0%

**INERT INGREDIENTS**

90.0%  
 100.0%

**DANGER: KEEP OUT OF REACH OF CHILDREN**

See left side panel for additional precautionary statements and statement of practical treatment

Manufactured By

**Palmetto**  
 Chemical & Supply Company, Inc.

6001 Stitt Street - Box 1218  
 Monroe, North Carolina 28110

0-1580  
 EPA Reg. No. 6889-6

# DEO-CIDE

**Disinfectant Deodorizer Sanitizer**

**ACTIVE INGREDIENTS**

n-alkyl (60% C 30% C 5) C 5% C 1-dimethylbenzylammonium chlorides  
 n-alkyl (68% C 32% C 1-dimethylethylbenzylammonium chlorides

**INERT INGREDIENTS**

50%  
 50%  
 90.0%  
 100.0%

**DANGER: KEEP OUT OF REACH OF CHILDREN**

See left side panel for additional precautionary statements and statement of practical treatment

Manufactured By



6001 Stitt Street - P.O. Box 1218  
 Monroe, North Carolina 28110

**USE DIRECTIONS**

**RESTAURANT AND BAR RINSE** Dishes glassware silverware cooking utensils - wash with soap or synthetic detergent - rinse thoroughly and immerse in a sanitizing solution containing one ounce of DEO-CIDE to four gallons of water. No terminal potable water rinse required.

**FOOD PROCESSING EQUIPMENT** For sanitization of previously cleaned food processing equipment and food utensils dilute one ounce of DEO-CIDE per four gallons of water to provide 200 ppm of active quaternaries. At this level no potable water rinse is required.

**DAIRIES** To sanitize dairy equipment such as tanks pails and milk cans first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing one ounce of DEO-CIDE to four gallons of water to provide 200 ppm of active quaternaries. At this level no potable water rinses required. Follow recommendations of local health board.

**HOUSEHOLD** For sanitizing and disinfecting floor walls and inanimate hard surfaces for schools homes locker rooms garbage pails sink tops corridors classrooms offices and shower stalls apply solution with mop or cloth. Sanitize with one ounce of DEO-CIDE to four gallons of water. Disinfect with three ounces of DEO-CIDE to 5 gallons of water. Kills staphylococcus aureus and salmonella choleraesuis. For heavily soiled or contaminated areas a pre-cleaning step is recommended.

**HOSPITALS** For floors walls and other hard surfaces in nursing homes institutions as well as sink tops garbage pails telephones and restrooms use DEO-CIDE at 3 ounces per 5 gallons of water. Apply with cloth mop or sponge. At this level DEO-CIDE will be effective against pseudomonas aeruginosa PRD-10. For heavily soiled or contaminated areas a pre-cleaning step is recommended.

This product when used on environmental inanimate hard surfaces at 4 ounces per 5 gallons of water is effective against influenza A herpes simplex virus type 6 and vaccinia virus.

**WARRANTY** Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product is beyond the control of the manufacturer. No guarantee expressed or implied is made as to the effects of such use. Results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility including injury or damage resulting from its misuse as such or in combination with other materials. States concerning the use of this product are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of such use is assumed.