

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS
AND DOMESTIC ANIMALS
CAUTION

Hazard if swallowed. Avoid contact with eyes or clothing. Avoid contamination of food or feedstuffs.

STATEMENTS OF PRACTICAL TREATMENT
IF SWALLOWED: Drink large amounts of milk or water. Do NOT induce vomiting because of aspiration hazard. Call a Physician or Poison Control Center immediately.

IF IN EYES: Flush with plenty of water. See a Physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

STORAGE AND DISPOSAL

Store in a cool place out of the reach of children. Do not reuse empty container. Wrap container and put in trash collection.

LOT NO:

FLEA SHEDDING CONCENTRATE

An insecticide shampoo concentrate for the control of Fleas, Ticks, and Lice on Dogs, Cats & Horses.

ACTIVE INGREDIENTS
Pyrethrin 0.2%
Pyrethrin (natural) 2.0%
Pyrethrin (synthetic) 1.8%
INERT INGREDIENTS 95.0%
TOTAL 100.0%

*Equivalent to 1.80% (by activity) (10-pyrethrin) ester and 0.4% related compounds.

KEEP OUT OF REACH OF CHILDREN
DO NOT USE ON ANIMALS INTENDED FOR HUMAN CONSUMPTION

CAUTION

See side panel for additional precautionary statements.

NET CONTENTS 16.9 oz (475 mL)

Manufactured by

HART-DELTA, ETC.
SOMER CHICKEN CREEK
SHELBY COUNTY, TN 37068

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CONTROL FLEAS, TICKS, LICE ON DOGS, CATS, HORSES: Dilute one (1) part FLEA SHEDDING CONCENTRATE with (2) parts water and mix to obtain a clear, uniform shampoo. One quart (32 fl.oz.) of CONCENTRATE when mixed with three (3) quarts of water will make one gallon of ready-to-use shampoo.

Wet animal thoroughly with warm water, and liberally apply shampoo, starting from the head and working to the tail. Work shampoo into haircoat to obtain a thick lather. Rinse thoroughly with warm water. For severe infestation, repeat application of shampoo, and allow lather to remain on animal for about five minutes before rinsing. For added protection, the eyes of the animal should be covered with a blind, ophthalmic ointment.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

EPA REG NO: 6175-04
EPA EST NO: 6175-LA-1

ACCEPTED

JUN 2 1981

United States Federal Insecticide,
Fungicide and Rodenticide Act,
as amended, for this pesticide
registered under
EPA Reg. No. 6175-04

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION:

INSTRUCTIONS FOR CONTACT SPACE AND RESIDUAL SPRAYS

FOR INDOOR USE: In non-food areas of food handling establishments, commercial, industrial, office, residential, public, institutional and storage buildings, hotels, ship cabins and hospitals. In hospitals patients should be removed prior to treatment. Also for use in buses, automobiles, and on food areas of trucks, boxcars and ship cargo holds. Do not use on electrical equipment or on surfaces that can be harmed or stained by water. Also for use indoors in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

CONTACT SPRAY - KILLS AND REDUCES INFESTATION: COCKROACHES, CRICKETS, SILVERFISH, ANTS, CARPET BEETLES, CENTIPEDES, EARWIGS, FLOUR BEETLES, GRAIN MITES, MILLIPEDES, SOWBUGS, SPIDERS: Apply as a contact spray. Fill spray tank with B&B ENDURICIDE Spray formulation. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse wet spray. When possible, spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards, and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects where possible. Repeat as necessary.

ANTS: To kill ants: spray trails, nests and points of entry within buildings and homes. Spray on ants where possible. Repeat as necessary.

FLEAS: Aids in the control of fleas on dogs and cats, on pet bedding and in horse stalls. Apply directly to animals along back, under forelegs and on other areas. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not spray directly in eyes, or mouth of animal. To reduce reinfestation thoroughly spray the animals bedding and other resting areas. Treat those areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses. Repeat as necessary.

TO KILL BEDBUGS: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

RESIDUAL SPRAY: Aids in control of COCKROACHES, CRICKETS, SILVERFISH, ANTS, CENTIPEDES, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS. Kills for up to 4 weeks. Spray baseboards, cracks, and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 4 to 6 inch band until area is thoroughly wet but not to the point of run-off. Repeat as necessary.


FRUIT FLIES, HOUSEFLIES, MOSQUITOES, SMALL FLYING MOTHS, GNATS: Apply as a space spray. Adjust pressure and nozzle to deliver a fine mist spray. Close all doors and windows. Point nozzle upward, direct spray mist to all parts of the room especially windows and other light sources which attract these insects. Keep the spray nozzle at all times at least four feet from fabrics to avoid wetting or staining. Fill the room with mist at the dosage rate of one fluid ounce per 1,000 cu. ft. of space. Then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed and before re-entry.

OUTDOORS: To control nuisance pests around buildings, patios and paved areas. Apply as a contact spray. Spray directly on insects. Avoid spraying turf or plants.

ANTS AND FLEAS: Same as directed for indoor use.

WASPS, YELLOW JACKETS, HORNETS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

CENTIPEDES, EARWIGS, MILLIPEDES, SOWBUGS, SPIDERS: Apply as a contact spray as for indoor use.



ENDURICIDE

A SYNTHETIC PYRETHROID

DUAL ACTION INSECT KILLER

KILLS AS CONTACT AND RESIDUAL SPRAY

KILLS ROACHES UP TO 4 WEEKS.

ACTIVE INGREDIENTS

* + Resmethrin (5-Phenylmethyl)-3-furanyl	
2,2 dimethyl-3-(2-methyl-1-propenyl)	
cyclopropanecarboxylate	0.350%w/w
Related compounds	0.048%
INERT INGREDIENTS:	99.602%
	100.000%w/w

*Cis/trans isomers ratio: max 30% cis and min. 70% trans.

U.S. Patent Nos. 3,465,007 and 3,542,928.

*Pencik's SPB-1382® brand of resmethrin insecticide.

Pencik Corp., 1050 Wall Street West, Lyndhurst, NJ 07071

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

CAN BE USED IN NON-FOOD AREAS
OF FOOD HANDLING ESTABLISHMENTS.

B&B CHEMICAL COMPANY, INC.

Manufacturing Chemists

GENERAL OFFICES and MAIN PLANT
MIAMI, FL 33168, TELEX: 81-4794

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with skin or clothing. Causes eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans. Do not spray where food or drink is exposed or being consumed complete.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. When used on ships do not wash or flush freshly sprayed surfaces into adjacent waters. Do not spray on turf or plants.

FIRST AID

If swallowed, induce vomiting by sticking finger in back of throat or by administration of syrup of ipecac; get medical attention. If in eyes, flush with water for 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irritation develops, get medical attention.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Avoid contamination of cooking utensils and food preparation surfaces.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place. A container size of 30 gals. or more may be resealed and offered for reconditioning.

GENERAL: Consult federal, state or local disposal authorities for approved alternate procedures.

EPA Reg. No. 6899-19

EPA Est. No. 6899-AZ1, FL1, GA1, NJ1

NET CONTENTS _____ GALLONS