#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### DILUTION HISTRUCTIONS

For an emultion octating 0.31%, Set 1987 in the

Concentrate Fluid Ounces

115

23

1' 2 3 6 To Volume Below With Water

8 fluid ounces 16 fluid ounces 32 fluid ounces 12 gallon 1 gailon

MIX WELL BEFORE USING

**APPLICATIONS:** 

1

INSTRUCTIONS FOR CONTACT SPACE AND RESIDUAL SPRAYS

**FOR INDOOR USE**: In non-food areas of food handling establishemen, commercial industrial office residential public institutional and storage buildings hotels, hip cables and trapitals in hospitals patients should be removed prior to treatment. Also for use in buses, automobiles, and non-food areas of trucks, boscals and ship cargo holds. Do not use in electrical edupment or on surfaces that can be harmed unitained by water. Also for use industrial dog kennels and turks stables, in horse stables, not for application, filterselves, will be used for food.

CONTACT SPRAY — KILLS AND REDUCES INFESTATIONS: COCKROACHES, CRICKETS, SILVERRSH, ANTS, CARPET BEETLES, CENTIPEDES, EARWIGS, FLOUR BEETLES, GRAIN MITES, INLLIPEDES, SOWBUGS, SPIDERS: App., a. a contact spray if in pray tank with B&B ENDUHICOBE CONCENTRATE Spray Formulation. Keep spray morzie about 8 to 12 inches from surface to retreated Adjust pressure and nozzie to deliver a coarse wet spray. When possible indra, directly in pests to reduce infestations. Spray thoroughly into hiding placet. In this cracks, crevices more areas openings around pipes and sinks, under refrigerators and other applicances baseboards and storage areas. Apply soray until area is moist, but not to the point of run off. Spray directly on insects where possible. Repeat as necessary.

ANTS: To kill antsi spray trails inests and points of entry within buildings and homes. Spray or ants where possible. Hepeat as necessary.

FLEAS: Aids in the control of fleas on dogs and cats on pet bedding and in horse stails. Apply directly to animals along back under foreiegs and no other areas. Part hair to contact swin and insure good coverage. Hold nozzle about one foot away white spraying. Apply until hair is thoroughly moist. Do not spray directly in eyes, or mouth of animal. To reduce reinfestation thoroughly spray the animals bedding and other resting areas. Treat hose areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside

surface of dog houses. Repeat as necessary.

TO KILL BEDBUGS: Apply as a spot treatment to cracks and crevices around baseboards floorboards bedboards and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tuffs, folds and seams. Repeat as necessary. For persistant infestations, consult professional applicator.

RESIDUAL SPRAY: Aids in control of COCKHOACHES, CRICKETS, SILVERFISH ANTS, CENTIPEDES EARWIGS GRAIN MITES, SOWBUGS SPIDERS Kills for up to 4 weeks Spray baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets in back of and under appliances, sinks and cupboards in kitchens and bathrooms in basements, spray hiding places in cracks and crevices, lower walts and dark places. Apply as a coarse wet spray in a 4 to 6 inch band until area is thoroughly wet but not to the point of run off Repeat as necessary.

FRUIT FLIES, HOUSEFLIES, MOSQUITOES, SMALL FLYING MOTHS, GNATS: Apply as a space spray Adjust pressure and nozzle to deliver a fine mist spray. Close all doors and windows. Point nozzle upward direct spray mist to all parts of the room especially windows and other light sources which attract these insects. Keep the spray nozzle at all times at least four feet from abrics to avoid wetting or staining. Fill the room with mist at the dosage rate of one fluid ounce per 1,000 ct. ft. of space. Then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed and before re-entry.

OUTOGORS: To control nuisance pests around buildings, patios and paved areas. Apply as a contact spray Spray directly on insects. Avoid spraying turf or plants.

ANTS AND FLEAS: Same as directed for indoor use

**WASPS, YELLOW JACKETS, HORNETS:** Application should be made in late evening when insacts are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible Repeat as necessary.

CENTIPEDES, EARWIGS, MILLIPEDES, SOWBUGS, SPIDERS: Apply as a contact spray as for indoor



# ENDURICIDE CONCENTRATE

#### A SYNTHETIC PYRETHROLD

UUAL ACT ON INSECTIKILLER HILLS AS CONTACT AND HESIOUAL SPRAH HILLS ROACHES UP TO 4 WEEKS

tuls rank in your instrumate 30% and one 10% and frantis. Specifies in 365,000 and 3,542,928.

ether specifies in 3827 in long in a moth common or incommon entry and the common of the

## WARNING

MAVE CLEAN WATER SUPPLY AT HAND IN CASE OF AN EYE EMERGENCY WHEN DIEUTING THIS CONCENTRATE

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

CAN BE USED IN NON FOOD AREAS OF FOOD HANDLING ESTABLISHEMENTS

#### **B&B CHEMICAL COMPANY. INC.**

Manufacturing Chemists

GENERAL OFFICES and MAIN PLANT
MIAMI, FL 33166, TELEX 51-4794

#### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### WARNING

Harmful if swallowed. Avoid contact with skin or clothing. Causes ever intation. Do not get in eyes. Wash after handing. Avoid brenching vapor. Do not spray on humans. Do not spray where food or drink ulexposed or being curiliumed.

#### ENVIRONMENTAL HAZARDS

Reep out of lake I treams or ponds. Di not contaminate water by earling the orient und sprisal of wastes. When used on ships do not wash or treich freshly sprayed jurfaces into adjacent waters. Do not only united or plants.

#### FIRST AID

To wallowed induce voniting by stickling tinger in back of throat or by administration of syrup of pecac light medical attention. If in every fight with water for 15 minutes and see a physician. For the limitable wash with prest, it is apliant water of it tat in developing get medical attention.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE POUR SPILE OR STORE NEAR HEAT OR OPEN FLAME FLASH POINT MINIMUM 140 F

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Avoid contamination of cooking utensils and food preparation surfaces.

#### STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill applied for resticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place. A container size of 30 gals, or more may be resealed and offered for reconditioning.

GENERAL: Consult federal, statu or local disposal authorities for approved alternate p. ocedures.

EPA Reg. No. 6899-20

EPA Est No. 6899-AZ1, FL1, GA1, NJ1

NET CONTENTS \_\_\_\_\_ GALLONS

- ] (