MIXING INSTRUCTIONS

Mix thoroughly one part of PIVALYL CONCEN-TRATE with nineteen parts of a suitable bait material such a: corn meal, rolled oats, and stock food.

A small emount of an edible oil such as mineral, corn or peanut oil may be used up to 5% to prevent dusting and to increase acceptability.

When meat or fish is added to baits, dogs and cuts will actively search out the bait placements. Therefore, baits must be placed so as to positively prevent feeding by these animals.

GENERAL DIRECTIONS

Place bait in locations where rats and mice feed, water, or travel.

Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable.

Bait should be placed in locations not accessible to children, pets, and domestic animals or in tamper-proof bait boxes.

DIRECTIONS FOR USE

FOR RATS: Use in amounts of 1/2 to 1 lb. per bait station.

FOR MICE: Use 1 to 2 oz. per bait station and use more frequent placement (every 8 to 10 feet)

Baits should be examined regularly and replenished before completely eaten.

For effective control baiting should be maintained continuously as long as feeding is observed. Average kill times are from 6 to 14 days but some feeding may continue for 3 or 4 weeks. Where reinfestation is likely, permanent bait stations should be used and bait placed in them as often as necessary.


An Anti-coagulant Concentrate for preparing baits to kill rats and mice.

CEREAL BAITS PREPARED WITH PIVALYL ARE RESISTANT TO INSECT INFESTATION

ACTIVE INGREDIENT

2 - pivalyl - 1, 3 - indand INERT INGREDIENTS





CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panels for additional cautions.

USDA Reg. No. 6900-12

PIVALYL CONCENTRATE KILLS RATS AND MICE

																										T	0	tc	1			100.	.0%	,)
S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	99 .	. 5%	1
dione	•	•	•	•	•	•	•	•	•	•	•	•	•	•	۰	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	. 5%)
T:																																		

MANUFACTURED FOR THE J. J. DILL COMPANY 1407 RAVINE ROAD, KALAMAZOO, MICHIGAN . P. O. BOX 788



MIXING INSTRUCTIONS

Mix thoroughly one part of PIVALYL CONCEN-TRATE with nineteen parts of a suitable bait material such a corn meal, rolled oats, and stock food.

A small amount of an edible oil such as mineral, corn or peanut oil may be used up to 5% to prevent dusting and to increase acceptability.

When meat or fish is added to baits, dogs and cats will actively search out the bait placements. Therefore, baits must be placed so as to positively prevent feeding by these animals.

GENERAL DIRECTIONS

Place bait in locations where rats and mice feed, water, or travel.

Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable.

Bait should be placed in locations not accessible to children, pets, and domestic animals or in tamper-proof bait boxes.

DIRECTIONS FOR USE

FOR RATS: Use in amounts of 1/2 to 1 lb. per bait station.

FOR MICE: Use 1 to 2 oz. per bait station and use more frequent placement (every 8 to 10 feet)

Baits should be examined regularly and replenished before completely eaten.

For effective control baiting should be maintained continuously as long as feeding is observed. Average kill times are from 6 to 14 days but some feeding may continue for 3 or 4 weeks. Where reinfestation is likely, permanent bait stations should be used and bait placed in them as often as necessary.

PIVALYL CONCENTRATE KILLS RATS AND MICE


An Anti-coagulant Concentrate for preparing baits to kill rats and mice.

CEREAL BAITS PREPARED WITH PIVALYL ARE RESISTANT TO INSECT INFESTATION

ACTIVE INGREDIENT:

2 - pivalyl - 1, 3 - indand INERT INGREDIENTS

MANUFACTURED FOR THE J. J. DILL COMPANY 1407 RAVINE ROAD, KALAMAZOO, MICHIGAN · P. O. BOX 788




CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panels for additional cautions.

USDA Reg. No. 6900-12

dione	•	•	•	•	•	•		•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	; • •	5%
S	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	99 .	5%
																										T	0	ta	I			100.0	$)^{\sigma}_{0}$



PIVALYL CONCENTRATE KILLS RATS AND MICE

An Anti-coagulant Concentrate for preparing baits to kill rats and mice.

CEREAL BAITS PREPARED WITH PIVALYL ARE RESISTANT TO INSECT INFESTATION

ACTIVE INGREDIENT:

2 - pivalyl - 1, 3 - indandione	5%
INERT INGREDIENTS	. 99.5%
Total	100.0%

MANUFACTURED FOR THE J. J. DILL COMPANY 1407 RAVINE ROAD, KALAMAZOD, MICHIGAN + P. O. BOX 788

IMPORTANT

Baits that become sour, moldy, spoiled, or contaminated in any way should be replaced promptly.

CAUTION

PIVALYL CONCENTRATE contains as its active ingredient an anti-coagulant chemical. Therefore, PIVALYL CONCENTRATE must be protected from or placed where humans, livestock, poultry, or pets will not eat them.

NOTICE

In case baits are eaten, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

NOTE FOR PHYSICIANS:

Intravenous injections of Vitamin K1 is indicated together with administration of blood transfusions.

LOT NO.

THE J. J. DILL COMPANY

MANUFACTURERS AND DISTRIBUTORS

OFFICE AND WAREHOUSE -

1407 RAVINE ROAD • (616) 349.7755 MAIL ADDRESS -

P.O. BOX 788, KALAMAZOO, MICH. 49005

NET WEIGHT

IAS