


DANGER! (to be in 18 point type)
Keep out of reach of children (to be in 12 point type)

USDA Reg. No. 6900-X

DDVP 2# VAPONA (For Pest Control Operators Use Only)

An Emulsible Concentrate containing 2# DDVP Vapona

Contains	By Wt.
ACTIVE INGREDIENTS	
2, 2-dichlorovinyl dimethyl phosphate	21.8%
Related Compounds	1.6%
Petroleum Hydrocarbons	65.6%
INERT INGREDIENTS	11.0%
Total	100.0%



6900-X See side panel for additional warnings and antidotes.

PRECAUTIONS IN USING

DDVP 2# Vapona concentrate and the diluted emulsion are poisonous. Therefore, precautions must be observed when handling them. (See antidote and warnings below).

Store the concentrate in a safe place. Children or animals must not be able to reach or handle the concentrate or diluted emulsion. It is recommended that only the amount of diluted emulsion that will be used immediately be prepared from the concentrate.

Mix the concentrate into water outdoors or in a well ventilated room. Wash off the outside of the bottle of concentrate in running water before storing away.

This product is toxic to fish and wildlife. Keep out of any body water. Apply this product only as specified on this label.

Do not contaminate feed, water or foodstuffs, milk or milking utensils.

DANGER

DDVP 2# Vapona concentrate is poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Avoid prolonged exposure to fumes. Wear clean rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for DDVP (Vapona Insecticide) protection. Keep all unprotected persons out of operational area.

In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

DECONTAMINATE AND DESTROY USED CONTAINERS.

Decontaminate containers by washing thoroughly with a strong solution of alkali and detergent and rinsing with water.

Destroy containers by crushing or puncturing; then bury or burn.

Dispose of rinsings in a way as not to constitute a hazard, or contaminate water supplies.

ATROPINE TABLETS

Atropine is the specific antidote for organophosphorus poisoning. Consult your physician immediately for further instructions. Explain the 1/100-grain atropine tablets for emergency use only. Administer immediately in all cases of suspected poisoning.

INTERNAL: If the patient has been ingested, vomit immediately. This may be done by inducing vomiting with the aid of a solution of warm salt water (1 part salt to 10 parts water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PATIENT.

EXTERNAL: If the patient has been splashed in the skin, immediately remove patient from the area. If the insecticide, remove and decontaminate clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100-grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below).

Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing.

Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.


TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred.

Morphine is contraindicated.

Clear chest by postural drainage.

Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

Allergic reactions to atropine are rare. However, patients with known hypersensitivity to any of the ingredients should not receive atropine.



TO BE APPLIED BY THE EQUIPMENT OPERATORS OR TRAINED PERSONNEL ONLY

Apply DDVP 2# Vapona as a 1% to 3% fog or mist solution to control flies, mosquitoes, wasps, gnats, and other small flying insects.

To prepare a 1% fogging or misting solution dilute 1 quart of DDVP 2# Vapona emulsible concentrate with 6 gallons of water. For a 1% oil solution, dilute 1 quart with 7 gallons of oil.

Outdoor Area

Apply with fogging apparatus or mist blowers at the rate of 5-10 pints of 1% fogging solution per acre (equivalent to 0.05-0.1 pound DDVP 2# Vapona per acre). Do not treat areas where food or feed crops are growing.

Food Processing Plants, Industrial Plants, Theaters, Warehouses

Apply with fogging or misting equipment at the rate of 1 gallon of 1% fogging solution per 64,000 cubic feet. Apply when plants are not in operation. Occupants should vacate before indoor treatments and should not reoccupy the premises until they have been ventilated. After application open several windows or doors to create air currents to insure reduction of DDVP 2# Vapona vapors. Food should be removed and food handling equipment covered with wrapping paper during application, or washed after application is completed. During fogging or mist spraying indoors use a mask or respirator of a type passed by the USDA for DDVP (Vapona) protection.

Household Pest Control

Apply DDVP 2# Vapona as a 0.5% spray to control flies, mosquitoes, wasps, gnats, flying moths, and other small flying insects, cockroaches, ants, spiders, silverfish.

To prepare a 0.5% spray, dilute 1 pint of DDVP 2# Vapona emulsible concentrate with 6 gallons of water.

For households, restaurants, theaters, food processing plants, industrial plants, warehouses, apply 0.5% spray with low pressure sprayer to localized areas insects may infest. Treat infested areas around baseboards, cracks, walls, door and window frames, and localized areas of floors. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers, or cooking utensils. Do not treat animals.

Lot No.

Net Contents

Manufactured by the J. J. DILL COMPANY
1407 Ravine Road P. O. Box 788
Kalamazoo, Michigan 49005

7/25/68

6900-46