


**MIXING INSTRUCTIONS**

Mix thoroughly one part of Warfarin Concentrate with nineteen parts of a suitable bait material such as corn meal, rolled oats, and stock food.

A small amount of an edible oil such as mineral, corn or peanut oil may be used up to 5% to prevent dusting and to increase acceptability.

When meat or fish is added to baits, dogs and cats will actively search out the bait placements. Therefore, baits must be placed so as to positively prevent feeding by these animals.



*With Comments* **DILL**

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

See side panels for additional cautions.

USDA Reg. No. 6900-54

**GENERAL DIRECTIONS**

Place bait in locations where rats and mice feed, water, or travel.

Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable.

Bait should be placed in locations not accessible to children, pets, and domestic animals or in tamper-proof bait boxes.

**DIRECTIONS FOR USE**

**FOR RATS:** Use in amounts of 1/2 to 1 lb. per bait station.

**FOR MICE:** Use 1 to 2 oz. per bait station and use more frequent placement (every 8 to 10 feet)

Baits should be examined regularly and replenished before completely eaten.

For effective control baiting should be maintained continuously as long as feeding is observed. Average kill times are from 6 to 14 days but some feeding may continue for 3 to 4 weeks. Where reinfestation is likely, permanent bait stations should be used and bait placed in them as often as necessary.

# WARFARIN CONCENTRATE

## KILLS RATS AND MICE

An Anti-coagulant concentrate for preparing baits to kill rats and mice.

**ACTIVE INGREDIENT:**

Warfarin (3- (a-acetylbenzyl) - 4 hydroxycoumarin) . . . . . 0.5%

INERT INGREDIENTS . . . . . 99.5%

Total 100.0%


MANUFACTURED BY THE J. J. DILL COMPANY  
1407 RAVINE ROAD, KALAMAZOO, MICHIGAN . P. O. BOX 788

**MIXING INSTRUCTIONS**

Mix thoroughly one part of Warfarin Concentrate with nineteen parts of a suitable bait material, such as corn meal, rolled oats, and stock food.

A small amount of an edible oil such as mineral, corn or peanut oil may be used up to 5% to prevent dusting and to increase acceptability.

When meat or fish is added to baits, dogs and cats will actively search out the bait placements. Therefore, baits must be placed so as to positively prevent feeding by these animals.



*1910-54*  
*with corn meal*

**DILL**

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

See side panels for additional cautions.

USDA Reg. No. 6900-54

**GENERAL DIRECTIONS**

Place bait in locations where rats and mice feed, water, or travel.

Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable.

Bait should be placed in locations not accessible to children, pets, and domestic animals or in tamper-proof bait boxes.

**DIRECTIONS FOR USE**

**FOR RATS:** Use in amounts of 1/2 to 1 lb. per bait station.

**FOR MICE:** Use 1 to 2 oz. per bait station and use more frequent placement (every 8 to 10 feet)

Baits should be examined regularly and replenished before completely eaten.

For effective control baiting should be maintained continuously as long as feeding is observed. Average kill times are from 6 to 14 days but some feeding may continue for 3 to 4 weeks. Where reinfestation is likely, permanent bait stations should be used and bait placed in them as often as necessary.

**WARFARIN CONCENTRATE**

**KILLS RATS AND MICE**

An Anti-coagulant concentrate for preparing baits to kill rats and mice.

**ACTIVE INGREDIENT:**

Warfarin (3- (a-acetylbenzyl) - 4 hydroxycoumarin) . . . . . 0.5%

INERT INGREDIENTS . . . . . 99.5%

Total 100.0%

MANUFACTURED BY THE J. J. DILL COMPANY  
1407 RAVINE ROAD, KALAMAZOO, MICHIGAN . P. O. BOX 788

PTED

GENERAL INSECTICIDE  
FEDERAL INSECTICIDE ACT  
EPA REGISTERED

**DILL**

mmnts

### CAUTION

**KEEP OUT OF REACH OF CHILDREN**

See side panels for additional cautions

USDA Reg. No. 6900-54

### IMPORTANT

Baits that become sour, moldy, spoiled, or contaminated in any way should be replaced promptly.

### CAUTION

WARFARIN CONCENTRATE contains as its active ingredient an anti-coagulant chemical. Therefore, WARFARIN CONCENTRATE must be protected from or placed where humans, livestock, poultry, or pets will not eat them.

# WARFARIN CONCENTRATE

## KILLS RATS AND MICE

An Anti-coagulant concentrate for preparing baits to kill rats and mice.

### ACTIVE INGREDIENT:

Warfarin (3- (α-acetylbenzyl) - 4 hydroxycoumarin) . . . . .	0.5%
INERT INGREDIENTS . . . . .	99.5%
Total	100.0%

### NOTICE

In case baits are eaten, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately

### NOTE FOR PHYSICIANS:

Intravenous injections of Vitamin K1 is indicated together with administration of blood transfusions.

### LOT NO.

**THE J. J. DILL COMPANY**  
MANUFACTURERS AND DISTRIBUTORS

OFFICE AND WAREHOUSE -  
1407 RAVINE ROAD • (616) 349-7755

MAIL ADDRESS -  
P.O. BOX 788, KALAMAZOO, MICH 49005

MANUFACTURED BY THE J. J. DILL COMPANY  
1407 RAVINE ROAD, KALAMAZOO, MICHIGAN • P. O. BOX 788