

IMPORT

Baits
contaminated
promptly

CAUTION
DIPHACINONE
contains an
anticoagulant
..NON
toxic to
livestock
if fed to
them.

NOTE
In case of
tablets
and
a phys
NOTE
Intrav
cated
transf

LOT

TH

OFFICE

MAIL

NET

MIXING INSTRUCTIONS

Mix thoroughly one part of DIPHACINONE CONCENTRATE with nineteen parts of a suitable bait material such as corn meal, rolled oats, and stock food.

A small amount of an edible oil such as mineral, corn or peanut oil may be used up to 5% to prevent dusting and to increase acceptability.

When meat or fish is added to baits, dogs and cats will actively search out the bait placements. Therefore, baits must be placed so as to positively prevent feeding by these animals.

6900-82

DILL



U. S. D. A. Reg. #6900-X

GENERAL DIRECTIONS

Place bait in locations where rats and mice feed, water, or travel.

Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable.

Bait should be placed in locations not accessible to children, pets, and domestic animals or in rat-proof bait boxes.

DIRECTIONS FOR USE

FOR RATS: Use amounts of 1/2 to 1 lb. per bait station.

FOR MICE: Use 1 to 2 oz. per bait station and use more frequent placement (every 8 to 10 feet).

Baits should be examined regularly and replenished before completely eaten.

For effective control baiting should be maintained continuously as long as feeding is observed. Average kill times are from 6 to 14 days but some feeding may continue for 3 or 4 weeks. Where reinfestation is likely, permanent bait stations should be used and bait placed in them as often as necessary.

DIPHACINONE

CONCENTRATE

KILLS RATS AND MICE

An Anti-coagulant Concentrate for preparing baits to kill rats and mice.

CONTAINS

ACTIVE INGREDIENTS


Diphacinone (2-Diphenylacetyl-1, 3-indandione) 0.1%

INERT INGREDIENTS 99.9%

Total 100.0%

MANUFACTURED FOR THE J. J. DILL COMPANY
407 RAVINE ROAD, KALAMAZOO, MICHIGAN . P. O. BOX 788

DILL



U. S. D. A. Reg. #6900- X

IMPORTANT

Baits that become sour, moldy, spoiled, or contaminated in any way should be replaced promptly.

CAUTION

DIPHACINONE CONCENTRATE contains as its active ingredient an anti-coagulant chemical. Therefore, DIPHA-CINONE CONCENTRATE must be protected from or placed where humans, livestock, poultry, or pets will not eat them.

HACINONE CONCENTRATE

KILLS RATS AND MICE

Anti-coagulant Concentrate for preparing baits to kill rats and mice.

CONTAINS

INGREDIENTS	By Wt.
(2-Diphenylacetyl-1, 3-indandione)	0.1%
INGREDIENTS	99.9%
Total	<u>100.0%</u>

NOTICE

In case baits are eaten, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

NOTE FOR PHYSICIANS:

Intravenous injections of Vitamin K1 is indicated together with administration of blood transfusions.

LOT NO.

THE J. J. DILL COMPANY
MANUFACTURERS AND DISTRIBUTORS

OFFICE AND WAREHOUSE - 1407 RAVINE ROAD • 616 349-7755

MAIL ADDRESS - P. O. BOX 788, KALAMAZOO, MICHIGAN
49005

FACTURED FOR THE J. J. DILL COMPANY
VINE ROAD, KALAMAZOO, MICHIGAN • P. O. BOX 788

NET WEIGHT

LBS.

MIXING INSTRUCTIONS

Mix thoroughly one part of DIPHACINONE CONCENTRATE with nineteen parts of a suitable bait material such as corn meal, rolled oats, and stock food.

A small amount of an edible oil such as mineral, corn or peanut oil may be used up to 5% to prevent dusting and to increase acceptability.

When meat or fish is added to baits, dogs and cats will actively search out the bait placements. Therefore, baits must be placed so as to positively prevent feeding by these animals.

6900-82

6900-82

DILL



U. S. D. A. Reg. #6900- X

IMPORTANT

Baits that become contaminated in any promptly.

CAUTION

DIPHACINONE contains as its active coagulant chemical DIPHACINONE CONCENTRATE. It is highly toxic to livestock, poultry and other animals.

GENERAL DIRECTIONS

Place bait in locations where rats and mice feed, water, or travel.

Bait placements along walls, in corners, and in concealed locations where rats and mice are fed or observed are desirable.

Bait should be placed in locations not accessible to children, pets, and domestic animals or in rat-proof bait boxes.

DIRECTIONS FOR USE

FOR RATS: Use in amounts of 1/2 to 1 lb. per bait station.

FOR MICE: Use 1 to 2 oz. per bait station and use more frequent placement (every 8 to 10 feet).

Baits should be examined regularly and replenished before completely eaten.

For effective control baiting should be maintained continuously as long as feeding is observed. Average kill times are from 6 to 14 days but some feeding may continue for 3 or 4 weeks. Where reinfestation is likely, permanent bait stations should be used and bait placed in them as often as necessary.

DIPHACINONE

CONCENTRATE

KILLS RATS AND MICE

An Anti-coagulant Concentrate for preparing baits to kill rats and mice.

CONTAINS

ACTIVE INGREDIENTS

Diphacinone (2-Diphenylacetyl-1, 3-indandione) 0.1%

INERT INGREDIENTS 99.9%

Total 100.0%

By Wt.

MANUFACTURED FOR THE J. J. DILL COMPANY
1407 RAVINE ROAD, KALAMAZOO, MICHIGAN . P. O. BOX 788

NOTICE

In case baits are eaten, give a tablespoon of salt water and repeat until a physician immediately.

NOTE FOR PHYSICIANS

Intravenous injections should be given together with transfusions.

LOT NO.

THE J. J. DILL COMPANY
MANUFACTURER

OFFICE AND WAREHOUSE

MAIL ADDRESS - P. O.

NET WEIGHT

6900-82

6900-82

DILL



U. S. D. A. Reg. #6900-X

IMPORTANT

Baits that become sour, moldy, spoiled, or contaminated in any way should be replaced promptly.

CAUTION

DIPHACINONE CONCENTRATE contains as its active ingredient an anti-coagulant chemical. Therefore, DIPHACINONE CONCENTRATE must be protected from or placed where humans, livestock, poultry, or pets will not eat them.

DIPHACINONE CONCENTRATE

KILLS RATS AND MICE

An Anti-coagulant Concentrate for preparing baits to kill rats and mice.

CONTAINS

ACTIVE INGREDIENTS	By Wt.
Diphacinone (2-Diphenylacetyl-1, 3-indandione)	0.1%
INERT INGREDIENTS	99.9%
Total	<u>100.0%</u>

NOTICE

In case baits are eaten, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

NOTE FOR PHYSICIANS:

Intravenous injections of Vitamin K1 is indicated together with administration of blood transfusions.

LOT NO.

THE J. J. DILL COMPANY
MANUFACTURERS AND DISTRIBUTORS

OFFICE AND WAREHOUSE - 1407 RAVINE ROAD • 616 349-7755

MAIL ADDRESS - P.O. BOX 788, KALAMAZOO, MICHIGAN

4005

MANUFACTURED FOR THE J. J. DILL COMPANY
1407 RAVINE ROAD, KALAMAZOO, MICHIGAN . P. O. BOX 788

NET WEIGHT

LBS.

2
0-82

DILL

CAUTION
KEEP OUT OF REACH OF CHILDREN
See side panel for additional cautions.

U. S. D. A. Reg. #6900- X

IMPORTANT

Baits that become sour, moldy, spoiled, contaminated in any way should be replaced promptly.

CAUTION

DIPHACINONE CONCENTRATE contains as its active ingredient an anticoagulant chemical. Therefore, DIPHACINONE CONCENTRATE must be protected from or placed where humans, livestock, poultry, or pets will not eat them.

DIPHACINONE

CONCENTRATE

KILLS RATS AND MICE

NOTICE

In case baits are eaten, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Consult a physician immediately.

NOTE FOR PHYSICIANS:

Intravenous injections of Vitamin K1 is indicated together with administration of