
USE AND DIRECTIONS FOR APPLICATION

FOR REDUCING POPULATIONS OF RESIS-TANT AND NON-RESISTANT HOUSEFLIES IN AND AROUND OUTDOOR LIVING AREAS, PICNIC GROUNDS, BACKYARD AREAS, PATIOS, LOADING DOCKS, OUTDOOR LA-TRINES, PARKING AREAS, REFUSE AREAS AROUND SERVICE STATIONS, OPEN-AIR DRIVE-INS, ICE CREAM STANDS, GARBAGE COLLECTION AND DISPOSAL AREAS: Scatter bait at the rate of ${}^{1}_{2}$ lb. per 1,000 sq. ft. of area. Apply on ground or areas where flies congregate. For open-air drive-ins, ice cream stands and restaurants, apply on apron between serving counter and parking area, paying particular attention to trash barrels and garbage cans where flies congregate.



DAIRY BARNS, MILK SHEDS, STABLES, LIVESTOCK BARNS, LOAFING SHEDS, PIG PENS AND OUTDOOR AREAS: Scatter bait at the rate of 141b. per 1,000 sq. ft. on floor or ground areas where flies congregate. Ideal baiting sites are around doorways, feed storage rooms, alleyways and window sills. On freshly limed floors, place treatment on waste cloth or on paper. Repeat as necessary for practical fly control.

CAGED POULTRY AND TURKEYS ON WIRE: Scatter bait at the rate of 1/11b. per 1,000 sq. ft. on droppings beneath cages or porches. Repeat at weekly intervals.

POULTRY HOUSES: Scatter bait at the rate of ¹₄lb. per 1,000 sq. ft. where flies congregate, but keep out of reach of birds. Apply to manure, on window sills, outside of penned enclosures and on floor of feed storage room. Repeat as necessary.

DOG KENNELS: Scatter bait at the rate of 'ilb per 1,000 sq. ft. outside dog runways, on window sills, ledges and other surfaces out of reach of animals. For caged units apply to dropping area Repeat as necessary.

GARBAGE CANS: Apply bait around and inside garbage can. Repeat as necessary.

FORMULA V-5 SUGAR FLY BAIT Contains DDVP

FOR REDUCING POPULATIONS OF RESISTANT AND NON-RESISTANT HOUSEFLIES IN AND AROUND OUTDOOR LIVING AREAS, PICNIC GROUNDS, BACKYARD AREAS, PATIOS, LOADING DOCKS, OUTDOOR LATRINES PARKING AREAS, REFUSE AREAS AROUND SERVICE STATIONS, OPEN-AIR DRIVE-INS, ICE CREAM STANDS, GARBAGE COLLECTION AND DISPOSAL AREAS.

ACTIVE INGREDI 2, 2-Dichlorovinyl o Related Compounds INERT INGREDIE

MANUFACTURED BY THE J. J. DILL COMPANY 1407 RAVINE ROAD, KALAMAZOG, MICHIGAN P. O. BOX 788

CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panels for additional cautions.

USDA Reg. No. 6900-85

CONTAINS

IENTS:		By Wt.
dimethyl phosphate		
5	· · · · · · · · · · · · · · · · · · ·	
ENTS:	· · · · · · · · · · · · · · · · · · ·	
	T	otal 100.000%

CAUTION

KEEP OUT OF REACH OF CHILDREN

the side panels for additional cautions.

USDA Reg. No. 6900-85

4 4

FORMULA V-5 SUGAR FLY BAIT

CONTAINS

CTIVE INGREDMENTS.
CTDE Same and directory providements.
Reflate F.C. ampoint ds.
SEPTE MCREDEFATS.

A RECAUCENCE NEEDENRA

•

interpretation of the second sec

CAUTION

CAUTION

LGT NO

THE J. J. DILL COMPANY

MANUFACTURERS AND DISTRIBUTORS

OFFICE AND WAREHOUSE -

1407 PAVINE RUATE + 8161 349 7755

MAIL ADDRESS -


PO. BOX 788 KALAMATUO MICH 49005

NET CONTENTS

L B S

IONS FOR APPLICATION

POPULATIONS OF RESIS--RESISTANT HOUSEFLIES OUTDOOR LIVING AREAS, S, BACKYARD AREAS, JOCKS, OUTDOOR LA-AREAS, REFUSE AREAS E STATIONS, OPEN-AIR REAM STANDS, GARBAGE DISPOSAL AREAS: Scatter lb. per 1,000 sq. ft. of area. reas where flies congregate. is, ice cream stands and respron between serving counter aying particular attention to irbage cans where flies con-



MILK SHEDS, STABLES, IS, LOAFING SHEDS, PIG OOR AREAS: Scatter bait per 1,000 sq. ft. on floor or flies congregate. Ideal baitind doorways, feed storage nd window sills. On freshly eatment on waste cloth or on necessary for practical fly

AND TURKEYS ON WIRE: ate of 1,1b. per 1,000 sq. ft. h cages or porches. Repeat

S: Scatter bait at the rate of ft. where flies congregate, h of birds. Apply to manure, utside of penned enclosures storage room. Repeat as

catter bait at the rate of 11b. side dog runways, on window her surfaces out of reach of units apply to dropping area

Apply bait around and inside t as necessary.

FORMULA V-5 SUGAR FLY BAIT

Contains DDVP

FOR REDUCING POPULATIONS OF RESISTANT AND NON-RESISTANT HOUSEFLIES IN AND AROUND OUTDOOR LIVING AREAS, PICNIC GROUNDS, BACKYARD AREAS, PATIOS, LOADING DOCKS, OUTDOOR LATRINES PARKING AREAS, REFUSE AREAS AROUND SERVICE STATIONS, OPEN AIR DRIVE-INS, ICE CREAM STANDS, GARBAGE COLLECTION AND DISPOSAL AREAS.

CONTAINS

ACTIVE INGREDIENTS:	
2, 2-D-chlorovinyl dimethyl phosphate	
Related Compounds	
INERT INGREDIENTS:	

MANUFACTURED BY THE J. J. DILL COMPANY 1407 RAVINE ROAD, KALAMAZOO, MICHIGAN

CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panels for additional cautions.

PRECAUTIONS

Harmful it swallowed, maled the skin

nduce vom ting if swallowe immediately. Atropine is an contains on organic phospha esterase inhibitor. Avoid p contact with the skin. Wash and water after using and befa Do not use inside the hom processing plants or where n cessed. Do not contaminate stuffs. Keep out of reach mestic animals.

USDA Reg. No. 6900-85



By Wt. .465°ć0355 • • • • • • • • • • • • • • 99.500°° Total . . 100.000°c

P 0. BOX 788

CAUTION

This product is toxic to fish out of any body water. App as specified on this label.

CAUTION

Dispose of empty containers and for burying in non-crop ar smoke from burning container

LOT NO.

THE J. J. DILL

MANUFACTURERS AND

OFFICE AND WAREHOUSE -

1407 RAVINE ROL

MAIL ADDRESS -

P.O. BOX 788, KALA

NET CONTENTS