


DANGER! (to be in 18 point type)  
Keep out of reach of children (to be in 12 point type)

USDA Reg. No. 6900-X

**DDVP 2# VAPONA**

An Emulsible Concentrate containing 2# DDVP Vapona  
Contains

ACTIVE INGREDIENTS	WT.
2, 2-dichlorovinyl dimethyl phosphate	21.8
Related Compounds	1.6
Petroleum Hydrocarbons	20.2
INERT INGREDIENTS	11.3
<b>Total</b>	<b>54.9</b>



See side panel for additional warnings

**PRECAUTIONS IN USING**

DDVP 2# Vapona concentrate and the diluted solution are highly toxic. Therefore, precautions must be observed when handling this product (see the warnings below).

Store the concentrate in a safe place, inaccessible to children. Do not allow children to be able to reach or handle the concentrate or diluted solution. It is recommended that only the amount of diluted solution needed for immediate use be prepared from the concentrate.

Mix the concentrate with water outdoors or in a well-ventilated area. Wash off the outside of the bottle of concentrate immediately after use, and store it away.

Birds feeding on treated areas may be killed. This product is toxic to many wild life. Keep out of reach of children. Apply this product only as specified on this label.

Do not contaminate water, soil, or foodstuffs, milk or milk products.

**DANGER**

DDVP 2# Vapona is extremely poisonous if swallowed. It is also very toxic through the skin. Avoid contact with eyes, nose, mouth, and clothing. Avoid breathing vapors. Wear protective clothing. Wash thoroughly with soap and water after handling. Wear a respirator when using this product in enclosed spaces. Do not use in areas where people, animals, or birds are present.

In case of fire, use water to extinguish.

Net

100%

Water-soluble

Apply DDVP 2# Vapona as a 0.5% spray to control flies, gnats, mosquitoes, roaches, fleas, ants, sowbugs, and brown dog ticks. Consult your physician at once for a supply of 1/100-grain atropine tablets if you are unable to obtain any over-the-counter supply.

If the insecticide has been swallowed, induce vomiting by giving 1-2 glasses of water, or by inserting a finger into the throat. Give 1-2 tablets of 1/100-grain atropine salt to a glass of water. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.

EXTERNAL: If the insecticide has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100-grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below).

Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing.

Transport the patient immediately to the nearest physician.

#### NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred.

Morphine is contraindicated.

Clear chest by postural drainage.

Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

#### DIRECTIONS FOR USE

##### ANIMAL BUILDINGS

Apply DDVP 2# Vapona as a 0.5% spray to control flies, gnats, mosquitoes, roaches, fleas, ants, sowbugs, and brown dog ticks.

To prepare a 0.5% spray, dilute 1 pint of DDVP 2# Vapona EMS with 6 gallons of water. Apply as a coarse wet spray at the rate of 1 quart per 1,000 square feet.

For control of chicken lice:

Apply DDVE 2-Valerol as a 0.5% spray to control chicken lice on the body and on the neck and head.

~~For control of chicken body louse, apply uniformly to poultry house floor litter, nests and roosts at the rate of 3 pints of 0.5% spray per 100 sq. ft. A second application should be made 10-14 days later. Remove birds from house during application. Do not spray directly on poultry. Do not contaminate feed or water. Do not feed litter treated with Vapone to livestock.~~

Manure Piles, Heritage Areas:

For the control of fly maggots in hoggot breeding pens, apply at the rate of 1-2 quarts of 0.5% spray per 100 square feet.

Dog Kennels:

Apply to outside dog runways, window sills and other areas for the control of flies and brown dog ticks. Use at the rate of 0.5% spray per 100 sq. ft.

LOADING DOCKS, LOADING AREA, REFUSE AREAS AROUND TRUCKS, OPEN-AIR DRIVE-IN, FEED-BRAM STANDS, GARBAGE COLLECTION AND STORAGE AREAS.

Apply DDVE 2-Valerol as a 0.5% spray to control flies, gnats, mosquitoes, moths, fleas, ants, beetles, and brown dog ticks.

To prepare a 0.5% spray, mix 1 pint of DDVE 2-Valerol with 100 pints of water. Apply as a wet spray at the rate of 1 quart per 100 square feet. Do not use on animals (at this rate) or on areas where the animals are kept. Do not use on areas where the animals are kept.

POULTRY, ANIMALS:

Apply DDVE 2-Valerol as a 0.5% spray to control chicken lice on the body and on the neck and head.

For control of chicken body louse, apply uniformly to poultry house floor litter, nests and roosts at the rate of 3 pints of 0.5% spray per 100 sq. ft. A second application should be made 10-14 days later. Remove birds from house during application. Do not spray directly on poultry. Do not contaminate feed or water. Do not feed litter treated with Vapone to livestock.

100-1000

100-1000

For water... should be... areas, and... during treatment...

For baited solution...

CATTLE, BEEF AND CALVES

Apply DDVP 20... facilities, mouse...

To prepare a 1.0%... spray daily with... all parts of the... Do not apply in excess...

For a baited solution, sugar may be added at the rate of 1 pound per gallon of 1.0% spray.

E. I. du Pont de Nemours and Company      Net Contents      lbs.

Monsieur... DILL COMPANY  
147...  
Kalamazoo, Michigan  
212...