## ZINCO RODENT BAIT

## A READY TO USE RODENTICIDE CONTAINING ZINC PHOSPHIDE

CAUTION: KEEP OUT OF REACH OF CHILDREN.

SEE OTHER PRECAUTIONS below:

Wash carefully after using, especially before eating or smoking. Do not smoke while using bait. Avoid contact with skin. Do not breathe dust or fumes. May be fatal if swallowed. Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals or in tamper proof bait boxes. Do not contaminate feed or food stuffs. Do not reuse container. Destroy when empty. Keep away from children, pets, domestic animals and wildlife.

MEDICAL AID: Call a doctor immediately. Poisoning is due to release of phosphine gas which should be neutralized with a weak alkali such as a weak solution of lime water.

NOTE FOR PHYSICIAN: Give a stomach lavage orally such as 3-5% sodium bicarbonate to minimize toxicity.

DIRECTIONS FOR USE: FOR CONTROL OF RATS AND HOUSE MICE: (1% BAIT) Place teaspoon quantities of bait at 8 to 10 foot intervals where rats and mice feed, water, or travel. Bait placements along walls in corners and in concealed locations where rats and mice can feed unobserved are desirable. Place baits in boxes made of wood or metal, tamper proof and with baffled entrances not accessible to children, pets and domestic animals. Collect and bury or burn uneated baits after 72 hours. Do not treat the same ar a with zinc phosphide in less than 30-day intervals.


ACTIVE INGREDIENT Zinc Phosphide 1%

Net Wt INERT INGREDIENTS: Corn Oil 2%

Cracked Corn: 97%

Total 100%

ABA'ENE PEST CONTROL SERVICE, INC.
257 Dutchess Turnpike
Poughkeepsie, New York 12603



EPA No. 6913-5