

11 FEB 1985

Tesch Chemical Company, Inc.
P.O. Box 631
Appleton, WI 54912

BEST AVAILABLE COPY

Attention: L. M. Tornow
Manager

Gentlemen:

Subject: Speedee San
EPA Registration No. 6921-2
Your Application Dated October 25, 1984

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. Revise the statement:

Hazardous to Humans and Domestic Animals

to read:

Hazard to Humans and Domestic Animals

b. The statement Active Ingredient should be singular not plural.

c. In the ingredient statement, line up the percentage of the active ingredient with the words:

Dimethyl benzyl ammonium chloride

d. Revise the statement:

Apply to previously cleaned hard surface with mop or cloth

to read:

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

Apply to previously cleaned hard nonporous inanimate surfaces.
For heavily soiled areas, a preliminary cleaning is required.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.


A stamped copy of the labeling is enclosed for your records.

We have adjusted our records accordingly.

(Product Name Correction)

Old: Speedee San Disinfectant Sanitizer Deodorizer
New: Speedee San

Sincerely yours,

John H. Lee 
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

RD/DIS:JOB:90881:J.Lee:RD-49:eg:Kendrick & Co.:898-1270:2/1/85:Del.2/10/85

Disinfectant-Sanitizer
Deodorizer for Hospital, Institutional,
Industrial, and School Use

<u>Active Ingredients</u>	
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%)	10.5%
Dimethyl Benzyl Ammonium Chloride	
<u>Inert Ingredients</u>	89.5%
	<hr/> 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Registration No. 6921-2
EPA Establishment No. 6921-WI-1

Authorized by USDA for use in federally inspected meat and poultry plants

Net Contents

Manufactured By:

TESCH CHEMICAL CO., INC.
P O Box 631 Appleton, WI 54912

For Sale For Use And Storage By
Maintenance Personnel Only

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
in EPA Letter Dated

FEB 11 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

(Center Panel)

6921-2

faces in Food Contact Locations.

For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, counter-tops, refrigerated storage and display equipment and other hard non porous surfaces.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz Speedee San in 4 gallons of water. (200 ppm active). Surface should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be re-used for sanitizing applications.

Apply to sink tops, countertops refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush. Dishes, silverware glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz/4 gallon dilution of Speedee San. No Potable water rinse is required.

At 1 oz/4 gallons, Speedee San has a hard water tolerance of 500 ppm of hardness calculated as CaCO₃ when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus.

ACCEPTED
WITH COMMENTS
Letter Dated
FEB 11 1985

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC
ANIMALS

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 10701-2

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

Storage and Disposal

- Do not contaminate water, food, or feed by storage disposal.
- Do not store on side.
- Avoid creasing or impacting of side walls.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. (If container is 1 gallon or less, use this container disposal statement.)

Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

BEST AVAILABLE COPY

(Keep Secret)

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply Speedee San with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surface must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions.

For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes tables, chairs, garbage pails and other hard non-porous surfaces.

Add 1 oz Speedee San to 1 gallon water. Apply to previously cleaned hard surface with mop or cloth.

At this use-level, Speedee San is effective against *Pseudomonas aeruginosa*.

Disinfectant in Institutions, (i.e. Educational, Penal, Military), Industry and Schools

For disinfecting floors, walls, bedframes, countertops, tables, chairs, garbage pails, bathroom fixtures and other hard surfaces.

Add 1 oz Speedee San to 2 gallons of water. Apply to previously cleaned hard surface with mop or cloth.

At 1 oz /2 gallon use-level Speedee San is effective against *Staphylococcus aureus*, and *Salmonella choleraesuis*.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

FEB 11 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. 1.1

6921-2

(Right Panel)