

SPEEDEE algacide is efficient, economical and stable in use dilution.

SPEEDEE is compatible with all chemicals used in pool water and will not damage tile, concrete, metal, or plastics.

SPEEDEE keeps pool water free and sparkling, clear of visible algae, algal slime and green brown colors.

SPEEDEE improves filter operation and cuts down need for other chemicals.

SPEEDEE imparts tone and a pleasant "feel" to swimming pool water.

EPA REG. No. 6921-3

ACCEPTED

AUG 19 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 6921-3

Do not reuse container. Destroy when empty.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

Apply this product only as specified on this label.

AUG 5 1975
REGISTRATION DIVISION
PESTICIDES, EPA

SPEEDEE ALGAECIDE

SWIMMING POOL

OUTSTANDING ALGAE GROWTH DEPRESSANT

ACTIVE INGREDIENT:

Alkyl* Dimethyl Benzyl Ammonium Chloride

*C₁₄, 60%; C₁₂, 25%; C₁₆, 15%

10%

INERT INGREDIENTS:

90%

100%

Manufactured By:

TESCH CHEMICAL CO., INC.

E. Midway Road

Appleton, Wis. 54911

ONE GALLON

DANGER

Keep Out of Reach of Children.

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

DIRECTIONS

INITIAL APPLICATION: To a cleaned pool add one gallon to 50,000 gallons of water, or ratio thereof. Apply this product directly to pool water or apply by sprinkling around the edge of the pool.

MAINTENANCE DOSE: Use one quart per 50,000 gallons of water every 5 to 7 days. When weather is hot or bathing load is heavy, use this dosage every 5 days or as necessary.

BOOSTER DOSE: Immediately every after rain add one quart per 50,000 gallons of water as above.

IMPORTANT: Follow above directions without fail, even when pool is not used. Algae growth must be fought at all times.

POOL-SIDE SURFACES: After cleaning surfaces, use one oz. to four gallons of water for sanitizing or one oz. to two gallons of water for disinfecting. Apply so as to thoroughly wet surfaces with the recommended solution.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed.