

ACCEPTED

JUL 17 1981

Fungicide and Fungicide Act. registered under EPA Reg. No. 6921-8

SANTEC

DISINFECTANT-SANITIZER FUNGICIDE DEODORIZER

Disinfectant-Sanitizer-Fungicide Deodorizer for
Hospital, Institutional, Industrial, School,
Dairy and Other Farm Use

Active Ingredient

Didecyl dimethyl ammonium chloride	3.75%
Inert Ingredients	96.25%
	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. If you swallow, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink plenty of water, plenty of milk, egg whites, gelatin solution or if these are not available, drink high quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIANS: Prolonged mucousal damage may contraindicate the use of gastric lavage. Monitor respiratory rate, reflexes, respiratory depression, and convulsion may occur.

SEE LEFT PANEL FOR

ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 6921-8

EPA Establishment No. 6921-WI-1

Manufactured By

TESCH CHEMICAL CO., INC.
E. Midway Road Appleton, WI 54912

Sanitizing of Food Processing Equipment and other Hard Surfaces in Food Contact Locations

For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glass, sink tops, countertops, refrigerated storage and display equipment and other hard non-porous surfaces. No potable water rinse is required.

Wash all articles thoroughly, then apply a solution of 1 oz. SANTEC in 2 gallons of water (150 ppm) to all surfaces. Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared and used when used solution becomes visibly dirty. For mechanical applications, use no atomized or high pressure applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces. Do not use on fresh or potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersing in a 1 oz. 2 gallon solution of SANTEC. No potable water rinse is required.

Sanitec SANTEC fulfills the criteria of appendix F of the Grade "A" Pasteurized Milk Ordinance 1978 Recommendations of the U.S. Public Health Service in waters up to 1000 ppm of hardness calculated as CaCO₃ when evaluated by the AOAC Germicidal and Disinfectant Sanitizer Method against Escherichia coli and Staphylococcus aureus.

The udders, flanks, and teats of dairy cows can be sanitized by washing with a solution of 1 oz. SANTEC in 2 gallons of warm water. No potable water rinse is required.

Use a fresh towel for each use. Avoid contamination of sanitizing solution by dirt and soil. Do not use on fabrics, carpets, or other soft surfaces. When solution becomes visibly dirty, discard and prepare fresh solution.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS OR BURY IN A SAFE PLACE

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES. U.S. LIMITED OPEN DUMPING

GE

Not a violator in manner in

Apply SANTEC face must be must remain prepared dai

Disinfection in Institutions.

For disinfect lavatories, be non-porous sur

Add 7 oz. SAI hard surface w

At this use aeruginosa.

Disinfectant

For disinfect chairs, garb porous surface

Add 1 oz. of cleaned hard

At 1 oz./gallon coccus aureus digitale (the at

Not Cont

30