

[6926-7]

6926-7  
COPY

Apply this product only as specified on this label.

**HOW TO USE CARL POOL GARDEN WORM SPRAY**

Carl Pool Garden Worm Spray, unlike chemical insecticides, can be used anytime caterpillars (leaf-eating worms) appear in trees or vegetables. Pets and family can return to the yard or garden immediately after spraying. Vegetables may be picked and consumed anytime after spraying. The active ingredient, *Bacillus thuringiensis*, has been commercially proven to selectively affect only leaf-eating caterpillars, nothing else. Lady beetles, earthworms, honey bees, and other beneficial insects are not harmed, so spray coverage can be complete, without worry.

Carl Pool Garden Worm Spray is easy to mix and apply with regular sprayers. Place half the required amount of water in tank or jar, add recommended amount of Carl Pool Garden Worm Spray, shake or stir, add balance of water and mix. Do not store diluted spray more than 12 hours.

Since Carl Pool Garden Worm Spray works only in a caterpillar's stomach, a small amount of treated leaf must be eaten to provide a lethal dose. Complete spray coverage of both sides of foliage is necessary. After biting treated portion of leaf, caterpillars stop feeding within a few hours. Death follows in a few days.

Apply when caterpillars (or their damage) first appear. Re-treatment at 7 to 10 day intervals may be required, especially as egg hatch may occur over an extended period of time. Use of the higher number of recommended tablespoons per gallon of spray provides a longer period of control.

\* Securely close carton of unused Carl Pool Garden Worm Spray. Store in a dry place.

**Do not reuse container. Destroy when empty.**

**RECOMMENDED APPLICATION RATES**

Ornamental & Shade Trees (to 25 feet)	TBSPS PER GAL. OF SPRAY
Gypsy Moth Larvae,* Bagworm	2-4
Spring and Fall Cankerworms (Inchworms), Fall Webworm	2
Tent Caterpillar, Red-humped Caterpillar (California only)	1-2
Elm Spanworm	4
*For best control of Gypsy Moth, apply when caterpillars are small. Repeat treatment if necessary.	
Flowers (Mums)	
Cabbage Looper	2-4
Vegetables**	
Lettuce, Broccoli, Cabbage, Cauliflower, Collards, Kale, Spinach, Mustards and Turnip Greens	
Cabbage Looper (Green Worm)	2-4
Imported Cabbageworm	1-2
Diamondback Moth	1-2

Beans, Cucumbers, Melons, Potatoes	
Cabbage Looper	2-4
Tomatoes	
Tomato Hornworm	1-2
Tomato Fruitworm*** (Corn Earworm)	4
Cabbage Looper	2-4
Celery	
Cabbage Looper, Celery Looper	2-4
Grapes	
Grape Leaf Folder	2-4
**CARL POOL GARDEN WORM SPRAY may be applied up to the day of harvest	
***For best results apply every 5-7 days	

**ACTIVE INGREDIENT:**  
*Bacillus thuringiensis*, Berliner 4 320 (0.8% per mg)  
 At least 6.75 billion viable spores per gram 0.86%  
**INERT INGREDIENTS** 99.14%  
 \*Equivalent to 1.86 billion International Units of potency per pound of.

EPA Reg No 6926-7  
 EPA Est. 06926 TX01

PACKAGED BY  
 CARL POOL LABORATORIES, INC  
 Elmhurst, Texas 78112

# GARDEN WORM SPRAY

*Bacillus thuringiensis*  
 BIOLOGICAL INSECTICIDE

**KILLS CATERPILLARS and VEGETABLE WORMS**

For Gypsy Moth, Tomato Hornworm, Inchworm, Webworm, Cabbageworm, Looper, and other specified caterpillars.

NET WT. 7 OZ.  
 Makes up to 40 gallons of spray

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

JD DPEL is the registered trademark of Abbott Laboratories, North Chicago, Illinois 60064

ACCEPTED  
 JUL 1975  
 6926-7