FFR 2.5 MA

Merit Chemical, Inc. Sanitation Chemicals P.O. Box N Sharon, WI 53585

Attention: Phyllis A. Almburg

Gentlemen:

Subject: Iodibac

EPA Registration No. 6931-2

Your Letter Dated November 30, 1987

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - Delete the word "treatment" and add "Statement of Practical Treatment."
 - b. A the Misuse statement under the "Directions for Use" heading.
 - c. Delete the phrase "Only For Sale To, Use And Storage By Service Persons."
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

92065: I: Dutch: K-8: KENCO: 2/11/88: 2/24/88: CB: VO: EK: aw

BEST AVAILABLE COP

CONCURRENCES								
SYMBOL	15-7676							
SURNAME]	ļ			
DATE	12/25/88							
EPA Form 1320-1 (12470) OFFICIAL							AL FILE COPY	

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Should you have any further questions, please contact Veronica Dutch at (703) 557-6938.

Sincerely yours,

11

Jeff Kempter Product Manager (32) Disinfectants Branch Registration Division (MS-757C)

Enclosure



TREATMENT

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF SWALLOWED: DO NOT INDUCE VOMITING. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available. drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ONLY FOR SAME TO, USE, AND STORAGE BY SERVICE PERSONS.

INSTITUTIONAL APPLICATIONS DISHES, GLASSES AND UTENSILS

- Scrape and pre-wash utensils and glasses whenever possible.
- Wash in appropriate Merit detergent.
- Rinse in clean water.
- Sanitize (by immersion, flooding or spraying) using IODIBAC at a concentration ct. 1 punce to 10 gallons of hot water (12½ ppm) for a period of 2 minutes.
- Drain properly. Air dry DO NOT TOWEL. NOTE: If final rinse tanks are limed, clean them thoroughly with PH-5 hefore starting the IODIBAC program.

FOOD SERVICE EQUIPMENT

- Clean slicers, mixers, grinders, etc., thoroughly with compatible Merit detergent.
- Rinse in clean water.
- Sanitize (by using immersion, flooding or spraying) with a solution of 1 ounce of IODI JAC to 10 gallons of hot water (12½ pc.n). All equipment and surfaces should be exposed to the sanitizer for a period of not less than 2 mintues.
- Drain properly. Air dry DO NOT TOWEL.

USE DILUTIONS

50 ppm

2 oz. to 5 gallons water

.25 ppm

1 oz. IODIBAC to 5 gallons water

12½ ppm

1 oz. IODIBAC to 10 gallons water Used solution may not be re-used for sanitizing but may be used as a detergent.

EPA REG. NO. 6931-2 Formula S-30 **DETERGENT-SANIT**

for Cleaning and Sanitizing Eq and Utensils

Active Ingredients: Nonylphenoxypoly (ethyleneo lodine Complex (providing 1.75% available iod Phosphoric Acid

DANGER: KEEP OUT OF REACH O SEE SIDE PANEL FOR FIRST AID INSTE **NET CONTENTS ONE U.S.**

MERIT CHÉN MANUFACTURED EXCLUSIVELY BY



EPA REG. NO. 6931-2

Formula S-30

for

and Utensils

ERGENT-SANIT!ZER

ig and Sanitizing Equipment

Nonylphenoxypoly (ethyleneoxy) ethanol—

(EEP OUT OF REACH OF CHILDREN

DE PANEL FOR FIRST AID INSTRUCTIONS

NTENTS ONE U.S. GALLON

(providing 1.75% available iodine) 20%

ACCEPTED
with COMMENTS
in EPA Letter Dated: 3

FEB 2 5 1988

EQUIPMENT TO UTENSILS

- 1. Rinse with warm water.
- 2. Wash with IODIBAC, 1 oz. to 10 gallons warm water.
- 3. Rinse with warm water.
- Immediately prior to use, sanitize (by immersion, flooding or spraying) for 2 minutes with !ODIBAC using 1 oz. to 5 gallons of water. Drain and air dry.

Under the Federal Insectic MOLE CENTROL

Fungicitie, and Rodenticide Act Wash surfaces with 2 oz. IOD/BAC to 5 gellons of warm as amended, for the pesticide water (120°7).

existered under EPA Bas #9 Spray or rinse with 50 ppm solution of IODIBAC. Drain and air dry.

DANGER CAUSES SKID IRRITATION

Use in recommenced strength. Avoid contact with skin and eyes. In case of exposure, flush skin or eyes with a copious quantity of water, get medical attention. Avoid contamination.

UDDER WASHING AND SANITIZING

- For each cow to be milked, place one clean towel in container with iresh warm 25 ppm IODIBAC solution.
- Wash udder and teats, then discard towel in second container.
- After milking, dip each teat in dip cup containing 25 ppm IODIBAC.

EPA Est. No. 6931-WI-1

PRECAUTIONARY Statem :nts

HAZARDS TO HUMANS
AND DOMESTIC
ANIMALS
DANGER: CAUSES EYE
DAMAGE
CAUSES SEVERE SKIN
IRRITATION, ESPECIALLY TO
BROKEN SKIN
HARMFUL IF SWALLOWED

- Do not get in eyes, on skin or on clothing.
- Wear goggles or faceshield and rubber gloves when handling this product.
- Remove and wash contaminated clothing.
- 4. Do not take internally.

STORAGE AND DISPOSAL

STORAGE Store in a cool, dry place Store in original container only

DISPOSAL Do not contaminate water, food, or feed by storage or disposal. Do not use empty container. Triple rinse for equivaler.!). Dispose of in the trash.

RIT CHEMICAL, INC. SHARON, WISCONSIN

BEST AVAILABLE COPY