



A.C. Southern
SPRAY-TOX
 INSECTICIDE

SPRAY-TOX is an effective ready-to-use Pyrethrin Insecticide, for application in specialized mechanical, thermal, or compressed air fogging equipment that can be adjusted to deliver a true aerosol mist.

SPRAY-TOX is designed for use in bakeries, food plants, restaurants, hotels, motels, hospitals, schools, office buildings, warehouses, dairies, milk rooms, horse barns, meat packing plants, boats, flour mills, food processing & handling plants, and food storage warehouses.

ACTIVE INGREDIENTS

Pyrethrins.....	0.30%
*Piperonyl Butoxide, Technical.....	1.50%
**INERT INGREDIENTS.....	98.20%
	100.00%

*Equivalent to 1.20% (butylcarbityl) (6-propylpiperonyl) ether and 0.30% related compounds.

**Contains Petroleum Distillate, *xylene, or xylene range aromatic solvent.*

KEEP OUT OF REACH OF CHILDREN ✓
CAUTION ✓
 See side panel for additional precautionary statements ✓

E.P.A. Est. No. 6959-SC-1
 E.P.A. Reg. No. 6959-33

NET CONTENTS: 5 GALLONS

MANUFACTURED BY:
CESSCO S., INC.
 3609 River Road
 Johns Island, SC 29455
 1-800-476-3666

ACCEPTED
 DEC 26 1995
 Under the Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency
 Washington, D.C. 20460
 Registration Number
 6959-33

BEST COPY AVAILABLE

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

This ready-to-use concentrate may be dispersed through good mechanical, thermal or compressed air fogging or spraying equipment. If used in edible product areas of Federally inspected meat, poultry, shell egg grading and egg product establishments, it must be dispersed as aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

SPACE TREATMENT FOR FLYING INSECTS:

House Flies, Stable Flies, Blow Flies, Fruit Flies, and Gnats. Close all doors and windows and shut off ventilating systems. Apply as a fog or fine mist at a rate of 1 ounce per 1000 cubic feet of space. Direct spray towards ceiling in all directions and behind obstructions. Do not remain in treated area. Keep area closed for at least 15 minutes and ventilate before reoccupying. Repeat treatment as necessary.

FOR CRAWLING INSECTS:

Roaches and Silverfish. Spray infested areas thoroughly directing spray into hiding places such as cracks and crevices, cabinets, under sinks, etc. Spray directly on as many insects as possible. Repeat treatments as necessary.

FOR GRAIN INSECTS:

For control of accessible stages of **Flour Beetles, Caddis, Saw Tooth Grain Beetles, Bran Bugs, Indian Meal Moths, Mediterranean Flour Moths, Chocolate Moths, Angoumois Grain Moths, Foreign Grain Beetles, Cigarette Beetles, and Ham & Cheese Mites.** Close all doors and windows and shut off ventilating systems. Apply as a fog or fine mist at a rate of 1 ounce per 1000 cubic feet of space. Direct spray into air, as well as into the pest's hiding places. Do not remain in treated area. Keep area closed for at least 15 minutes and ventilate before reoccupying. Repeat treatment as necessary.

FOR CLOTHES MOTHS AND CARPET BEETLES:

Clean and spray closets thoroughly, to reach all hiding places. Clean and brush woolen articles. Repeat application every 30 days. When carpets are infested, spray both sides thoroughly. When spraying near fabrics, keep spray in constant motion, at least 36 inches away from fabrics. Spraying closer may cause stains.

FOR BEDBUGS:

Spray baseboards, molding and floor boards. Spray mattresses and box springs. It will be necessary to dismantle the bed completely, thoroughly spraying each part, including mattress and box springs. All baseboards and wall cracks about the bedroom should be thoroughly treated. Repeated applications and direct contact of the pest with spray are necessary for control.

FOR MOSQUITOES:

Close all doors and windows and shut off ventilating systems. Spray upwards into the air, filling premises with a mist at a rate of 1 ounce per 1000 cubic feet. Do not remain in treated area. Keep area closed for at least 15 minutes and ventilate before reoccupying.

IN HOSPITALS

Patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to rooms until after ventilation.

FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

When applying a space treatment in food handling areas, the food handling operation should be shut down. Foods should be removed or covered during treatment. In food processing areas all utensils, shelving etc., where food will be handled should be covered or removed before treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use. Careful crack and crevice application for inspection purposes is permissible at all times except in USDA Federally inspected meat and poultry plants, as provided below!

In authorized USDA Federally inspected meat and poultry plants: Apply only when processing area is not in operation. Foods should be removed or covered during treatment. After a space treatment, all food processing surfaces and equipment should be thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use. To prevent food product contamination, the treated area should be free of odor before the food product is placed in the area.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN & DOMESTIC ANIMALS

CAUTION

inhaled
Harmful if swallowed, or absorbed through skin. *clothing* Avoid breathing vapors or spray mist. Avoid contact with eyes and skin. *Wash thoroughly with soap and water after handling.* Do not apply directly to food. *Remove contaminated clothing and wash clothing before reuse.* In commercial food handling facilities, cover or remove food and food processing equipment before application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and all other food processing plants, wash all equipment, benches, shelving, etc. thoroughly with a suitable detergent and rinse with potable water where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

move to directions for use.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENTS

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration pneumonia hazard. Do not give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. If not breathing, give artificial respiration, preferably mouth to mouth. Avoid alcohol. Get medical attention.

IF IN EYES: Flush with plenty of water. If irritation persists get medical attention.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash skin with soap and warm water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Store containers upright. Do not use or store near heat or open flame. Avoid exposure to extreme temperatures. Do not apply this product in or on electrical equipment due to the possibility of a shock hazard.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal wastes. Apply this product only as specified on this label. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. ✓

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that can not be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other approved State or local procedures.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

BEST COPY AVAILABLE