

William L. Ayer
President
Cessco, Inc.
3609A River Road
Johns Island, SC 29455

14 JUN 1996

Dear Mr. Ayer:

Subject: A.C. Southern Spray-Tox Insecticide
EPA Reg. No. 6959-33
Label amendment dated 1/9/96

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

In the first paragraph under the Hazards to Humans and Domestic Animals heading, delete the language relating to use in food handling establishments. It differs somewhat from similar language in the directions for use. This paragraph must read as follows:
Harmful if swallowed, inhaled, or absorbed through the skin. Wash thoroughly with soap and water after handling. Avoid breathing vapors or spray mist. Avoid contact with clothing, eyes, and skin. Remove contaminated clothing and wash clothing before reuse.

If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,

RPK

Richard P. Keigwin, Jr.
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (7505C)

CONCURRENCES

SYMBOL	PM10						
SURNAME	Sibold						
DATE	6-14-96						

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMAN & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after handling. Avoid breathing vapors or spray mist. Avoid contact with clothing, eyes and skin. Remove contaminated clothing and wash clothing before reuse. Do not apply directly to food. In commercial food handling facilities, cover or remove food and food processing equipment before application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and all other food processing plants, wash all equipment, benches, shelving, etc. thoroughly with a suitable detergent and rinse with potable water where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENTS

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush with plenty of water. If irritation persists get medical attention.

IF ON SKIN: Wash skin with soap and warm water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Store containers upright. Do not use or store near heat or open flame. Avoid exposure to extreme temperatures. Do not apply this product in or on electrical equipment due to the possibility of a shock hazard.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other approved State or local procedures.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.



A.C. Southern
SPRAY-TOX
INSECTICIDE

SPRAY-TOX is an effective ready-to-use Pyrethrin Insecticide, for application in specialized mechanical, thermal, or compressed air fogging equipment that can be adjusted to deliver a true aerosol mist.

SPRAY-TOX is designed for use in bakeries, food plants, restaurants, hotels, motels, hospitals, schools, office buildings, warehouses, dairies, milk rooms, horse barns, meat packing plants, boats, flour mills, food processing & handling plants, and food storage warehouses.

ACTIVE INGREDIENTS

Pyrethrins.....	0.30%
*Piperonyl Butoxide, Technical.....	1.50%
**INERT INGREDIENTS.....	98.20%
	100.00%

*Equivalent to 1.20% (butylcarbityl) (6-propylpiperonyl) ether and 0.30% related compounds.

**Contains Petroleum Distillate, Xylene, or Xylene range aromatic solvent.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary statements

E.P.A. Est. No. 6959-SC-1
E.P.A. Reg. No. 6959-33

NET CONTENTS: 5 GALLONS

MANUFACTURED BY:
CESSCO S., INC.
3609 River Road

ACCEPTED
with COMMENTS
In EPA Letter Dated 1-800-476-3666

14 JUN 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING.

This ready-to-use concentrate may be dispersed through good mechanical, thermal or compressed air fogging or spraying equipment. If used in edible product areas of Federally inspected meat, poultry, shell egg grading and egg product establishments, it must be dispersed as aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

SPACE TREATMENT FOR FLYING INSECTS:

House Flies, Stable Flies, Blow Flies, Fruit Flies, and Gnats. Close all doors and windows and shut off ventilating systems. Apply as a fog or fine mist at a rate of 1 ounce per 1000 cubic feet of space. Direct spray towards ceiling in all directions and behind obstructions. Do not remain in treated area. Keep area closed for at least 15 minutes and ventilate before reoccupying. Repeat treatment as necessary.

FOR CRAWLING INSECTS:

Roaches and Silverfish. Spray infested areas thoroughly directing spray into hiding places such as cracks and crevices, cabinets, under sinks, etc. Spray directly on as many insects as possible. Repeat treatments as necessary.

FOR GRAIN INSECTS:

For control of accessible stages of **Flour Beetles, Cadellids, Saw Tooth Grain Beetles, Bran Bugs, Indian Meal Moths, Mediterranean Flour Moths, Chocolate Moths, Angoumois Grain Moths, Foreign Grain Beetles, Cigarette Beetles, and Ham & Cheese Mites.** Close all doors and windows and shut off ventilating systems. Apply as a fog or fine mist at a rate of 1 ounce per 1000 cubic feet of space. Direct spray into air, as well as into the pest's hiding places. Do not remain in treated area. Keep area closed for at least 15 minutes and ventilate before reoccupying. Repeat treatment as necessary.

FOR CLOTHES MOTHS AND CARPET BEETLES:

Clean and spray closets thoroughly, to reach all hiding places. Clean and brush woolen articles. Repeat application every 30 days. When carpets are infested, spray both sides thoroughly. When spraying near fabrics, keep spray in constant motion, at least 36 inches away from fabrics. Spraying closer may cause stains.

FOR BEDBUGS:

Spray baseboards, molding and floor boards. Spray mattresses and box springs. It will be necessary to dismantle the bed completely, thoroughly spraying each part, including mattress and box springs. All baseboards and wall cracks about the bedroom should be thoroughly treated. Repeated applications and direct contact of the pest with spray are necessary for control.

FOR MOSQUITOES:

Close all doors and windows and shut off ventilating systems. Spray upwards into the air, filling premises with a mist at a rate of 1 ounce per 1000 cubic feet. Do not remain in treated area. Keep area closed for at least 15 minutes and ventilate before reoccupying.

IN HOSPITALS:

Patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patient to room until after ventilation.

FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:

When applying a space treatment in food handling areas, the food handling operation should be shut down. Foods should be removed or covered during treatment. In food processing areas all utensils, shelving, etc., where food will be handled should be covered or removed before treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use. Careful crack and crevice application for inspection purposes is permissible at all times except in USDA Federally inspected meat and poultry plants, as provided below:

In Authorized USDA Federally Inspected Meat and Poultry Plants:

Apply only when processing area is not in operation. Foods should be removed or covered during treatment. After a space treatment, all food processing surfaces and equipment should be thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use. To prevent food contamination, the treated area should be free of odor before the food product is placed in the area.