PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Keep out of reach of children . May be harmfui if swallowed, inhaled, or absorbed through skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided. Do not use as a space spray.

Wash thoroughly after using.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.


IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce ting because cf aspiration hazard.

STORAGE AND DISPOSAL

Do not store near heat or open flame. Replace protective cap when not in use.

Do not reuse empty container. Wrap and place in trash collection.





INGREDIENTS

Active Ingredient(s): Pyrethrins I & II... .700% Technical Piperonyl Butoxide* 1 000% Rotenoids and other Cube Resins. 067% Rotenone 033% o-isopropoxyphenyl methylcarbamate** 1.000%

*Equivalent to .8% (butvicarbitvi)(6-Propyloiperonvi)

- Ether and .2% of related compounds. Baygon is Reg. TM in U.S. Pat. Off. by Farbentabriken
- Bayer A.G., Chemagro Corporation licensee.

***Contains Petroleum Distillates

For ROACHES: German, American, **Oriental, Brown Banded**

KEEP OUT OF REACH OF CHILDREN

CAUTION

(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

> E.P.A. Reg. # 6959-36 E.P.A. Est. #6959-SC-1

MANUFACTURED FOR: CESSCO, INC.

1109 Central Ave , Charlotte, NC 28204 P.O. Box 18452, Charlotte NC 28218 (704) 375-9824 1-800-423-7726

NET WEIGHT 1 lb. 11 ozs.

DIRECTIONS FOR USE

JE9-22

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Cessco's AccuDose specific dosage residual spray is for treatment into cracks, holes, crevices and similar smali openings where these insects may be hiding, living, and breeding.

With the rigid applicator extension placed into cracks, holes, crevices, and similar small openings where these insects may be a problem, release approximately 1 second of spray per spot in serious infestation areas. If possible, space these applications 12" apart. In lightly infested areas, or for preventive treatment, applications space approximately three feet apart.

For use in homes, hospitals, food processing plants, restaurants, super markets, hotels, and motels, Care must be taken so no material comes in contact with exposed food products, equipment, or packaging materials. They must be removed or covered before use. Do not use in commercial food preparation areas or in edible product areas of food processing plants.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not expose to temperatures above 120° F. Do not throw in fire.

Do not use in food areas, while food is exposed. Avaid sontamination of food. utensils, and food preparation area.

