

315

209,600

14

MAR 31 1989

BEST AVAILABLE COPY

Department of Health and Human Services
Center for Disease Control and Prevention
Washington, D.C. 20512
EPA Form No. 816-010

This document is to be used to provide information on the hazards of the chemical listed on the label. It is intended for use by the general public, including parents and children. The following information is provided:

1. The chemical is a gas and is highly flammable. It is also highly toxic and can cause severe irritation to the eyes, nose, and throat.

2. The chemical is a gas and is highly flammable. It is also highly toxic and can cause severe irritation to the eyes, nose, and throat.

4. Place the statements "Foods should be refrigerated and ventilated in the area after treatment is completed." from the Physical or Chemical Hazards section."

5. Place the heading "Hazards to Humans and Domestic Animals" above the signal word "Caution" in column 3.

6. Replace the statement "All food processing surfaces should be covered during treatment or thoroughly cleaned before using." with "Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a hot water rinse after treatment."

7. Move the statements "This cylinder is not refillable. Do not attempt to recharge the empty cylinder. Federal law forbids transportation if refilled - penalty up to \$10,000 and 10 years imprisonment. (18 U.S.C. 831-835)" to the Physical or Chemical Hazards section.

8. Delete the statement "This cylinder is exhausted. Discard in safe place."

CONCURRENCES

101	102	103	104	105	106	107	108	109	110
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Pl. H. H. H.

BEST AVAILABLE COPY

CONCURRENCES

SYMBOL

SURNAME

DATE



11

**THIS PRODUCT CONTAINS THE TOXIC
INERT INGREDIENT METHYLENE CHLORIDE
INGREDIENTS**

Active Ingredients:	
Pyrethrin	3.75%
Technical D-Phenyl Butoxide	3.50%
Refined Petroleum Distillate	15.800%
Inert Ingredient(s)	80.000%
Registration No. 289-0101, Active In. 6-Prod. Reg. No. 1-100-0101, and 12-01 of related compounds	

TECHNICAL DATA — FLY CONTROL

Dosage required	2 sec per 1000 cu. ft.
Treatment per unit	1,135,000 cu. ft.
Cost of Treatments	Approx. 1¢ per 1000 cu. ft.
Delivery rate at 70°F	1 gram per sec.
Cylinder	Aluminum
Propellant Gas	High Pressure
Coverage	Each 2 1/2 lb. unit will effectively treat approximately the same area as 17 gallons of an oil base spray without the use of over 15 1/2 gallons of petroleum oil.

**PHYSICAL OR CHEMICAL
HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 110°F may cause bursting.

Flasks should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation. Do not remain in treated areas and ventilate the area after treatment is completed.

STORAGE AND DISPOSAL

For more details on safe storage and disposal, see...

Cessco 7

Aerosol Insecticide
Especially formulated for

**MILKING PARLORS
AND
MILK ROOMS**

To KILL flying insects: face flies, house flies, stable flies, horn flies, gnats, fruit flies.

CAUTION

KEEP OUT OF REACH OF CHILDREN
(See side panel for additional cautions)

NET WEIGHT 40 OZS (2 1/2 LBS.)

DOT 39-NRC 200/275 M 1015

E.P.A. REG. NO. 6959-TZ

E.P.A. EST. NO. 6959-N.C.

Manufactured by
CESSCO, INC.

1109 Central Ave., Charlotte, N.C. 28205

DIRECTIONS

Close all windows and doors. Spray 2 seconds per 1000 cubic feet. Be closed tight, double the dose at the furthest point from the entrance. Direct aerosol upward and space. Seconds may be counted: thousand, two-thousand, etc. for 15 minutes after treatment.

EXAMPLE: A room 20 feet long, 8 feet high requires 2 seconds per cubic foot. Area treatment of animals and in the building as well as in pens.

CAUTIONS

Milk dispensers three feet away should be sprayed to avoid possible fly contamination. Flasks should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using in these areas, apply only when plant is not in operation. Do not remain in treated areas after treatment is completed. Do not attempt to refill cylinder. When cylinder is empty, return to safe place.

Federal law forbids transportation of hazardous materials without proper labeling. (49 C.F.R. 171.135)

BEST AVAILABLE COPY