

**DIRECTIONS FOR APPLYING CESSCO ACCUDOSE 20**  
For unshelled peanut warehouses

**IMPORTANT**— First read the precautions printed on Right Panel of Label.

**ENTOMOLOGICAL RECOMMENDATIONS:** When applied as an aerosol, CESSCO ACCUDOSE 20 is recommended for use in peanut warehouses for the control of the Almond Moth, Ephestia cautella (Walker) and the Indian Meal Moth, Plodia interpunctella (HBN).

**GENERAL INFORMATION:** CESSCO ACCUDOSE 20 applied as an aerosol in warehouse areas kills by contact. The vapor will give good control of moths and will also kill exposed larvae.

Peanut insects are most active between 5:00 p. m. and midnight. For this reason, aerosols applied between 5:00 p. m. and midnight give best results. Large quantities of peanuts can be treated rapidly and with relative economy.

**PREPARATION OF WAREHOUSE AREAS:** The preparation of warehouse areas is based primarily on the number of cubic feet of area to be treated. Several CESSCO ACCUDOSE 20 nozzles can be mounted and wired in series. This enables two or more nozzles to be activated simultaneously through the use of a single electrical switch. The number of nozzles is based on an application rate of 2.5 grams of CESSCO ACCUDOSE 20 per 1000 cubic feet (.5 gram of DDVP per 1000 cubic feet). A double nozzle activated for a period of 45 seconds would treat approximately 50,000 cubic feet of area.

Treated warehouses should not be entered for a period of four hours after application, or until aerosol particles have settled.

Do not attempt to refill an empty cylinder. When empty, close valves and return to manufacturer or dealer.

**WARNING:** Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

Lot No.

**ACCEPTED**

**JUN 24 1975**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 6959-41



**CESSCO ACCUDOSE 20**

**FOR UNSHELLED PEANUT WAREHOUSES FOR PEST CONTROL OPERATOR USE ONLY**

**TO BE USED ONLY WITH ACCUDOSE AEROSOL PIPING SYSTEM WITH AUTOMATIC TIMER AN AEROSOL INSECTICIDE CONTAINING 20% VAPONA**

**FOR THE CONTROL OF PEANUT INSECTS**

<b>ACTIVE INGREDIENTS:</b>	By Weight
2,2-Dichlorovinyl Dimethyl Phosphate	18.6%
Related Compounds	.14%
<b>INERT INGREDIENTS</b>	80.0%
Total	100.0%

© Shell Registered Trademark

**POISON DANGER**



**VAPOR EXTREMELY HAZARDOUS**  
Keep out of the reach of children



See antidote statement and other precautions on the back/side panel

Read all of label carefully. Use only as directed.

Placard must be placed outside of treated area.

Poisonous if swallowed, inhaled or absorbed through skin. Do not breathe vapor. Do not get vapor or liquid in eyes on skin or on clothing. Keep away from feed and food products. Keep away from heat and open flame.

**WHEN HANDLING ALWAYS USE GAS MASK APPROVED BY U.S. BUREAU OF MINES TO GIVE ADEQUATE PROTECTION AGAINST VAPONA® and have an extra approved mask in case of emergency.**

Net Wt. 200 Lbs. Pat. No. 3,614,841. Other patents pending.  
E.P.A Reg. No. 6959-41 E.P.A. Est. No. 6959-NC-1

A Product of  
**Cesso, Inc.**

P.O. Box 12452 / Charlotte, N.C. 28205



**ACCEPTED**  
**JUN 24 1975**  
 the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 registered for the pesticide  
 listed under  
 Reg. No.

**CESSCO ACCUDOSE 20**

FOR UNSHELLED PEANUT WAREHOUSES  
 FOR PEST CONTROL OPERATOR USE ONLY

TO BE USED ONLY WITH ACCUDOSE AEROSOL  
 PIPING SYSTEM WITH AUTOMATIC TIMER  
 AN AEROSOL INSECTICIDE CONTAINING  
**20% VAPONA**

FOR THE CONTROL OF PEANUT INSECTS

ACTIVE INGREDIENTS:	By Weight
2,2 Dichlorovinyl Dimethyl Phosphate	18.6
Related Compounds	1.4
INERT INGREDIENTS	30.0
Total	100.0

Shell Registered Trademark

Read all of label carefully. Use only as directed.

Placard must be placed outside of treated area.

Poisonous if swallowed, inhaled or absorbed through skin. Do not breathe vapor. Do not get vapor or liquid in eyes or skin or on clothing. Keep away from feed and food products. Keep away from heat and open flame.

WHEN HANDLING ALWAYS USE GAS MASK APPROVED BY U.S. BUREAU OF MINES TO GIVE ADEQUATE PROTECTION AGAINST VAPONA<sup>+</sup> and have an extra approved mask in case of emergency.

Net Wt. 200 Lbs. Pat. No. 3,614,841. Other patents pending.  
 E.P.A Reg. No. 6959-41 E.P.A. Est. No. 6959-NC 1

A Product of  
**Cesso, Inc.**

P.O. Box 12452 / Charlotte, N.C. 28205

ATTENTION: This is a highly toxic material.



Concentrate is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or in eyes. Do not breathe fumes. Wear natural rubber gloves, water-proof protective clothing and goggles when handling. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for protection against this material.

In case of contact, wash immediately with soap and water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

**ANTIDOTE AND FIRST AID TREATMENT**

**ATROPINE** is the emergency antidote for VAPONA<sup>+</sup> insecticide poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. **CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**

**INTERNAL:** If the VAPONA<sup>+</sup> has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

**EXTERNAL:** If the VAPONA<sup>+</sup> has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets in the eyes, wash immediately with running water for at least ten minutes.

**IF WARNING SYMPTOMS APPEAR:** Administer two 1/100 grain atropine tablets immediately. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR (SEE WARNING SYMPTOMS below).**

- Keep patient prone and quiet.
- Start artificial respiration immediately if patient is not breathing.
- Transport the patient immediately to the nearest physician.

**NOTE TO PHYSICIAN**

**WARNING SYMPTOMS:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

**TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with atropine.

- Morphine is contraindicated.
- Clear chest by postural drainage.
- Observe patient continuously for 48 hours.
- Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.
- Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.