

MAR 31 1989

269,602

BEST AVAILABLE COPY

18

The following information is being provided for your information. It is intended to provide you with the information you need to know in order to properly maintain and operate the equipment. The information is being provided to you as a courtesy and should not be used for any other purpose.

4. Additional maintenance instructions to be followed in the event of a failure of the equipment. Foods should be removed or covered if necessary. The use of surface cleaning equipment should be avoided. The use of high pressure water should be avoided. The use of steam should be avoided. The use of any other cleaning method should be avoided. The use of any other method should be avoided.

5. In the event of a failure of the equipment, check the following for clarity and correct operation of "fool" after "machinery".

5. Replicate the Storage and Disposal block with the following.

CONCURRENCES

TS-76C							
Mander							
1/1/1/1							

THE UNION
PRODUCT COMPANY (INC.)
1000 ...
...

BEST AVAILABLE COPY

CONCURRENCES						

ACCEPTED
 OCT 07 1980
 The Federal Insecticide, Fungicide, and Rodenticide Act
 amended for the pesticide
 registered under
 EPA Reg. No. 6959-51

CESSCO 5E INSECTICIDE

BEST AVAILABLE COPY

TECHNICAL DATA—FLY CONTROL

Dosage required 2 sec. per 1000 cu ft
 Treatment per unit 1,135,000 cu ft
 Cost of treatment Approx 1/4¢ per 1000 cu ft
 Delivery rate 70°F 1 gram per sec
 Cylinder Aluminum
 Propellant Gas High Pressure
 Coverage Each 2 1/2 lb unit will effectively
 treat approximately the same
 area as 17 gallons of an oil base
 spray without the use of over
 16 1/2 gallons of petroleum oil

PRECAUTIONARY STATEMENT HAZARD TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin.
 Avoid contact with skin, eyes or clothing. Avoid
 breathing mist.

Hold dispenser three feet away from object being
 sprayed to avoid possible staining.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near
 heat or open flame. Do not puncture or incinerate
 container. Exposure to temperatures above 130°F
 may cause bursting.

Foods should be removed or covered during treat-
 ment. All food processing surfaces should be
 covered during treatment or thoroughly cleaned
 before using. When using the product as a space
 spray in these areas apply only when plant is not
 in operation. Do not remain in treated areas and
 ventilate the area after treatment is completed.

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap and place in
 trash collection.

INGREDIENTS

ACTIVE INGREDIENT(S) BY WEIGHT:	
Pyrethrins I & II	0.50%
** Piperonyl Butoxide, Technical	5.00%
Petroleum Oil, Refined	10.00%
INERT INGREDIENTS:	80.50%
	100.00%

**Equivalent to 4.00% (butylcarbityl) (6-propyl-
 piperonyl) ether and 1.00% related compounds.

**THIS PRODUCT CONTAINS THE TOXIC
 INERT INGREDIENT METHYLENE CHLORIDE**

**CAUTION:
 KEEP OUT OF REACH OF CHILDREN
 SEE SIDE PANEL FOR ADDITIONAL
 CAUTIONS.**

Aerosol Insectide Especially Formulated for:

MILK ROOMS, HOMES, HORSE STABLES, HOG
 PARLORS, FEED LOTS, LIVESTOCK TRAILERS,
 HOSPITALS, RESTAURANTS, MOTELS, HOTELS,
 DAIRIES, CHICKEN HOUSES, KENNELS, CAT-
 TERIES, HORSE TRAILERS, FOOD & BOTTLING
 PLANTS, FEED MILLS.

MANUFACTURED BY
CESSCO, INC.
 P.O. Box 18542
 Charlotte, N.c. 28205

E.P.A. EST #6959—NC-1
 E.P.A. REG #6959—51
 DOT 39 = NRC—200/275 M1015

NET WT. 2 1/2 LBS.

6959-51

It is a violation
 in a manner in

FLYING INSECTS
 Wasps, Small
 windows and
 a rate of 1 to
 Disperse in al
 minutes. Swe
 Repeat treatm

MUD DAUBER
 Directly on in
 imately 2 foot

Application sh
 when insects a
 and breeding
 as possible R

**CHOCOLATE
 STRE BEET
 STAGES:** Con
 when treating
 crevices, pac
 dark secluded
 100 square fe
 insects app

FLEAS in bur
 Hold aerosol 3
 floor and low
 100 square fe
 chair surfaces
 get's old bed
 Dry before r

Also treat do
 control produ
 treated area

**ROACHES,
 SILVERFISH**
 in cracks and fo
 many insects
 possible hidin
 cabinets, coff
 Repeat all trea

TECHNICAL DATA—FLY CONTROL

Disage...
 Treatment per...
 Control...
 Delivery...
 Register...
 Property...
 Contact...

PRECAUTIONARY STATEMENT HAZARD TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with skin. Wash hands after use. Avoid breathing mist.

Hold insecticide 3 feet away from face. Spray to avoid eyes, nose, and mouth.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use near heat or open flame. Do not pierce or damage container. Exposure to temperatures above 100°F may cause bursting.

Food should be removed from areas to be treated. All food should be covered during treatment. Do not eat or drink before using. When using, the product should be sprayed in these areas at a distance of 3 feet or more. Do not breathe directly from the nozzle. Ventilate the area after treatment.

STORAGE AND DISPOSAL

Do not reuse empty container. Wash and reuse as household item.

CAUTION:
KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL
CAUTIONS.

Aerosol Insectide Especially Formulated for:

MILK ROOMS, HOMES, HORSE STABLES, HALLS,
 PARLORS, FEED LOTS, LIVESTOCK TRAILERS,
 HOSPITALS, RESTAURANTS, MOTELS, HOTELS,
 DAIRIES, CHICKEN HOUSES, KENNELS, CAT
 TERIES, HORSE TRAILERS, FOOD & BOTTLING
 PLANTS, FEEDMILLS

MANUFACTURED BY

CESSCO, INC.

P.O. Box 18542

Charlotte, N.c. 28205

E.P.A. EST #6959—NC-1

E.P.A. REG #6959—51

DOT 39 = NRC—200/275 M1015

NET WT. 2½ LBS.

DIRECTIONS

FLYING INSECTS: Hold insecticide close to fly and spray directly into body of fly. Repeat treatment if necessary.

WILD DAIBER AND WASE NESTS: Spray directly into nest. Repeat treatment if necessary.

CHOCOLATE MOTHS, CARPET BEETLES, DRUG STORE BEETLES: Hold insecticide close to insect and spray directly into body of insect. Repeat treatment if necessary.

ROACHES, SPIDERS, WATERBUGS, ANTS, SILVERFISH, CRICKETS: Hold insecticide close to insect and spray directly into body of insect. Repeat treatment if necessary.

FLEAS: Hold insecticide close to flea and spray directly into body of flea. Repeat treatment if necessary.

FLIES: Hold insecticide close to fly and spray directly into body of fly. Repeat treatment if necessary.

ROACHES, SPIDERS, WATERBUGS, ANTS, SILVERFISH, CRICKETS: Hold insecticide close to insect and spray directly into body of insect. Repeat treatment if necessary.