projety 2

0454. 51

31 MAR 1992

Mr. William L. Ayer Cessco S, Inc. 3609A River Road Johns Island, SC 29455

Dear Mr. Ayer:

Subject: Revised Basic Formulation and Accompanying Label Cessco 5E Insecticide EPA Reg. No. 6959-51 Submission dated March 12, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

This will also acknowledge receipt of the revised <u>basic</u> formulation for the subject product. This amendment is acceptable, and a copy of the Confidential Statement of Formula has been placed in the respective file.


You should be advised that 1,1,1 trichloroethane and chlorodifluoromethane have been identified as Class I and Class II substances, respectively, under Title VI of the Clean Air Act, 1990 amendments. Based upon this Act, Congress has implemented provisions to protect the stratospheric ozone layer from deterioration. Many currently registered products as well as new applications for registration will ultimately be affected by this Act. Any questions concerning this issue are welcomed by the Agency.

Sincerely,

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)



五 722 8134



## TECHNICAL DATA - FLY CONTROL

Dosage required; 2 sec. per 1000 cu. ft. Treatment per unit: 851,250 cu. ft. Delivery rate at 70°F: 1 gram per sec, Cylinder: Steel

Coverage: 1 ez. will effectively treat approximately the same area as 52 ozs. of an oil base spray without the use of over 50 ozs, of potroloum oil.

### PRECAUTIONARY STATEMENT **HAZARD TO HUMANS &** DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist.

Hold dispenser three feet away from object being sprayed to avoid possible staining.

### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures yove 130°F may cause bursting.

Jods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space apray in these areas, apply only when plant is not in operation. Do not remain in treated areas and ventilate the area after treatmont is completed.

### STORAGE AND DISPOSAL

Do not store near heat or open flame.

Co not reuse empty container. Wrap and place in trash collection.

## INSECTICIDE

Pyrethrins	0.50%
*Piperonyl Butoxide, Technical	5.00%
**INERT INGREDIENTS	94.50%
	100 00%

Equivalent to 4.00% (butylcarbityl)(6-propyipiperonyl) either and 1.00% related com-

\*\*Contains Petroloum Distillates.

## KEEP OUT OF REACH OF CHILDREN CAUTION SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

Aerceol Insecticide Especially Form. ated For: MILK ROOMS, HOMES, HORSE STABLES, HOG PARLORS, FEED LOTS, LIVESTOCK TRAILERS, HOSPITALS, RESTAURANTS, MOTELS, HOTELS, DAIRIES, CHICKEN HOUSES, KEN-NELS, CATTERIES, HORSE TRAIL-ERS, FOOD & BOTTLING PLANTS, FEED MILLS.

> E.P.A. EST. #6959 - SC-1 E.P.A. REG. #6959 - 51 -

NET WEIGHT - 1 LB. 11 OZ.

# MANUFACTURED FOR: CESSCO INC.

1109 CENTRAL AVE. CHARLOTTE, NC 28204 P.O. BOX 18452 • CHARLOTTE, NC 28218 (704) 375-9824 • (800) 423-7726

### DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Wasps, Small Flying Moths, Fruit Files, Close all windows and doors and direct gerosol upward at a rate of 1 to 3 seconds per 1000 cubic feet. Disperse in all locations. Keep area closed for 15 minutes. Sweep up and destroy fellen insects. Repeat treatments as neces-

MUD DAUBER AND WASP NESTS: Spray aerosol directly on insects and their nests from approximately 2 feet distance.

Application should be made in late evening when insects are at rest. Spray liberally Into hiding and breeding places contacting as many inscots as possible. Repeat treatments as necessary.

CHOCOLATE MOTHS, CARPET BEETLES, DRUG STORE BEETLES IN EXPOSED ADULT LARVAE STAGES: Contact as many insects as possible when treating infested areas such as cracks, cravices, packaged store products, machinery, dark secluded areas. Spray 10 to 20 seconds per 100 square feet of floor space. Repeat weekly or as insects oppoar.

FLEAS IN BUILDINGS: Close windows and doors. In id aerosol 36" above floor and direct fog toward floor and lower walls at a rate of 10 seconds per 100 square foot, making sure that all floor, sofa, chair surfaces are contacted. Remove and destroy pet's old bedding. Thoroughly treat area and allow to dry before replacing. Repeat as necessary.

Also treat dogs and cats with a registered fleacontrol product before allowing them to enter treated area.

ROACHES, SPIDERS, WATERQUES, ANTS, BILVERFISH CRIDXETS: How served close to cracks and log ifire sty into them, contacting es many insocts as possible. Apply freely to all possible hidking places behind baseboards, sinks, cabinots, coffee makers, meter boxes, mapholes. Ropost all treatments as recessary. i o H T

Ithe Billy

BEST AVAILABLE CHEY