

399 / 209607  
17

**BEST AVAILABLE COPY**

FEB 28 1989

Mr. Fred R. ...  
Casson, ...  
...

Subject: Labeling Amendment Submitted in Response  
to PR Notice 87-6  
EPA Registration No. 6950-66

The labeling referred to above, submitted in connection with  
registration under the Federal Insecticide, Fungicide, and  
Rodenticide Act, is proposed, as amended, as follows:

1. Add the following statement of first aid treatment:

**STATEMENT OF PRECAUTIONARY STATEMENTS**

- If Swallowed: Do not induce vomiting. Call a physician or Poison Control Center immediately.
- If Inhaled: Remove to fresh air.
- If On Skin: Remove contaminated clothing and wash affected area with soap and water. Wash contaminated clothing separately from other laundry. Get medical attention if irritation persists.
- If In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.
- See a physician: Contains petroleum distillate. Ventilation may cause aspiration pneumonia.

2. Add the following precautionary statement to the Hazards to Humans and Domestic Animals section, "In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation."

**CONCURRENCES**

NO. 1	NO. 2	NO. 3	NO. 4	NO. 5	NO. 6	NO. 7	NO. 8
MBOL	1571671						
NAME	<i>[Signature]</i>						
DATE	11/11/89						

**BEST AVAILABLE COPY**

... "wherever it is used, it should be used only by trained personnel only. To be applied only by or under the supervision of pest control operators, mosquito abatement districts, public health organizations and other trained personnel responsible for insect control programs."

... "For use by trained personnel only. To be applied only by or under the supervision of pest control operators, mosquito abatement districts, public health organizations and other trained personnel responsible for insect control programs."

5. You must highlight the following statements, "For use by trained personnel only. To be applied only by or under the supervision of pest control operators, mosquito abatement districts, public health organizations and other trained personnel responsible for insect control programs."

... "For use by trained personnel only. To be applied only by or under the supervision of pest control operators, mosquito abatement districts, public health organizations and other trained personnel responsible for insect control programs."

**STORAGE AND DISPOSAL**

**Do not contaminate food, feed, or feed by storage or disposal.**

**STORAGE:** Store in a cool, dry place that is inaccessible to children and away from heat or open flame.

**DISPOSAL:** Pesticide or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for hazardous waste. Do not dump or burn.

... (for convenient). Do not offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**CONCURRENCES**

SYMBOL							
NAME							
DATE							

Faint, illegible text, possibly bleed-through from the reverse side of the page.

**BEST AVAILABLE COPY**

**CONCURRENCES**

SYMBOL

NAME

DATE

--	--	--	--	--	--	--	--	--

71  
INERTS



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Hazard if swallowed. Irritating vapors or spray may. Wear a pesticide respirator (fully approved by the Mining, Enclaves and Safety Administration and the National Institute for Occupational Safety and Health) the process of 30 CFR Part II. Contains petroleum distillate. If swallowed do not induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with copious of water. Obtain medical attention if irritation persists.

Do not apply directly to birds. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before re-use. After spraying in packaging plants, bakeries and food processing plants wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In case washing is impractical, allow food to come in contact with treated surfaces for at least 48 hours. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with directions and cautions given above.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to areas which hosts of dairy animals before milking.

Remove pets, birds and fish aquariums before spraying.

For use by trained personnel. To be applied only by or under the supervision of pest control operators, mosquito abatement districts, public health organizations and other trained personnel responsible for insect control.

**PHYSICAL HAZARDS**

Do not store near heat/ignition items.

**STORAGE AND DISPOSAL**

**STORAGE** Store in tightly closed. Keep container closed.

**PESTICIDE DISPOSAL** Empty or waste that cannot be used or chemically processed should be disposed of in accordance with local, state or federal regulations. Do not contaminate water, food or feed by storage or disposal. Open flames prohibited.

**CONTAINER DISPOSAL** Containers of 30 gallons or more—reuse container and offer for reconditioning or recycling.

All containers—(including equivalent) and offer for recycling, reconditioning or disposal in approved method.

**GENERAL** Consult Federal or local animal authorities for approved alternative procedures.

**Cessco 3  
Fogging Concentrate**

For Use in Household and Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theatres, garages, hotels, motels, hospitals, kennels, dairy barns, beef barns, swine housing.

**ACTIVE INGREDIENTS:**

Pyrethrins	3.00%
*Piperonyl butoxide, technical	6.00%
†N-Octyl bicycloheptene dicarboximide	10.00%
Petroleum distillate	81.00%
	100.00%

\*Equivalent to 4.8% (butylcarbitol(1R)-propiperonyl) ether and 1.2% related compounds.

†MGK-264, Insecticide Synerus<sup>®</sup>. THIS PRODUCT CONTAINS THE 1,3-DICHLORO-2,2-DIMETHYL-2-PROPYLENE CARBONATE INERT INGREDIENT "ETHYLENE" CHLORIDE

**CAUTION**

**Keep Out Of Reach Of Children**

Net Contents \_\_\_\_\_

Manufactured by:



1109 Central Ave  
Charlotte, N.C. 28204

EPA Reg. No. 6959-66

EPA Est. No. 6959-NC1

**DIRECTIONS**

For a full description of Federal law to use this product, see the label. This product is designed for use in aerosol size, such as the IECO or MICO.

**NOTE:** When used in hospitals, discontinue use after treatment. Do not return to work.

For Use in Homes, Restaurants, Food Processing Plants:

**SPACE SPRAY UNDILUTED.** To Kill House and Wall Fly, and all air conditioning or ventilation fans (0.5 ounce per 1,000 cu. ft. of space) in all corners of room and ceiling. Leave room empty. Repeat as necessary.

**SPACE SPRAY—Diluted for Ordinary Meeting Rooms and Gyms.** Cover or remove off all air conditioning or ventilation equipment plus 29 parts of oil and mix with 100 parts of space. Direct fog upward toward ceiling. Do not remain in treated area for 1 hour. Repeat as necessary.

**CONTACT SPRAY—Undiluted.** To Kill Carpet Beetles, Black Carpet Beetles and Moths, and other pests. Use on suspected of harbouring these pests. Spray under clothes and refrigerators, and treated surfaces are moist with deposit. Leave before re-entry. Repeat as necessary.

**CONTACT SPRAY—Diluted for Use with Cockroaches and Accessible Stages of Grains, Rusty Grain Beetles, Red Flour Beetle and Sawtoothed Grain Beetle.** Cover Drive Concentrate with oil at the rate of 1 side walls of grain bins, spraying about 2 cabinets around perimeter and other insect holes. Force spray into all cracks and crevices.

**FOR USE IN DAIRY AND BEEF BARN.** Gamagrass to Kill Flies, Mosquitoes, Gnats. Remove exposed feed and watering trough with refined kerosene at the rate of 1 part an apply until room is filled with mist. Repeat.

**SPACE SPRAY—Diluted for Ordinary Meeting Rooms and Gyms.** Prepare for application of 1 part Concentrate plus 29 parts of space spray (0.4 ounce per 1,000 cu. ft. of space) in all corners of room and ceiling. Repeat as necessary.

**BEST AVAILABLE COPY**