

ACCUDOSE

MAR 0 1967

Unit
Feet
of
1973

CESSCO

HAZARD TO HUMANS & DOMESTIC ANIMALS

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. AVOID CONTACT WITH SKIN, EYES OR CLOTHING. AVOID BREATHING MIST.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED DRINK 1 OR 2 GLASSES OF WATER AND INDUCE VOMITING BY TOUCHING BACK OF THROAT WITH FINGER. CALL A PHYSICIAN OR POISON CONTROL CENTER.

IF ON SKIN WASH THOROUGHLY WITH SOAP AND WARM WATER.

IF IN EYES, WASH EYES WITH PLENTY OF WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. DO NOT APPLY DIRECTLY TO WATER. DO NOT APPLY WHERE RUNOFF IS LIKELY TO OCCUR. DO NOT CONTAMINATE WATER BY CLEANING OR DISPOSAL OF EQUIPMENT.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. CONTENTS UNDER PRESSURE. KEEP AWAY FROM FIRE, SPARKS AND HEATED SURFACES. DO NOT PUNCTURE OR INCINERATE CONTAINER.

EXPOSURE TO TEMPERATURES ABOVE 130°F MAY CAUSE BURSTING.

DISPOSAL

DO NOT REUSE EMPTY CONTAINER. WRAP CONTAINER & PUT IN TRASH COLLECTION.

ACCUDOSE AEROSOL FOR FIRE ANT CONTROL WITH 1% DURSBAN PATENT NO. 4,180,336 TO BE USED IN THE CONTROL OF FIRE ANTS

ACTIVE INGREDIENTS:

Chlorpyrifos (O, O-diethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate) 1%
INERT INGREDIENTS 99%

100.00%

CAUTION KEEP OUT OF REACH OF CHILDREN

NET WEIGHT 2.0 LBS
EPA Reg. No. 6959-67
EPA Est. No. 173-ANC-1

© DOW CHEMICAL CO

MANUFACTURED BY: CESSCO INC.

1109 CENTRAL AVE.

CHARLOTTE, NC 28204

DIRECTIONS

USE ACCUDOSE AEROSOL FOR THE CONTROL OF FIRE ANTS IN THE HOME AND IN BUSINESS PREMISES. READ AND FOLLOW DIRECTIONS CAREFULLY TO OBTAIN BEST RESULTS.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

START SPRAYING PRIOR TO INSERTING PROBE INTO MOUND AND CONTINUE SPRAYING FOR THE ENTIRE MOUND TREATMENT.

PUSH PROBE INTO THE MOUND, TREATING CONTINUOUSLY UNTIL RESISTANCE TO FURTHER INSERTION IS FELT. CONTACT WITH FIRM DIRT INDICATING THAT THE PROBE HAS REACHED THE BOTTOM OF THE NEST.

SEEN FROM ABOVE, FIRE ANT MOUNDS ARE ROUGHLY CIRCULAR. USUALLY DIVIDE THE MOUNDS INTO 4 QUADRANTS AND THE MOUND CENTER (FIG. 1).




FIG. 1




FIG. 2 & 3

PROBE INSERTIONS & TREATMENT SHOULD BE MADE IN THE CENTER OF EACH QUADRANT AND FINAL PROBE IN THE CENTER OF THE MOUND AT SITES MARKED WITH 'X' ON FIGURE 1.

HOLDING PROBE ABOUT 1" ABOVE MOUND BEGIN DISPENSING CESSCO FIRE ANT FORMULA AND IMMEDIATELY INSERT PROBE SLOWLY INTO MOUND (FIG. 2 & 3).

ONLY ONE INJECTION SITE IS NECESSARY ON A MOUND 6" DIAMETER OR LESS. THE INJECTION IN A 6" OR SMALLER MOUND SHOULD BE FOR 5 SECONDS. LARGER MOUNDS SHOULD BE TREATED IN SEVERAL INJECTIONS ON THE BASIS OF SIZE - 10 SECONDS TOTAL FOR MOUNDS 6" - 12" IN DIAMETER, 15 SECONDS TOTAL FOR MOUNDS 12" - 18" IN DIAMETER AND 20 SECONDS MINIMUM FOR MOUNDS GREATER THAN 18" IN DIAMETER.

ON LARGE MOUNDS, TREATMENTS MAY BE EXTENDED BY 1 TO 2 ADDITIONAL SECONDS IN ORDER TO INSURE THAT AEROSOL FORMULATION REACHES ALL CAVITIES WITHIN THE MOUND OR COLONY. RE-EXAMINE THE MOUND AFTER 7 DAYS AND RE-TREAT IF ANY ACTIVITY IS APPARENT.

LOOK FOR NEW MOUNDS IN THE IMMEDIATE VICINITY AND TREAT THESE AS WELL IN ORDER TO PREVENT INEFFICIENCY FROM MOUND MIGRATION.