

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
& DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Cover or remove food before treatment. All food processing surfaces should be covered during treatment or thoroughly washed and cleaned before using. Do not apply when food processing is in operation. Remove pets, birds, and cover fish aquariums before spraying.

FIRST AID

- **If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.
- **If Inhaled:** Move victim to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- **If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for further treatment advice.
- **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **Have the product container or label with you when calling a poison control center or doctor or going for treatment.**

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, ponds, streams, or any body of water. Do not contaminate water by cleaning equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage: Do not store near heat or open flame. Store in cool dry area away from children.
Container Disposal: Do not puncture or incinerate!
 If empty: Place in trash or offer for recycling if available.
 If partly filled: Call your local solid waste agency or 1-800-253-2687 for disposal instructions.

**Cessco 5
Insecticide**

KILLS FLYING INSECTS

INGREDIENTS:

ACTIVE INGREDIENTS:	
Pyrethrins	0.50%
*Piperonyl Butoxide, Technical	5.00%
**OTHER INGREDIENTS	94.50%
	100.00%

*Equivalent to 4%(butylcarbityl) (6-propylpiper-onyl) ether and 1% related compounds.

**Contains Petroleum Distillates.

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

**Aerosol Insecticide
Especially Formulated For
Use In and Around:**

Milk rooms, homes, horse stables, hog parlors, feed lots, livestock trailers, boats, hospitals, resorts, schools, restaurants, motels, hotels, dairies, chicken houses, storage warehouses, kennels, catteries, horse trailers, food & bottling plants, feed mills, warehouses, supermarkets, canneries.

E.P.A. EST. #6959 - SC-1

E.P.A. REG. #6959 - 79

NET WEIGHT- 21 OZ.

(595 grams)

MANUFACTURED BY:



JOHNS ISLAND, SC 29455

1-800-476-3666

Formulated for use in non-residential food handling areas of dairies, supermarkets, restaurants, food plants, food warehouses, bottling plants, flour and feed mills, bakeries, hospitals, hotels, motels.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Flying Insects: Flies, face flies, stable flies, horn flies, horse flies, wasps, mosquitoes, gnats, and small flying moths.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible-staining of fabrics or surfaces, do not spray at close range.

Calculate the cubic feet of the area to be treated. Close all doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially around windows and other light sources which attract these insects. Apply spray continuously at rate of one second per 1000 cubic feet of space. Keep area closed for fifteen minutes after each treatment. Do not remain in treated area. Ventilate room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary. Area treatments can be made when animals are in lounging barns or holding pens.

Out of doors: For temporary protection of mosquitoes and flies, spray along ground and around bushes and trees. Do not spray ornamental shrubbery. Frequent repeated applications may be necessary.

C H T 1 2 7

ACCEPTED

SEP 3 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the pesticide registered under EPA Reg. No. 6959-77