

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

6959-79

04 NOV 1993

Term of Issuance:

EPA Reg. Number:

Conditional

Date of Issuance:

NOTICE OF PESTICIDE:

<u>x</u> Registration
____ Reregistration

Name of Pesticide Product:

CESSCO 5E Insecticide

(under FIFRA, as amonded)

Name and Address of Registrant (include ZIP Code):

CESSCO S, Inc. 3609A River Road Johns Island, SC 29455-8851

FILE

160 544400

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration assumber.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registratia a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 6959-79".
 - b. Delete all references for use in poultry processing plants, until you receive written authorization to do so from USDA. To obtain approval, write to:

Mr. John Damare
US Dept. of Agriculture
Food Safety & Inspection Service
Building 306, BARC-East
Beltsville, MD 20705

Signature of Approving Official

Adam Heyward /

Date:

11-4-93

EPA Form 8570-6

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Hernful if swellowed. Avoid breething vapors or spray mist. Avoid contact with skin, eyes or clothing, in case of contact immediately that eyes or sidn with plenty of water. Get medical attention if initiation persists, in hospitals, patients should be removed prior to treatment. Room should be verifiated for two hours after spraying. ACTIVE INGREDIENTS: Do not return patients to room until after ventilation. processing surfaces should be covered during treatment or thoroughly washed and cleaned before using. Do not apply when food processing is in operation. Remove "Equivalent to 4.00%(butylcarbityl)(6-propels, birds, and cover fish aquartums before spraying.



If Swallowed: Call a physician or Poison Control Center. Do not induce varniting because of aspiration pneumonia

If Inhaled: Remove victim to fresh air, Apply artificial respiration if indicated

If In Eyen: Flush with plenty of water, If inflation persists ont medical attention.

If on Skin or Clothing: Remove contaminated clothing weeth skin with soop and warm water, Get medical attention if inflation pensists.

PHYSICAL OR CHEMICAL HAZARDS

or open fame. Do not puncture or incinerate container. FOODExposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Do not store near heat or open fame.

Disposat Do not rause empty container. Replace cap, wrap container and discard in trach collection.

important note: Buyer assumes all risks of use, storage, or handling of this product not in accordance with directions given herewith.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CHT127

ACCEPTED with COMMENTS in EPA Lotter Dated

.04 NOV 1993

Under the Federal Insecticide. Fungicide, and Redenticide Act as amended, for the resticide registered under EPA Reg. No.



INGREDIENTS

Pyrethrins..... **INERT INGREDIENTS.. .94.50% 100.00%

pylpiperonyl)either and 1.00% related compounds

**Contains Petroleum Distillates.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Aerosol Insecticide Especially Formulated For Use in and Around:

MILK ROOMS, HOMES, HORSE STABLES HOG PARLORS, FEED LOTS, LIVESTOCK TRAILERS, BOATS, HOSPITALS, RESORTS, SCHOOLS, RESTAURANTS, MOTELS. Contents under pressure. Do not use or store near heat. HOTELS, DAIRIES, CHICKEN HOUSES, STORAGE WAREHOUSES. KENNELS, CATTERIES, HORSE TRAILERS, FOOD & BOTTLING PLANTS, FEED MILLS. SUPERMARKETS. WAREHOUSES. CANINERIES.

> E.P.A. EST. #6959-SC-1 E.P.A. REG. #6959-51

NET WEIGHT - 1 lb - 11 ozs

MANUFACTURED BY:



JOHNS ISLAND, SC 29455

1-800-476-3666

DIRECTIONS FOR USE (CONTINUED) FLYING INSECTS: Flee, Sendiles, Mosquitoss Gnata, Weape, Small Flying Moths, Fruit Files, Indian Meel Moths, Almond Moths, Foreign Grain Beal

Hole, container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close

Calculate the cubic feet of the great to be treat? J. close all doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially around windows and other light sources which attract these insects. Apply spray continuosly at rate of one second per 1000 cubic feet of space. Keep area closed for lifteen minutes after each treatment. Do not remain in treated area. Ventilate room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary. Area treatments can be made when animals are in lounging barns or hooing pens.

Out of Doors: Foor temporary protection of mosquitoes and fies, spray along ground and around bushes and trees. Do not spray ornamental shrubbery. Fraquent repeated applications may be necessary.

MUD DAUBER AND WASP NESTS: Soray aerosol directly on insects and their nests from approximately 2 feet distance. Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as man; insects as possible. Repeat treatments as necessary,

CHOCOLATE MOTHS, CARPET BEETLES, DURG STORE BEETLES IN EXPOSED ADULT LARVAE STAGES: Contact as many insects as possible when treating infested areas such as cracks. crevices, packaged store products, machinery, dark sectuded areas. Spray 10 to 20 seconds per 100 square feet of floor space. Repeat weekly or as insects арреаг.

FLEAS IN BUILDINGS: Close windows and doors. Hold aerosol 36" above floor and direct fog toward floor and lower walls at a rate of 10 seconds per 100 square feet, making sure that all floor, sofa, chair surfaces are contacted. Remove and destroy pets old bedding. Thoroughly treat area and allow to dry before replacing. Repeat as necessary. Also treat dogs and cats with a registered ties control product before allowing them to enter treated area.

ROACHES, SPIDERS, WATERBUCK, ANTIS, SILVERIFISH, CRICKETS: Hold segreed close-tocracks and fog directly into them, contacting as many insects as possible. Apply freely to all possible hiding... places behind baseboards, sinks, cabinets, college... makers, meter boxes, mapholes. Répeat all treatments 💂 as necessary.

BEST AVAILABLE COPY