

PM 10

6959-79

1 of 1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. In hospitals, patients should be removed prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. Cover or remove food before treatment. All food processing surfaces should be covered during treatment or thoroughly washed and cleaned before using. Do not apply when food processing is in operation. Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENTS

If Swallowed: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration pneumonia hazard.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If in Eyes: Flush with plenty of water. If irritation persists get medical attention.

If on Skin or Clothing: Remove contaminated clothing wash skin with soap and warm water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Do not store near heat or open flame.

Disposal: Do not reuse empty container. Replace cap, wrap container and discard in trash collection.

Important note: Buyer assumes all risks of use, storage, or handling of this product not in accordance with directions given herewith.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

C H T 1 2 7



INGREDIENTS

ACTIVE INGREDIENTS:	
Pyrethrins.....	0.50%
*PiperonylButoxide, Technical.....	5.00%
**INERT INGREDIENTS.....	94.50%
	100.00%
*Equivalent to 4.00%(butylcarbityl)(6-propylpiperonyl)ether and 1.00% related compounds.	

KEEP OUT OF REACH OF CHILDREN CAUTION SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**Contains Petroleum Distillates.

Aerosol Insecticide Especially Formulated For Use in and Around:

MILK ROOMS, HOMES, HORSE STABLES, HOG PARLORS, FEED LOTS, LIVESTOCK TRAILERS, BOATS, HOSPITALS, RESORTS, SCHOOLS, RESTAURANTS, MOTELS, HOTELS, DAIRIES, CHICKEN HOUSES, FOOD STORAGE WAREHOUSES, KENNELS, CATTERIES, HORSE TRAILERS, FOOD & BOTTLING PLANTS, FEED MILLS, WAREHOUSES, SUPERMARKETS, CANNERIES.

**E.P.A. EST. #6959-SC-1
E.P.A. REG. #6959-79
NET WEIGHT -
MANUFACTURED BY:**



1-800-476-3666

DIRECTIONS FOR USE (CONTINUED)

FLYING INSECTS: Flies, Sandflies, Mosquitoes, Gnats, Wasps, Small Flying Moths, Fruit Flies, Indian Meal Moths, Almond Moths, Foreign Grain Beattles. Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range. Calculate the cubic feet of the area to be treated. Close all doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially around windows and other light sources which attract these insects. Apply spray continuously at rate of one second per 1000 cubic feet of space. Keep area closed for fifteen minutes after each treatment. Do not remain in treated area. Ventilate room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary. Area treatments can be made when animals are in lounging barns or holding pens.

Out of Doors: For temporary protection of mosquitoes and flies, spray along ground and around bushes and trees. Do not spray ornamental shrubbery. Frequent repeated applications may be necessary.

MUD DAUBER AND WASP NESTS: Spray aerosol directly on insects and their nests from approximately 2 feet distance. Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat treatments as necessary.

CHOCOLATE MOTHS, CARPET BEETLES, DURG STORE BEETLES IN EXPOSED ADULT LARVAE STAGES: Contact as many insects as possible when treating infested areas such as cracks, crevices, packaged store products, machinery, dark secluded areas. Spray 10 to 20 seconds per 100 square feet of floor space. Repeat weekly or as insects appear.

FLEAS IN BUILDINGS: Close windows and doors. Hold aerosol 36" above floor and direct fog toward floor and lower walls at a rate of 10 seconds per 100 square feet, making sure that all floor, sofa, chair surfaces are contacted. Remove and destroy pet's old bedding. Thoroughly treat area and allow to dry before replacing. Repeat as necessary. Also treat dogs and cats with a registered flea control product before allowing them to enter treated area.

ROACHES, SPIDERS, WATERBUGS, ANTS, SILVERFISH, CRICKETS: Hold aerosol close to cracks and fog directly into them, contacting as many insects as possible. Apply freely to all possible hiding places behind baseboards, sinks, toilets, coffee makers, meter boxes, mapholes. Repeat all treatments as necessary.

ACCEPTED
24 NOV 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act. registered under EPA Reg. No. 6959-79