6959-79



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

AUG 24 2012

Cessco, Inc. c/o Sharon M. Johnston RegGuide 509 Tower Valley Drive Hillsboro, MO 63050

Subject: Amended Reregistration Label Product Name: Cessco 5E Insecticide EPA Registration Number: 6959-79 EPA Decision Numbers: 410536, 411786

Dear Ms. Johnston,

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Pyrethrins and Piperonyl Butoxide REDs, and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

• Basic CSF, dated April 8, 2010

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). If you have any questions about this letter please contact Julie Chao at (703) 308 8735 or chao julie@epa gov

(

Sincerely Richard J Gebken Т Product Manager (10) Insecticide Branch Registration Division (7504P) Label stamped Accepted AUG 4 Encloșures Acute Toxicity Review dated September 15 2011 Product Chemistry Reviews dated January 27 and April 11 2011 ī Ţ ļ 1 Т Ì 1 2 of 2

Cessco 5E Insecticide 6959-79

\$ 50

MASTER LABEL

August 24, 2012

Cessco 5E Insecticide

ACTIVE INGREDIENTS:

| Pyrethrins | 0.5% |
|----------------------|--------|
| Piperonyl Butoxide* | 5.0% |
| OTHER INGREDIENTS**: | 94.5% |
| TOTAL: | 100.0% |

*(butylcarbityl)(6-propylpiperonyl) ether and related compounds **Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back/Side Panel for Additional Precautionary Statements

[See [insert inside cap] [hang tag] [peel out booklet] for Directions for Use.]

Aerosol Insecticide

Especially Formulated For Use in [and Around]:

MILK ROOMS, HOMES, HORSE STABLES, HOG PARLORS, FEED LOTS, LIVESTOCK TRAILERS, BOATS, HOSPITALS, RESORTS, SCHOOLS, RESTAURANTS, MOTELS, HOTELS, DAIRIES, CHICKEN HOUSES, STORAGE WAREHOUSES, KENNELS, CATTERIES, HORSE TRAILERS, FOOD AND BOTTLING PLANTS, FEED MILLS, WAREHOUSES, SUPERMARKETS, CANNERIES.

> EPA Est. No. _____ EPA Reg. No. 6959-79

Net Weight

MANUFACTURED BY: Chemical & Equipment Sales & Service Cessco, Inc. 3609A River Road Johns Island, SC 29455 1-800-476-3666

ACCEPTED AUG 2.4 2012 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 6759

Cessco 5E Insecticide 6959-79

MASTER LABEL

August 24, 2012

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

• Do not remain in treated area. Exit area immediately and do not re-enter or allow others to enter until sprays have dried, vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated. • Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. • Remove or cover exposed food and drinking water before application. • Remove or cover food, dishes, utensils, food processing equipment and food preparation surfaces or wash them before use. • In food/feed areas of food/feed handling establishments, do not make space spray applications when facility is in operation. • When used in dairy barns or facilities, close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking. • Do not apply more than 1 time per day. • Remove pets, birds and cover fish aquarium before spraying. • Do not apply directly into sewers or drains or to any area like a gutter where drainage to storm sewers, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. • Do not wet articles to point of runoff or drip or use treated article until spray has dried.

[alternate text for container labels with outdoor use directions]

• Do not make outdoor applications during rain. • All outdoor applications must be limited to spot or crack-and-crevice treatments only except for treatment to soil or vegetation around structures. All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications only. • Do not water the treated area to the point of run-off.

MASTER LABEL

August 24, 2012

2

Cessco 5E Insecticide 6959-79

FLYING INSECTS: Flies, Sandflies, Mosquitoes, Gnats, Wasps, Small Flying Moths, Fruit Flies, Indian Meal Moths, Almond Moths, Foreign Grain Beetles. Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range. Calculate the cubic feet of the area to be treated. Close all doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially around windows and other light sources that attract these insects. Apply spray continuously at a rate of one second per 1000 cubic feet of space. Keep area closed for fifteen minutes after each treatment. Sweep up and destroy falling insects. Area treatments can be made when animals are in lounging barns or holding pens.

CHOCOLATE MOTHS, CARPET BEETLES, DRUGSTORE BEETLES IN EXPOSED ADULT LARVAE STAGES: Contact as many insects as possible when treating infested areas such as cracks, crevices, packaged store products, machinery and dark secluded areas. Spray 10 to 20 seconds per 100 feet of floor space. Repeat weekly or as insect appear.

FLEAS IN BUILDINGS: Close windows and doors. Hold aerosol 36" above floor and direct fog toward floor and lower walls at a rate of 10 seconds per 100 square feet, making sure that all floor, sofa and chair surfaces are contacted. Remove and destroy pet's old bedding. Thoroughly treat area and allow to dry before replacing. Also treat dogs and cats with a registered flea control product before allowing them to enter treated area.

ROACHES, SPIDERS, WATERBUGS, ANTS, SILVERFISH, CRICKETS: Hold aerosol close to cracks and fog directly into them, contacting as many insects as possible. Apply to all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes and manholes.

Outdoors:

For temporary protection of mosquitoes and flies, spray along ground and around bushes and trees. Do not spray ornamental shrubbery.

MUD DAUBER AND WASP NESTS: Spray aerosol directly on insects and their nests from approximately 2 feet distance. Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible.

Cessco 5E Insecticide 6959-79

MASTER LABEL

August 24, 2012

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Do not store near heat or open flame. Store in a cool dry area away from children.

Container Handling: Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE):

Applicators and other handlers must wear the following:

- Long-sleeve shirt and long pants
- Shoes and socks

User Safety Requirements:

• Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

- User should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Cessco 5E Insecticide 6959 79

MASTER LABEL

August 24 2012

| FIRST AID | | |
|----------------------|--|--|
| If swallowed | Immediately call a poison control center or doctor | |
| | Do not induce vomiting unless told to do so by a poison control center or doctor | |
| 1 | Do not give any liquid to the person | |
| | Do not give anything by mouth to an unconscious person | |
| If in eyes | Hold eye open and rinse slowly and gently with water for 15 20 minutes | |
| | Remove contact lenses if present after the first 5 minutes then continue rinsing eye | |
| | Call a poison control center or doctor for treatment advice | |
| Have the product con | tainer or label with you when calling a poison control center or doctor or going for treatment You | |
| | 0 222 1222 for emergency medical treatment information | |

Note To Physician Contains petroleum distillate - vomiting may cause aspiration pneumonia

[The Environmental Hazards statements can be omitted on container labels with directions for indoor use only]

[ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organism including fish and invertebrates Do not apply directly to or near water Drift and run off may be hazardous to fish in water adjacent to treated areas Do not contaminate water when disposing of equipment washwater or rinsate See Directions for Use for additional precautions and requirements

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area]

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable Contents under pressure Keep away from fire sparks and heated surfaces Do not puncture or incinerate container Exposure to temperatures above 130°F may cause bursting

Notice To the extent consistent with applicable law buyer assumes all risks of use storage or handling of this product not in strict accordance with directions given herewith

[]] Denote alternate text in addition to any sub set of the directions for use