



**KILLS  
IN  
MINUTES**



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
& DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and food-stuff.

**STATEMENT OF PRACTICAL  
TREATMENTS**

Swallowed: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration pneumonia hazard.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If in Eyes: Flush with plenty of water. If irritation persists get medical attention.

If on Skin or Clothing: Remove contaminated clothing; wash skin with soap and warm water. Get medical attention if irritation persists.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**STORAGE AND DISPOSAL**

Storage: Do not store near heat or open flame.

Disposal: On non-refillable hand held aerosols, do not reuse empty container. Replace cap, wrap container and discard in trash collection.

The 50 lb. cylinder is refillable and should be returned to manufacturer when empty.

Important note: Buyer assumes all risks of use, storage, or handling of this product not in strict accordance with directions given herewith.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not apply where run-off is likely to occur. Do not contaminate water when disposing of equipment washwater.



**ACCUDOSE AEROSOL  
FOR**

**INSTANT  
FIRE ANT  
CONTROL**

**WITH .7% PYRETHRIN**

**TO BE USED IN THE CONTROL OF FIRE**



**ANTS PATENT NO. 4,160,336 OTHER  
PATENTS PENDING  
ACTIVE INGREDIENTS:**

Pyrethrins .....	7.00%
*Technical Piperonyl Butoxide .....	3.500%
**Inert Ingredient(s) by Weight .....	95.800%
	100.000%
*Equivalent to 4% (Butylcarbityl) (6-Propylperonyl) Ether and 1% of related compound.	
**Contains Petroleum Distillates.	

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS**

**NET WEIGHT \_\_\_\_\_**

**EPA Reg No 6959-81  
EPA Est No 6959-SC-1**

**MANUFACTURED BY:**

**CESSCO, INC.**

**JOHNS ISLAND, SC 29455**

**1-800-476-3666**

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**WEAR GOGGLES OR SAFETY GLASSES AND WATERPROOF GLOVES WHEN ATTACHING PROBE AND USING THIS PRODUCT. FOR OUTDOOR USE ONLY.**

CESSCO'S ACCUDOSE Fire Ant Control System may be used in the control of fire ants in playgrounds, parks, woodlots, golf courses and building lots, lawns, exterior plantscapes, pasture or rangeland, and non-crop areas.

Start spraying prior to inserting probe into mound and continue spraying for the entire mound treatment. Push probe into the mound, treating continuously, until resistance to further insertion is felt (contact with firm dirt), indicating that the probe has reached the bottom of the nest.

Seen from above, fire ant mounds are roughly circular. Visually divide the mounds into 4



quadrants and the mound center. (fig.1)

Fig. 1 Fig. 2 & 3

Probe insertions & treatment should be made in the center of each quadrant and final probe in the center of the mound at sites marked with "X" on figure 1.

Holding probe about 1 inch above mound, begin dispensing Cessco Fire Ant Formula and immediately insert probe slowly into mound (fig. 2 & 3).

Only one injection site is necessary on a mound 6 inches diameter or less. The injection in a 6 inches or smaller mound should be for 5 seconds. Larger mounds should be treated in several injections on the basis of size - 10 seconds total for mounds 6 - 12 inches diameter, 15 seconds total for mounds 12 - 18 inches diameter, and 20 seconds minimum for mounds greater than 18 inches diameter. On large mounds, treatments may be extended by 1 to 2 additional seconds, in order to insure that aerosol formulation reaches all cavities within the mound of colony. Reexamine the mound after 7 days and re-treat if any activity is apparent. Look for new mounds in the immediate vicinity and treat these as well in order to prevent inefficiency from mound migration.

CHT 127

**ACCEPTED**

**02 DEC 1993**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 6959-81

**BEST AVAILABLE COPY**