AUG 5 2003

William L. Ayer CESSCO, Inc. 3609A River Road Johns Island, SC 29455

Subject: CESSCO Instant Fire Ant Control

EPA Registration No. 6959-81 Application dated June 3, 2003

Dear Mr. Ayer:

The proposed amendment to the registration of the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, revising the label in accordance with PR Notices 2001-1 and 2001-6 is acceptable subject to the comment listed below:

Since the product contains petroleum distillates, the First Aid statement for If Swallowed must be changed to read:

"If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person."

A stamped copy of the label is enclosed for your records. Submit two copies of the final label before this product is released for shipment under this revised label.

If you have any questions, please contact Joseph Tavano at (703) 305-6411.

Sincerely,

Ann Sibold

Acting Product Manager 10

Insecticide Branch

Registration Division (7505C)

ACCEPTED with COMMENTS In EPA Letter Dated:

AUG 5 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act. as smended, for the pesticide registered under EPA Reg. No.

PECAUTIONARY STATEMENTS **HAZARDS TO HUMANS** & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Avoid contamination of food, utensils and food preparation areas.

FIRST AID

- If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.
- · If Inhaled: Move victim to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- . If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for further treatment advice
- If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice
- · Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep * Equivalent to 4% (butylcarbityl) out of lakes, ponds, streams, or any body of (6-propylpiperonyl) ether and 1% of related water. Do not contaminate water by cleaning compound. equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Do not store near heat or open flame. Store in cool dry area away from children. Container Disposal: For hand held aerosols, do not puncture or incinerate.

If Empty: Place in trash or offer for recycling if available

If Partly Filled: Call your local solid waste agency or 1-800-253-2687 for disposal instructions

FOR REFILLABLE CYLINDERS: Do not attempt to refill cylinder! The cylinder is refillable only by manufacturer. When empty, close valve, replace safety cap, and return cylinder to manufacturer or distributor



ACCUDOSE AEROSOL **FOR** INSTANT FIRE ANT CONTROL

WITH .7% PYRETHRIN

TO BE USED IN THE CONTROL OF FIRE ANTS PATENT NO. 4,160,336 OTHER **PATENTS PENDING**



ACTIVE INGREDIENTS:

Pyrethrins	70%
*Technical Piperonyl Butoxide	3.50%
**Other Ingredient(s) by Weight	95.80%
,	100.00%

**Contains Petroleum Distilates.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

> NET WEIGHT, 16.5 OZ (468 grams) EPA Reg. No 6959-81 E P A Est No 6959-SC-1 MANUFACTURED BY:

CESSCO INC.

3609A RIVER ROAD JOHNS ISLAND, SC 29455 1-800-476-3666

DIRECTIONS FOR USE

CHEMICAL & EQUIPMENT SALES & SERVICE CO. It is a violation of federal law to use this product in a manner inconsistent with Itslabeling.

> INC. WEAR GOGGLES OR SAFETY GLASSES AND WATERPROOF GLOVES WHEN ATTACHING PROBE AND USING THIS PRODUCT. FOR OUTDOOR USE ONLY.

CESSCO'S ACCUDOSE Fire Ant Control System may be used in the control of fire ant playgrounds, parks, woodlots, in golf courses and building lots, lawns, exterior plantscapes, pasture or rangeland, and noncrop areas.

Start spraying prior to inserting probe into mound and continue spraying for the entire mound treatment. Push probe into the mound, treating continuously, until resistance to further insertion is felt (contact with firm dirt), indicating that the probe has reached the bottom of the nest.

Seen from above,: fire ant mounds are roughly circular. Visually divide the mounds into 4 quadrants and the mound center. (fig. 1.)





Fig. 1

Probe insertions & treatment should be made in the center of each quadrant and final probe in the center of the mound at sites marked with "X" on figure 1.

Holding probe about 1 inch above mound, begin dispensing Cessco Fire Ant Formula and immediately insert probe slowly into mound (fig. 2 & 3).

Only one injection site is necessary on a mound 6 inches diameter or less. The injection in a 6 inches or smaller mound should be for 5 seconds. Larger mounds should be treated in several injections on the basis of size - 10 seconds total for mounds 6-12 inches diameter, 15 seconds total for mounds 12-18 inches diameter, and 20 seconds minimum for mounds greater than 18 inches diameter. On large mounds, treatments may be extended by 1 to 2 additional seconds, in order to insure that aerosol formulation reaches ell cavities within the mound or colony.

Re-examine the mound after 7 days and re-treat if any activity is apparent. Look for new mounds in the immediate vicinity and treat these as well-in order to prevent mefficiency from mound migration.

NOTICE: Buyer ausumes all responsibility for safety and use not in accordance with directions. C H-T 1 2 7