

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Program Registration Division (H7505C) 101 "M" St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

JAN 26 1994

6959-88

Term of Issuance: Conditional

Name of Pesticide Product:

Cessco GP General Purpose Insecticide

Name and Address of Registrant (include ZIP Code):

Mr. William L. Ayer Cessco, Inc. 3609A River Road Johns Island, SC 29455

Mu er Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant i right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided thac you:

- Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 6959-88."
 - b. Delete 'll references for use in poultry processing plants until you receive written authorization to do so from USDA. To obtain approval, write to:

Mr. John Damare U.S. Dept. of Agriculture Food Safety & Inspection Service Building 306, BARC-East Baltsville, MD 20'05

	
Signature of Approving Official:	Date: /
	Ducce.
	1/26/64
SEE PAGE 2	1 / 24/77
SEE FAGE Z	
PA Form 4570-6	

3. Submit two copies of the revised final printed label for the record.

As a reminder, as stated in 40 CFR 156.10(2)(ii)(A), label lettering must be in 6-point or larger type.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Robert S. Brennis

Acting Product Manager 10

Insecticide & Rodenticide Branch

Registration Division (7505C)

Enclosure

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS **& DOMESTIC ANIMALS** CAUTION

Harmful If swallowed, Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with planty of water. Get medical attention if irritation persists. In homitals, patients should be removed prior to treatment. Room should be ventilated for two hours after apraying. Do not return patients to room ACTIVE INGREDIENTS: until after ventilation. Cover or remove food before treatment. All food processing surfaces should be covered during treatment or thoroughly weeked and cleaned before using. Do not apply when fond processing is in operation. Remove pets, birds, and "Equivalent to 4.00%(butylcarbityl)(6-procover fish acquariums before spraying.



If Swallowed: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration. pneumone hezard.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If in Eyes: Flush with plenty of water. If imitation persists get medical attention.

If on Skin or Clothing: Remove contaminated clothing wash skin with some and warm water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F FOOD y cause bursting.

STORAGE AND DISPOSAL

Storage: Do not store near heat or open flame.

Disposal: Do not reuse empty container. Replace cap, wrap container and discard in trach collection.

important note: Buyer assumes all risks of use. storage, or hancing of this product not in accordance with directions given herewith.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FLYING INSECTS: Flies, Sandilles, Mosquitoss, Gress, Wasps, Small Flying Moths, Fruit Flee, Indian Meal Moths Almond Moths, ACCEPTED

Foreign Green Beeffee.



General Purp INGREDIENTS

Pyrethrins	0.50%
*PiperonylBurtoxide,Technical	
"INERT INGREDIENTS	95.50%
	100.00%

pytpiperonyl)either and 1.00% related compounds.

**Contains Petroleum Distillates.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Aerosol Insecticide **Especially Formulated For** Use in and Around:

MILK ROOMS, HOMES, HORSE STABLES, HOG PARLORS, FEED LOTS, LIVESTOCK SCHOOLS. RESTAURANTS. **STORAGE** WAREHOUSES. CANNERIES.

> E.P.A. EST. #6959-SC-1 E.P.A. REG. #6959-**NET WEIGHT -**MANUFACTURED BY:



JOHNS ISLAND, SC 29455

with COMMENTS 1-800-476-3666 EPA Letter Dated

JAN 26 1994

Under the Federal Inscribide. Enngicide, and Rodentieide Act so amended, for the pesticide registered under EPA Reg. No. 6959-98

DIRECTIONS FOR USE (CONTINUED)

Hold container upright with nozzle away from you. Press valve down and apray as directed. To avoid possible staining of fabrics or surfaces, do not apray at close range.

Calculate the cubic feet of the area to be treated. close all doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially around windows and other light sources which attract these insects. Apply apray continuously at rate of one second per 1000 cubic feet of space. Keep area closed for fifteen minutes after each treatment. Do not remain in treated area, Ventilate room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary. Area treatments can be made when animals are in lounding barns or holding bans.

Out of Doors: For temporary protection of mosquitoes and files, spray along ground and around bushes and trees. Do not spray ornamental shrubbery. Frequent repeated applications may be necessary.

MUD DAUBER AND WASP NESTS: Spray aerosol directly on meets and their nests from approximately 2 feet distance. Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat treatments as necessary.

CHOCOLATE MOTHS, CARPET PEETLES, DRUG STORE BEETLES IN EXPOSED ADULT LARVAE STAGES CONTact 86 many ineacts as possible when treating infested areas such as cracks, crevices, packaged store products, mechinery, dark sectuded areas. Spray 10 TRAILERS, BOATS, HOSPITALS, RESORTS, to 20 seconds per 100 square feet of floor space. MOTELS, Repeat weekly or as insects appear.

HOTELS, DAIRIES, CHICKEN HOUSES, FLEAS IN BUILDINGS: Close windows and doors. Hold WAREHOUSES, aerosol 36" above floor and direct fog towerd floor and KENNELS, CATTERIES, HORSE TRAILERS, lower walls at a rate of 10 seconds per 100 square FOOD & BOTTLING PLANTS, FEED MILLS, feet, making sure that all floor, sofa, chair surfaces SUPERMARKETS, are contacted. Remove and destroy pet's old bedding. Thoroughly treat area and allow to dry before replacing. Repeat as necessary Also trest dogs and cats with a registered flee control product before allowing them to enter treated area.

> ROACHER, SEIDERS, WATERBUGS, ANTS. SILVERIPSH, CRICKETS: "Hold aerosol close to cracks and for directly into them contacting as many insects as possible. ApplyTitle() to all possible hiding places behind teseboargia, sings, cabinets, coffee makare, 1966° boxes, 1960oles. Repeat all treatments ge perseeny.



