PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep out of reach of children. May be harmful if swallowed, inhaled, or absorbed through skin. breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided. Do not use as a space spray. thoroughly after using and before eating or smoking. Remove pets. birds, and cover fish aquariums before spraying. Avoid contamination of food, utensils, and food preparation areas

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

PHYSICAL OR CHEMICAL HAZARD

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130*F may cause bursting. Do not spray on plastic, painted, or varnished surfaces or directly into electronic equipment such as radios, televisions, computers, etc.



INGREDIENTS

Active Ingredients:	
Pyrethrins	0.700%
*Technical Piperonyl Butoxide	1.000%
Rotenone	
**o-Isopropoxyphenyl methylcarbam	ate 1.000%
***Inert ingredients	97.267%
-	100.000%

* Equivalent to .8% (butylcabityl)(6-Propylpiperonyl)
Ether and .2% of related compounds
**Baygon is Reg. TM in US Pat Off by Farbenfabriken Bayer A.G Chemagro

***Contains Petroleum Distillates

Corporation licenses

For Roaches: German, American, Oriental, and Brown Banded

KEEP OUT OF REACH OF CHILDREN

CAUTION

(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

> EPA. Reg. #6959-89 EPA. Est. #6959-SC-1

MANUFACTURED BY:
CESSCO, INC.
3609A RIVER ROAD
JOHNS ISLAND, SC 29455

1-800-476-3666

NET WEIGHT: 16.5 OZS. (468 grams)

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its

Cessco's AccuDose specific dosage residual spray is for treatment into cracks, holes, crevices and similar small openings where these insects may be hiding, living and breeding.

labeling.

With the rigid applicator extension placed into cracks, holes, crevices, and similar small openings where these insects may be a problem, release approximately 1 second of spray per spot in serious infestation areas. If possible, space these applications 12" apart. In lightly infested areas, or for preventive treatment, space three feet apart.

For use in homes, hospitals, food processing plants, restaurants, supermarkets, hotels, and motels. Care must be taken so no material comes in contact with exposed food products, equipment, or packaging materials. They must be removed or covered before use. Do not use in commercial food preparation areas or in edible product areas of food processing plants.

Do not use in food areas while food is exposed. Avoid contamination of food, utensils, and food preparation areas.

STORAGE AND DISPOSAL

Do not store near heat or open flame. Replace protective cap when not in use.

Do not reuse empty container. Wrap and place in trash collection

C H T 1 2 7

MAY 15 1995

Unite the Portrol Insecticity, Fund in the Indian the position of the Position of