

2015



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input checked="" type="checkbox"/>	Amendment
<input type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 6959-95	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Cessco Agro-5	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Cessco, Inc. 3609-A River Road Johns Island, SC 29455 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Submission of revised labeling per PR Notice 2007-4

e-mail: Johnston@RegGuide.net
fax: (636) 948-9720

NOTIFICATION

JUN 13 2011

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 - 115 lbs		5. Location of Label Directions <input checked="" type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Sharon M. Johnston	Title Regulatory Consultant	Telephone No. (include Area Code) (636) 942-2583
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Consultant	
4. Typed Name Sharon M. Johnston	5. Date May 16, 2011	

MARKED LABEL

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
& DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Cover or remove food before treatment. All food processing surfaces should be covered during treatment or thoroughly washed and cleaned before using. Do not apply when food processing is in operation. Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning equipment or disposal of wastes.

FIRST AID

- **If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.
- **If Inhaled:** Move victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for further treatment advice.
- **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **Have the product container or label with you when calling a poison control center or doctor or going for treatment.**

NOTIFICATION

JUN 13 2011

Cessco

AGRO-5

AGRICULTURAL
INSECTICIDE
AEROSOL

**To be used only with Cessco's Automatic
Accudose Aerosol System.**

**FOR CONTROL OF
FLYING INSECTS**

INGREDIENTS

ACTIVE INGREDIENTS:

Pyrethrins.....	0.50%
*Piperonyl Butoxide, Technical.....	5.00%
**OTHER INGREDIENTS.....	94.50%
TOTAL.....	100.00%
*Equivalent to 4.00% (butylcarbityl)(6-pro-pylpiperonyl) ether and 1.00% related compounds.	
**Contains Petroleum Distillates	

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

E.P.A. EST. #6959-SC-1
E.P.A. REG. #6959-95
MANUFACTURED BY:
CESSCO, INC.
3609-A River Road
Johns Island, SC 29455
1-800-476-3666

NET WEIGHT: X Lbs.

DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS
PRODUCT IN A MANNER INCONSISTENT WITH ITS
LABELING.**

Flies, Horseflies, Deer Flies, Black Flies, Mosquitoes, Gnats, Sandflies, Midges, Wasps, and Small Flying Moths in horsebarns, milking parlors, hog parlors, farrowing pens and holding pens for horses, cows or hogs: Calculate total cubic feet to be treated. Spray at a rate of 1 second per 1000 cubic feet per nozzle tip. Treatments can be made when animals are present. To avoid contamination, do not place a nozzle within 36 inches of food, water, or animal. Dosage may have to be doubled for open barns or holding pens. Repeat treatments as necessary. Optimum results are obtained when daily applications are made.

Out of Doors: For temporary protection around pools, decks, and terraces. Vacate the area prior to treatment. Do not use when people or domestic animals are present. Allow area to ventilate 15 minutes before reentry. Spray 10-15 seconds per treatment depending on wind drift. Repeated treatments may be necessary. Nozzle tips should be directed away from ornamental shrubbery, pools, and any surface or object that is susceptible to staining.

Flies, Gnats, Fruit Flies, Wasps, Small Flying Moths, Accessible stages of Yellow Mealworms, Indian Meal Moths (Chocolate Moths), Angoumois Grain Moths, Almond Moths, Foreign Grain Beetles, Cigarette Beetles, Saw-toothed Grain Beetles, Confused Flour Beetles, and Rice Weevils in food processing plants, canneries, food storage warehouses and plants containing non-perishable packaged, bagged raw, or processed food commodities, as well as bulk grains and animal feed. Processed foods include flour, sugar, cereals, packaged cookies and crackers. Raw commodities include bagged or bulk field dried beans and peas, cocoa beans, nuts grains, and sweet potatoes: Calculate total cubic feet to be treated. Close all doors and windows. Spray at a rate of 1 second per 1000 cubic feet per nozzle tip. Do not treat when food processing is in operation. All food processing surfaces should be covered or thoroughly washed and cleaned before using. Do not remain in treated area. Ventilate area when treatment is completed. Sweep up and destroy fallen insects. Repeat treatments as necessary. Optimum results are obtained when daily treatments are made. The insecticide does not penetrate bagged or packaged containers and infested products should be treated by other effective and approved methods.

Flies and other Flying Insects in chicken houses and caged laying houses: Treatment should not be made more often than twice daily. Calculate total cubic feet to be treated. Spray at a rate of 1 second per 1000 cubic feet per nozzle tip. To avoid contamination, do not place a nozzle within 36 inches of food, water, or fowl. Optimum results are obtained when daily treatments are made.

4045

