



GENERAL DIRECTIONS:

1. Apply only when facilities are not in operation and all food is removed and/or protected.
2. All food, food surfaces and equipment should be protected or thoroughly rinsed prior to resumption of operations.
3. Do not use in areas where unprotected food and perishable products occur.
4. When used on edible products as per Federal Government meat, poultry and egg pack regulations, apply only as an aerosol spray.

It is important to keep a record of all details of use of END-SECT, or family distributed, for use as a reference in order to perform a full audit.

ACTIVE INGREDIENTS 100%

End-sect (100% active ingredients) is a synthetic pyrethrum insecticide. It is effective against a wide range of insects including flies, mosquitoes, gnats, house flies, and other pests.

End-sect is a synthetic pyrethrum insecticide. It is effective against a wide range of insects including flies, mosquitoes, gnats, house flies, and other pests.

End-sect is a synthetic pyrethrum insecticide. It is effective against a wide range of insects including flies, mosquitoes, gnats, house flies, and other pests.

net contents

U.S. gallons

ACCEPTED

100% ACTIVE INGREDIENTS — RAPID KNOCKDOWN & KILL — BROAD SPECTRUM — EVEN AGAINST RESISTANT BUGS

END-SECT has been accepted as a pesticide by the U.S.D.A., for use in all departments of Federally inspected meat, poultry, egg processing and shell-egg grading plant

Synthesized pyrethrum products of this type may be used around humans and pets, but not in them.

END-SECT is an effective, fast acting insecticide for the control of roaches found in institutional and commercial buildings. It is highly useful for insect control in hospitals, hotels, restaurants, food processing plants, dairies, breweries, distilleries, and livestock barns.

RECOMMENDED DOSAGE FOR SPACE SPRAYING

Thermal foggers are recommended. Misting equipment that produces finely atomized sprays may also be used. Do not remain in treated areas and ventilate the area when treatment is completed.

For effective control of accessible, exposed stages of common insect pests, such as flies, mosquitoes, gnats, boxelder bugs, wasps, hornets, direct the spray toward the upper portion of the area, using 1 oz. to each 4,000 cubic feet. Keep doors and other openings closed for 10 minutes after spraying. Do not spray more than 1 gal. in 40,000 cubic feet of enclosed space in order to avoid any fire hazard.

CRAWLING INSECTS. To control Roaches, Silverfish, Crickets, Spiders, Ants, Scorpions and Clover Mites, spray infested areas thoroughly and direct the mist behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, and pipes, toward drains and dark corners, and into cracks, recesses, crevices and similar hiding places. Use 1 oz. per 1,000 cubic feet. Repeat treatment as necessary.

FLEAS, TICKS, BEDBUGS, CLOTHES MOTHS & CARPET BEETLES. If the premises are affected, initially, thoroughly spray floors, cracks and edges of the infested rooms and areas. Then, thoroughly spray infested textile articles such as upholstered furniture, mattresses, drapes, carpets, padding, clothes, etc., on all sides. Pay particular attention to seams, tufts, folds and pleats. Closets, wardrobes, life boards, springs, pantries, furniture, etc. must be sprayed thoroughly in every crack and crevice—back and front. Infested animal bedding should always be removed and destroyed.

Spray thoroughly around the base of heavy machinery and equipment. Repeat treatment as required to prevent infestations.

CAUTION: KEEP OUT OF REACH OF CHILDREN. COMBUSTIBLE. CONTAINS PETROLEUM DISTILLATE. HARMFUL IF SWALLOWED.

DO NOT INDUCE VOMITING IF SWALLOWED; call Physician. For skin contact, wash off with soap and water. For eye contact, flush with copious amounts of water, and if irritation persists, call Physician. Keep container tightly closed and away from heat or open flame. Do not use in presence of spark or open flame. Carefully dispose of empty container. Cover or remove all plants and live plants before spraying.