

SOILSERV

Avoid drift of this product to any crop for which this chemical is **not** registered. Avoid drift to any crop for which use **may be** registered but closer to harvest than the recommended time limits for this chemical. Avoid drift to any feed or forage crop.

SOILSERV METHYL PARATHION WETTABLE 25

ACTIVE INGREDIENTS:

COMPOSITION

Methyl Parathion (O,O-dimethyl O-p-nitrophenyl thiophosphate)	25.00%
Inert Ingredients:	75.00%

KEEP OUT OF REACH OF CHILDREN



DANGER -- POISON

WARNING TO USER

CALL A PHYSICIAN IMMEDIATELY



Atropine is antidotal. Keep an emergency supply on hand. **First Aid Treatment** — Do not wait for a doctor. Give 2 atropine tablets at once if patient has blurred vision or pin-point pupils.

INTERNAL: If swallowed, give tablespoonful of salt in warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet after vomiting has stopped.

EXTERNAL: If spilled on body, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

INHALATION: Remove patient from contaminated area and keep under continuous observation until doctor arrives.

NOTE TO PHYSICIANS: Warning symptoms include headache, chest pain, blurred vision, pin-point pupils, nausea, and general weakness.

TREATMENT: Give atropine, preferably by injection, grains 1/100, 2 or 3 tablets immediately and repeat parenterally or orally every hour as required or until pupils dilate. Do not exceed a total of 30 tablets. Never give morphine. Clear chest by postural drainage and administer artificial respiration if patient becomes comatose. Observe patient carefully for 48 hours. Inasmuch as exposure to cholinesterase inhibitors may cause, without warning, prolonged susceptibility to small doses of any cholinesterase inhibitor, no further exposure of the individual should be allowed until blood tests give ample proof of cholinesterase regeneration.

Danger - Warning — Rapidly absorbed through skin. Poisonous if swallowed, inhaled or absorbed through skin. Do not breathe spray mists or vapors. Do not get in eyes, on skin or clothing. Wear protective goggles, natural rubber gloves, and protective clothing during handling and application. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for methyl parathion protection.

Do not store with or near foodstuffs nor allow contamination of feed or foodstuffs. Bathe thoroughly after handling or spraying with any parathion formulation and wash hands, face and arms before eating or smoking. Clothing should be washed with hot water and soap daily before re-use.

Keep all persons out of area being sprayed or adjacent parts where drift may occur. Re-entry should not be allowed until mist and vapors have dissipated.

Do not contaminate feed or foodstuffs.

Destroy this container when empty by burning. Dispose of cans or drums so that they cannot be salvaged for any use.

**This product is toxic to wildlife
Birds and other wildlife in treated areas may be harmed**

READ AND FOLLOW DIRECTIONS CAREFULLY

DIRECTIONS FOR USE USE THIS MATERIAL WITHOUT ADDED STICKERS OR SPREADERS

water and repeat until vomit fluid is clear. Have victim lie down and keep quiet after vomiting has stopped.

EXTERNAL: If spilled on body, immediately remove contaminated clothing and wash skin thoroughly with soap and water.

INHALATION: Remove patient from contaminated area and keep under continuous observation until doctor arrives.

NOTE TO PHYSICIANS: Warning symptoms include headache, chest pain, blurred vision, pin-point pupils, nausea, and general weakness.

TREATMENT: Give atropine, preferably by injection, grains 1/100, 2 or 3 tablets immediately and repeat parenterally or orally every hour as required or until pupils dilate. Do not exceed a total of 30 tablets. Never give morphine. Clear chest by postural drainage and administer artificial respiration if patient becomes comatose. Observe patient carefully for 48 hours. Inasmuch as exposure to cholinesterase inhibitors may cause, without warning, prolonged susceptibility to small doses of any cholinesterase inhibitor, no further exposure of the individual should be allowed until blood tests give ample proof of cholinesterase regeneration.

gloves, and protective clothing during handling and application. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for methyl parathion protection.

Do not store with or near foodstuffs nor allow contamination of feed or foodstuffs. Bathe thoroughly after handling or spraying with any parathion formulation and wash hands, face and arms before eating or smoking. Clothing should be washed with hot water and soap daily before re-use.

Keep all persons out of area being sprayed or adjacent parts where drift may occur. Re-entry should not be allowed until mist and vapors have dissipated.

Do not contaminate feed or foodstuffs.

Destroy this container when empty by burning. Dispose of cans or drums so that they cannot be salvaged for any use.

This product is toxic to wildlife
Birds and other wildlife in treated areas may be harmed
READ AND FOLLOW DIRECTIONS CAREFULLY

DIRECTIONS FOR USE USE THIS MATERIAL WITHOUT ADDED STICKERS OR SPREADERS
USE THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL

CROP	PEST	DOSAGE	DAYS BEFORE HARVEST OR OTHER LIMITATIONS
Artichoke	plume moth	4 lbs/acre	7
Broccoli, Cauliflower	aphids	4 to 6 lbs./acre	21
Cabbage, Green Beans	army worms	4 to 6 lbs./acre	21
Brussels Sprouts	cabbage worms	4 to 6 lbs./acre	21
Celery	celery loopers, leaf tier	4 lbs./acre	15
Lettuce	aphids	4 lbs	21
Peas, Carrots	aphids	4 lbs	15
Peppers, Tomatoes	climbing cut worms	4 lbs	15
Spinach	aphids	4 lbs	21
Alfalfa	aphids, weevil	1 1/2 lbs.	20
Grapes	ahpids	3 lbs.	14
Cotton	aphids, thrips	2 lbs.	5 days
	army worm	5 lbs.	
Potatoes	ahpid, psylla, leafhopper	4 to 6 lbs.	5 days


6973-4
ACCEPTED
 JUL 7 1967
 UNDER THE FEDERAL FUNGICIDE AND INSECTICIDE ACT
 REGISTERED PRODUCT
 REGISTERED COMPANY
 REGISTERED COMMENTS

Workers entering treated cotton fields within 24 hours after application should wear protective clothing

FORM 91 REV JUNE 67

NET CONTENTS 16 LBS.

USDA REG NO 6973-4



1427 ABBOTT STREET

INC.

SALINAS, CALIFORNIA