



# ERV

ft to any crop for which use may be registered  
any feed or storage crop.

## 4 lb. EC

S NO AROMATIC SOLVENTS

orothioate) 43.00%  
57.00%

### CAUTIONS



#### CAN KILL YOU IF BREATHED

led th Breathing vapors, spray or dust may be fatal



ARNING — FLAMMABLE!  
Y FROM HEAT OR OPEN FLAME  
NOT FOR HOME USE

LABEL BEFORE USING

# ISON

SEE ANTIDOTE STATEMENT  
AND OTHER PRECAUTIONS



#### ARING THE FOLLOWING USE ONLY WHEN WE PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, safety goggles. (3) Wear rubber overshoes. (2) We by the U. S. Bureau of mask or respirator appropriate protection. (4) Wear heavy Mines for methyl parathion. (5) Wear heavy duty natural rubber gloves.

#### SAFETY RULES

**WORK SAFELY** Keep all unprotected persons and children away from treated area or where they


with hands. If you feel sick Do not rub eyes or mouth and get help right away. Call a in any way, STOP work and or hospital immediately. doctor (physician) clinic has been exposed to methyl Explain that the victim is condition. After first aid is parathion and describe his condition (see First Aid Treatment Section) and if a doctor given (see First Aid Treatment to clinic or hospital cannot come, take victim

removing gloves, wash them After before smoking, eating or arms with soap and water drinking.

**AFTER WORK**, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing and protective equipment. Wash protective clothing each use. Respirator should with soap and water after.

USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS, DIRECTIONS AND INSTRUCTIONS. READ ENTIRE LABEL. KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR FEED.

be cleaned and filter replaced according to instructions included with respirator.



Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

#### FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Wash contaminated clothing and shoes. See doctor immediately.

#### NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as diagnosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 24 HOURS.

#### POSTED TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated area.

#### CONTAINER DISPOSAL

Not to be used.

#### CROP USE DIRECTIONS

Use only according to directions for use attached to label.

WASH EMPTY CONTAINER WITH ALKALI AND DESTROY BY BURYING IN A SAFE PLACE AWAY FROM WATER SUPPLIES AND FEEDS. NEVER REUSE.

**THIS PRODUCT IS NOT TO BE USED AROUND HOMES OR HOME GARDENS.**  
"This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service."

THE FOLLOWING RECOMMENDED RATES SHOULD BE USED IN NOT LESS THAN 5 GALLONS OF WATER BY AIRCRAFT AND 15 GALLONS OF WATER BY GROUND SPRAY EQUIPMENT.

#### SUGGESTIONS FOR USE

CROP	PEST	Dosages and Limitations Per Acre	CROP	PEST	Dosages and Limitations Per Acre
Alfalfa	Aphid Leafhoppers	1/2 Pint 15 days	Leaf Lettuce	Aphid Leafminer	1 Pint 21 days
Beans	Aphid Spidermite	1 1/2 Pints 15 days	Onions	Aphid	1 1/2 Pint 15 days
Broccoli	Aphid	1 Pint 7 days	Peas	Aphid	1 Pint 10 days
Brussels Sprouts	Aphid	1 Pint 7 days	Peppers	Aphid	1 1/2 Pint 15 days
Cabbage	Aphid	1 Pint 10 days	Potatoes	Aphid	1 Quart 5 days
		1/2 Pint 7 days	Spinach	Aphid	1 Pint 14 days
Cauliflower	Aphid	1 Pint 7 days	Strawberries	Aphid	1 1/2 Pints 14 days
Carrots	Aphid	1 1/2 Pint 15 days	Sugar Beets	Aphid	1 1/2 Pints 15 days
	Do not use treated tops for feed or food.		Tomatoes	Aphid	1 Quart 10 days
Garlic	Aphid Thrips	1 Pint 15 days	Artichokes	Aphid	1 Quart 7 days
Feed Corn	Aphid	1 Quart 12 days	Melon	Aphid	1 Pint 7 days
Head Lettuce	Aphid Leafminer	1 Pint 7 days			
			Celery	Aphid	1 Pint 30 days

DILUTION RATES: THE ABOVE SUGGESTED RATES SHOULD BE USED IN NOT LESS THAN 5 GALLONS OF WATER BY AIRCRAFT AND 15 GALLONS OF WATER BY GROUND SPRAY EQUIPMENT.

EPA REG. NO. 6971-11

NET CONTENTS 5 GALLONS

EPA EST. NO.  
277-CA-1  
CA

The above suggested DILUTION RATES should be used in not less than 5 gallons of water by aircraft and 15 gallons of water by ground spray equipment.

