

contents in sprayer jar (standard 1 quart size sprays 20 gallons of solution), add water, stir well, contents will go into solution readily. As material goes into solution, add more water. Attach sprayer to hose, turn on the water to full volume and apply evenly to 3000 square feet.

IMPORTANT: For best results, keep sprayer continually in rotary motion while applying material. Water lawn thoroughly after application as material must reach the roots of Oxalis and Annual Blue Grass to effectively kill them.

For 1500 square foot coverage: Use only one half the contents of this container and follow directions as above.

For Spot Treatment or Use with Sprinkling Can: Mix 1 teaspoonful of Oxalis Control in 1 gallon of water and apply evenly over 20 square feet, then water thoroughly.

NOTE: It may take 2 to 3 weeks before effects of application are fully apparent. Do not repeat application in less than 4 weeks. Do not apply more than twice in a 6 month period. Wash applicators thoroughly after using.

CAUTION KEEP AWAY FROM CHILDREN AND DOMESTIC ANIMALS. Avoid breathing dust or spray mist and avoid contact with skin, eyes, and clothing; may cause irritation of eyes, throat, nose and skin. Avoid contamination of feed and food-stuffs. Wash hands thoroughly after handling. Do not apply on or near trees, shrubs or plants, or on areas into which their roots may extend. Follow directions exactly; excessive amounts of application may result in soil sterilization.

Oxalis Control FOR Dichondra Lawns

Also controls Annual Blue Grass



OXALIS



ANNUAL BLUE GRASS

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS. SEE LEFT PANEL FOR ADDITIONAL CAUTIONS.

NET WT. 5 OZ.

dichondra lawns. Both are easily destroyed by this selective weed killer without damage to your dichondra lawn, when used as directed. After treatment with GERMAIN'S Oxalis Control, your dichondra lawn should be fed at two week intervals with Germain's Lawn Food to encourage the dichondra to fill the dead-weed area and create a thick, luxuriant lawn.

This package contains full net weight. Head space is provided to avoid spilling and for accurate withdrawal.

GERMAIN'S, INC., makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Neither Germain's, Inc., nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of damage or loss to anyone resulting from handling, storing or use of this product when such handling, storing or use is not in strict accordance with directions given hereon.

GERMAIN'S, inc.

Since 1871

Los Angeles, Calif. 90054

Product of U.S.A. © 1967 by Germain's Inc. • Litho in U.S.A.
USDA Reg. No. 6933-1 Stock No. 20-900-32

ACC
1/1/68
003

tents in sprayer jar (standard 1 quart size sprays 20 gallons of solution), add water, stir well, contents will go into solution readily. As material goes into solution, add more water. Attach sprayer to hose, turn on the water to full volume and apply evenly to 3000 square feet.

For best results, keep sprayer continually in rotary motion while applying material. Water lawn thoroughly after application as material must reach the roots of Oxalis and Annual Blue Grass to effectively kill them.

For 1500 square foot coverage: Use only one half the contents of this container and follow directions as above.

For Spot Treatment or Use with Sprinkling Can: Mix 1 teaspoonful of Oxalis Control in 1 gallon of water and apply evenly over 20 square feet, then water thoroughly.

NOTE: It may take 2 to 3 weeks before effects of application are fully apparent. Do not repeat application in less than 4 weeks. Do not apply more than twice in a 6 month period. Wash applicators thoroughly after using.

KEEP AWAY FROM CHILDREN AND DOMESTIC ANIMALS. Avoid breathing dust or spray mist and avoid contact with skin, eyes, and clothing; may cause irritation of eyes, throat, nose and skin. Avoid contamination of feed and food-stuffs. Wash hands thoroughly after handling. Do not apply on or near trees, shrubs or plants, or on areas into which their roots may extend. Follow directions exactly; excessive amounts of application may result in soil sterilization.

Oxalis Control


FOR

Dichondra Lawns

Also controls Annual Blue Grass



OXALIS



ANNUAL BLUE GRASS

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS. SEE LEFT PANEL FOR ADDITIONAL CAUTIONS.

NET WT. 5 OZ.

dichondra lawns. Both are easily destroyed by this selective weed killer without damage to your dichondra lawn, when used as directed. After treatment with GERMAIN'S Oxalis Control, your dichondra lawn should be fed at two week intervals with Germain's Lawn Food to encourage the dichondra to fill the dead-weed area and create a thick, luxuriant lawn.

This package contains full net weight. Head space is provided to avoid spilling and for accurate withdrawal.

GERMAIN'S, INC., makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Neither Germain's, Inc., nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of damage or loss to anyone resulting from handling, storing or use of this product when such handling, storing or use is not in strict accordance with directions given hereon.

GERMAIN'S

Since 1871

Los Angeles, Calif. 90054

Product of U.S.A. © 1967 by Germain's Inc. • Litho in U.S.A.
USDA Reg. No. 6933-1 Stock No. 20 900 32

contents in sprayer jar (standard 1 quart size sprays 20 gallons of solution), add water, stir well, contents will go into solution readily. As material goes into solution, add more water. Attach sprayer to hose, turn on the water to full volume and apply evenly to 3000 square feet.

IMPORTANT: For best results, keep sprayer continually in rotary motion while applying material. Water lawn thoroughly after application as material must reach the roots of Oxalis and Annual Blue Grass to effectively kill them.

For 1500 square foot coverage: Use only one half the contents of this container and follow directions as above.

For Spot Treatment or Use with Sprinkling Can: Mix 1 teaspoonful of Oxalis Control in 1 gallon of water and apply evenly over 20 square feet, then water thoroughly.

NOTE: It may take 2 to 3 weeks before effects of application are fully apparent. Do not repeat application in less than 4 weeks. Do not apply more than twice in a 6 month period. Wash applicators thoroughly after using.

CAUTION: KEEP AWAY FROM CHILDREN AND DOMESTIC ANIMALS. Avoid breathing dust or spray mist and avoid contact with skin, eyes, and clothing; may cause irritation of eyes, throat, nose and skin. Avoid contamination of feed and food-stuffs. Wash hands thoroughly after handling. Do not apply on or near trees, shrubs or plants, or on areas into which their roots may extend. Follow directions exactly; excessive amounts of application may result in soil sterilization.

Oxalis Control FOR Dichondra Lawns

Also controls Annual Blue Grass



OXALIS



ANNUAL BLUE GRASS

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS. SEE LEFT PANEL FOR ADDITIONAL DIRECTIONS.

NET WT. 5 OZ.

dichondra lawns. Both are easily destroyed by this selective weed killer without damage to your dichondra lawn, when used as directed. After treatment with GERMAIN'S Oxalis Control, your dichondra lawn should be fed at two week intervals with Germain's Lawn Food to encourage the dichondra to fill the dead-weed area and create a thick, luxuriant lawn.

This package contains full net weight. Head space is provided to avoid spilling and for accurate withdrawal.

GERMAIN'S, INC., makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Neither Germain's, Inc., nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of damage or loss to anyone resulting from handling, storing or use of this product when such handling, storing or use is not in strict accordance with directions given hereon.

GERMAIN'S, inc.

Since 1871

Los Angeles, Calif. 90054

Product of U.S.A. © 1967 by Germain's Inc. • Litho in U.S.A.
USDA Reg. No. 6933-1 Stock No. 20-900-32

