

**PRECAUTIONARY STATEMENT  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Do not take internally. Avoid contact with skin, eyes or clothing. Do not breathe spray mist. Can be irritating to eyes or skin. Wash thoroughly with soap and warm water after handling. Keep children and pets away from treated area until it is completely dry.

**NOTE:** Germain's Lawn and Garden Fungicide may produce temporary allergic side effects characterized by redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician. Affected persons respond to treatment with antihistamines or steroid creams and/or systemic steroid. There is no evidence of aftereffects or permanent injury.

Do not graze treated areas. Do not feed chippings to livestock.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**STORAGE AND DISPOSAL**

Store in dry place. Do not store near feed or food stuff. Do not use, pour, spill or store near heat or open flames. Do not reuse empty container. Wrap container and put in trash collection.

**DIRECTIONS FOR USE**

It is in violation of Federal Law to use this product in a manner inconsistent with its labeling.

**Shake Well Before Use**

Read entire label and use as directed. Apply only to areas specified on the label. Germain's Lawn and Garden Fungicide is highly effective and widely recommended for the control of a number of important lawn and ornamental commonly occurring diseases. Do not combine this product with pesticides, surfactants or fertilizers unless your prior use has shown the combination physically compatible and noninjurious under your conditions of use.

**Note to User:** Do not graze treated areas. Do not feed chippings to livestock.  
**GRASS LAWNS:** For control of Brown Patch, Dollar Spot, Leaf Spot, Blight, Fading Out, Melting Out, Gray Leaf Spot, Stem Rust on Bluegrass, and Copper Spot. Mix 1 pint in 5-15 gallons of water and apply to 500 sq. ft. of lawn. Start spray application in spring before disease appears and repeat at 7-14 day intervals throughout the season. Make application on a 7 day schedule during periods of wet weather or severe disease condition. Do not mow or water after treatment until lawn is thoroughly dry.

**DICHONDRA LAWNS IN CALIFORNIA ONLY:** To cure Alternaria Leaf Spot use 1 pint of material in 5 to 10 gallons per 500 sq. ft. Spray on 7-14 day intervals of application. Under severe disease conditions spray on a 7 day schedule and use higher rates. Use lower rates when disease conditions are light to moderate.

**GERMAIN'S**

**Lawn & Garden Fungicide**

A Broad-Spectrum Fungicide for use on turf grass, dichondra, vegetables & ornamentals.



BROWN PATCH



BLOSSOM BLIGHT



DOLLAR SPOT IN BLUEGRASS

**ACTIVE INGREDIENT:**

Chlorothalonil (tetrachlorosophthalonitrile)\*

**INERT INGREDIENTS**

**TOTAL**

\*EPA Reg. No. 2737 covered under U.S. Pat. No. 3,290,353 and No. 3,331,735. This product contains 1.14 pound Chlorothalonil per gallon.

32.5%  
87.5%  
100.0%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed, drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until fluid is clear. Call a physician immediately. Do not induce vomiting or take anything by mouth to an unconscious person. If inhaled, remove victim to fresh air. Apply respiration if indicated. If on skin, wash thoroughly with soap and warm water and handling. If in eyes, flush with plenty of water immediately for at least 15 minutes. Call a physician. SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for use pesticide registered under EPA Reg. No. 693-3-17

APR 13 1981

**NET CONTENTS 32 FL. OZ. (1 QT.)**

**ORNAMENTALS:** Germain's Lawn and Garden Fungicide number of diseases of ornamentals. To obtain adequate coverage of the following:  
**CHRYSANTHEMUMS:** Ascochyta Rot per gallon of water.  
**GERANIUMS:** Botrytis Blight use 9 to 12 tablespoons per 500 sq. ft. of lawn.  
**IRIS:** Botrytis Blight and Leaf Spot use 9 to 12 tablespoons per 500 sq. ft. of lawn.  
**ROSES:** Black Spot and Blossom Blight use 9 to 12 tablespoons per 500 sq. ft. of lawn.  
**ZINNIAS:** Powdery Mildew use 9 to 12 tablespoons per 500 sq. ft. of lawn.  
**PHLOXENORUM:** For control of Phytoftora use 9 to 12 tablespoons per gallon of water.  
**VEGETABLES:**  
**BROCCOLI, BRUSSELS SPROUTS, CABBAGE (Southeastern states only) and other conditions favor disease development. Water and apply to 500 sq. ft. Repeat to maintain control.**  
**MELONS (Cantaloupe, Watermelon, etc.)** Mildew apply when conditions favor in 5-15 gallons of water per 500 sq. ft. Repeat to maintain control.  
**PUMPKIN, SQUASH (Summer and Winter) and other conditions favor disease development. Water and apply to 500 sq. ft. Repeat to maintain control.**  
**TOMATOES:** For Anthracnose, Early Blight use 4 tablespoons in 5-15 gallons of water. Repeat at 7-10 day intervals.  
**WEEDS:** 7 GERMAIN'S has been registered under EPA Reg. No. 693-3-17. This product is not intended for use on weeds. It is a fungicide and does not kill weeds. It is a fungicide and does not kill weeds. It is a fungicide and does not kill weeds.

**GERMAIN'S**  
Since 1871  
Los Angeles, CA 90054

Product of U.S.A. © 1980 by Germain's  
Litho in U.S.A. • Stock No. 62-901-09  
EPA Reg. No. 693-3-17  
EPA Est. No. 6933-CA-1

48

**STATEMENT ON DOMESTIC ANIMALS**  
Do not get this product in eyes or clothing. Do not breathe vapor. Wash thoroughly with soap and water. Keep away from treated area until dry.  
This product may produce temporary irritation or rash on exposed skin areas. Do not use on animals. Affected persons should use protective clothing and/or systemic steroids and/or systemic antibiotics for permanent injury.  
Do not feed to livestock.  
**HAZARDS**  
Do not use near lakes, streams or ponds. Do not use on disposal of wastes.

**DISPOSAL**  
Do not dump. Do not use, pour, spill or empty container. Wrap container.

**FOR USE**  
Do not use in a manner inconsistent with directions.  
**Pre Use**  
Apply to areas specified on the label. This product is highly effective and widely used on important lawn and ornamental plants. Do not mix this product with pesticides, surfactants, or fertilizers. Always show the combination physically. Do not use in combination with other fungicides.  
Do not feed clippings to livestock.  
Do not use on Dollar Spot, Leaf Spot, Blight, Stem Rust on Bluegrass, and other diseases. Apply to 500 sq. ft. of lawn. Repeat on a 7 day schedule during the season. Do not mow or water after.

To cure Alternaria Leaf Spot use 1 qt. per 500 sq. ft. Spray on 7-14 day intervals of the season. Repeat on a 7 day schedule and use only when conditions are light to moderate.

# GERMAIN'S

## Lawn & Garden Fungicide

A Broad-Spectrum Fungicide for use on turf grass, dichondra, vegetables & ornamentals.



ACTIVE INGREDIENT:	Chlorothalonil (tetrachloroisophthalonitrile)*	12.5%
INERT INGREDIENTS		87.5%
TOTAL		100.0%

\* Claims 2737 Covered Under U.S. Pat. No. 3,290,353 and No. 3,331,735  
This product contains 1.14 pound Chlorothalonil per gallon

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed, take one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled, remove victim to fresh air. Cool respiration if indicated. If on skin, wash thoroughly with soap and warm water. If in eyes, flush with plenty of water immediately for at least 15 minutes. Call a physician.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**NET CONTENTS 32 FL. OZ. (1 QT.)**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 1993-41

APR 13 1981

**ORNAMENTALS:**  
German's Lawn and Garden Fungicide is recommended for the control of a number of diseases of ornamentals. Apply at first sign of disease and repeat at 7 to 14 day intervals throughout the season. Application should be thorough to obtain adequate coverage of the foliage.

**CHRYSANTHEMUMS:** Ascocytha Ray Blight and gray mold use 9 tablespoons per gallon of water.

**GERANIUMS:** Botrytis Blight use 9 tablespoons per gallon of water.

**IRIS:** Botrytis Blight and leaf spot use 9 tablespoons per gallon of water.

**ROSES:** Black spot and blossom blight use 6 tablespoons per gallon of water.

**ZINNIA:** Powdery mildew use 9 tablespoons per gallon of water.

**PHILODENDRON:** For control of Phytophthora Blight and Dactylopha leaf spot use 9 tablespoons per gallon of water. Apply at 7 day intervals.

#### VEGETABLES:

**BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER:** For Alternaria leaf spot (Southeastern states only) and downy mildew apply after transplant and when conditions favor disease development. Mix 3 tablespoons in 5-15 gallons of water and apply to 500 sq. ft. Repeat at 7-10 day intervals or as necessary to maintain control.

**MELONS (Cantaloupe, Honeydew, Muskmelon):** For Anthracnose, downy mildew, and other conditions favor disease development. Use 6 tablespoons in 5-15 gallons of water per 500 sq. ft. Repeat at 7 day intervals.

**PUMPKIN, SQUASH (Summer and Winter), WATERMELONS:** For Anthracnose and Downy Mildew apply when conditions favor disease development. Use 6 tablespoons per 5-15 gallons of water per 500 sq. ft. of garden area. Repeat at 7 day intervals.

**TOMATOES:** For Anthracnose, early and late blights, gray leaf spot, gray cal mold use 4 tablespoons in 5-15 gallons of water per 500 sq. ft. Begin when disease begins and repeat at 7-10 day intervals.

NEITHER U.S. GERMAIN'S, INC. NOR ANY DISTRIBUTOR OR RETAILER MAKES ANY WARRANTIES OR REPRESENTATIONS OF ANY KIND, EXPRESS OR IMPLIED AS TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER MATTER WITH RESPECT TO GOODS, EXCEPT FOR THOSE LABELING STATEMENTS REQUIRED BY LAW. CUSTOMER'S SOLE AND EXCLUSIVE REMEDY FOR ANY AND ALL CLAIMS INCLUDING WITHOUT LIMITATION CLAIMS BASED EITHER DIRECTLY OR INDIRECTLY ON BREACH OF CONTRACT OR ON NEGLIGENCE SHALL BE, AT OUR OPTION, REPLACEMENT OF DEFECTIVE GOODS OR REFUND OF THE PURCHASE PRICE THEREOF. WE SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.

**GERMAIN'S, Inc.**  
Since 1971  
Los Angeles, CA 90058

Product of U.S.A. © 1980 by Germain's, Inc.  
Listed in U.S.A. © Stock No. 62-901 09  
EPA Reg. No. 6993-91  
EPA Est. No. 6993-CA-1



48

49