LEAFEX 2

ACTIVE INGREDIENT:												1	BY WT.
Sodium Chlorate.		•				•			•	•	•		19.3%
INERT INGREDIENTS:				٠		٠			•				80.7%
													100.0%

Each gallon contains 2 lbs of Sodium Chlorate with fire retardant

EPA Reg. No. 7001-46 EPA Est. No. 7001-CA-1

KEEP OUT OF REACH OF CHILDREN

WARNING

AVISO

Precaucion al usuario: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. May irritate eyes, nose, throat and skin. Avoid contact with skin, eyes and clothing. Avoid breathing dust or spray mist. Wash thoroughly after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

IN CASE OF CONTACT with eyes, flush with water for 15 minutes. Get medical attention. In case of contact with skin, wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWFD, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift away from target area.

ACCEPTED

SEP | 6 1938

Finds the Federal Inserticide, Finds and and Rodenfield Act, as an and add, for the perticide, registered under LEA Reg. No. 2011 - 46

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION: LEAFEX-2 may be applied by aircraft or ground equipment. Thorough coverage of the crop plant is essential. Results may be enhanced by the addition of a good, nonionic spreader sticker to the spray mixture. Tall plants and rank foliage will require a larger volume of spray. Do not apply during windy weather as spray drift to susceptible nearby crops may cause damage. DO NOT apply during very high temperatures.

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.

REENTRY ____

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter without protective clothing until sprays have dried.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: WARNING: Area treated with LEAFEX-2. Do not enter without appropriate protective clothing until sprays have dried. Because certain states may require more restrictive reentry internals for various crops treated with this product, consult your State Department of Agriculture for further information.

COTTON DEFOLIATION: Stage of plant growth and prevailing weather conditions markedly affect the defoliation process. Best results are obtained when soil fertility and moisture are adequate, the boll set is heavy, all bolls are mature, vegetable growth has stopped and there is little or no second growth. LEAVES SHOULD BE GREEN AND TURGID. Bolls less than 35 days old may: not mature after application of this product. Apply 2 or 3 weeks before anticipated picking date on clear days when temperatures will go above 70 degree F. DO NOT apply during windy weather. NO NOT apply under conditions of extreme heat during middle of the play. DO NOT apply within 7 days of harvest. Make no more than two applications. DO NOT graze treated areas or feed in waste to livestock.

•::•:•

RATES TO USE:

Air Application: Apply 2-1/2 gallons Leafex-2 in 4-10 gallons of

water.

Ground Application: Apply 2-1/2 gallons Leafex-2 in 20-30 gallons

of water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

STORAGE: Store in a cool, dry, fire resistant area; separate from acids, solvents, oils, organic substances, sulfur, powdered metals and away from fire hazards.

DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

In case of accidental spill, use absorbent material, sweep up or vacuum. If spilled on concrete or metal floors flush with water after sweeping or vacuuming.

NET CONTENTS:

DISCLAIMERS OF WARRANTIES: Seller warrants that the chemical composition of this product conforms to the chemical description on this label. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTATIONS, EXPRESSED, IMPLIED OR STATUTORY, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR USE. Timing, rate and method of application, and crop conditions, mixtures with chemicals specifically recommended on this label or an accompanying written recommendation, are beyond the control of seller. Buyer assumes risks of use, storage and handling of this material not in acordance with directions given herewith. Buyer . further strict agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option as full discharge seller's liability. No one is authorized to make any other warranty, guarantee or directions concerning this product...and no such warranties, quarantees or directions shall be binding upon seller.