


REVISED 7/17/75

CONTACT WEEDKILLER

ACTIVE INGREDIENT:		BY WT.
Dinoseb (2-sec-butyl-4,6-dinitrophenol)		30.0%
INERT INGREDIENTS:		70.0%
	TOTAL	100.0%

Contains 2.5 lbs. active ingredient per gallon.

EPA Reg. No. 7001-77-AA
EPA Est. No. 7001-Ca-1



POISON
DANGER! KEEP OUT OF REACH OF CHILDREN

May be fatal if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing.
Do not take internally. Do not breathe vapors or spray mist. Keep away from heat and open flame.
Do not wear contaminated clothing or shoes. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

FIRST AID TREATMENT ANTIDOTE - Symptoms of Poisoning: Excessive fatigue, sweating, thirst and fever. If symptoms of poisoning develop from any type of exposure, SEND FOR A PHYSICIAN.

FIRST AID: Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water.

IF SWALLOWED, SEND FOR A PHYSICIAN: Induce vomiting by giving an emetic such as 2 tablespoonfuls of table salt in a glass of warm water; repeat until vomit fluid is clear, then give 2 table-spoonfuls of baking soda in a glass of warm water. Treat as in First Aid above. If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention. If spilled on skin, immediately remove contaminated clothing, including shoes and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician and treat as in First Aid above. Discard contaminated clothing and shoes, or clean them thoroughly before re-use.

NOTE TO ATTENDING PHYSICIAN: Active ingredient is metabolic stimulant. Treat symptomatically!
Do not apply where runoff is likely to occur.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be ill-

ACCEPTED WITH COMMENTS