



FRONT PANEL



weed & feed
10-6-4

Fertilizer - Kills Weeds

Net Wt. 20 Lbs.



ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid. 1.0%

INERT INGREDIENTS:

Relative to herbicidal content 99.0%
*2,4-Dichlorophenoxyacetic Acid equivalent .83%

E. P. A. Registration No. 7001-125-01

CAUTION


KEEP OUT OF REACH OF CHILDREN. See additional cautions
on back of bag.

MINIMUM GUARANTEED ANALYSIS: GRAIN 10-6-4

TOTAL NITROGEN	10.0%
Ammoniacal Nitrogen	10.0%
Available Phosphoric Acid (derived from Ammonium Phosphate & Superphosphates)	6.0%
Water Soluble Potash (derived from Potash)	4.0%
Combined Sulfur expressed as elemental (derived from Sulfates & Sulfides)	11.0%
Iron expressed as elemental (derived from Sulfides and Sulfates)	.90%
Manganese expressed as elemental (derived from Sulfides and Sulfates)	.05%
Zinc expressed as elemental (derived from Sulfides and Sulfates)	.05%



Occidental Chemical Company
DIVISION OF OCCIDENTAL PETROLEUM CORPORATION
LATHROP, CALIFORNIA



weed & feed

10-6-4

READ THE FOLLOWING CAREFULLY BEFORE APPLICATION. USE THIS PRODUCT ONLY FOR RECOMMENDED PURPOSES AND DOSAGE.

GENERAL INFORMATION: This product is designed to promote lush green growth and control many broad leaf weeds in lawns.

WEEDS CONTROLLED: Such as: Wild Marigold, Thistle, Dandelion, Malva, Morning Glory.

DIRECTIONS FOR USE:

Established Lawns: Apply when weeds are young and actively growing. Before each application, spreader lightly to hold material and prevent dust drift onto plants which might be injured by 2,4-D. Avoid drift to or contact with desirable plants. Do not mow or water within 24 hours after treatment.

New Lawns: To avoid damage, apply after seedling grasses are at least 4-5 months old.


DIRECTIONS FOR APPLYING

When to Apply: Best results are obtained if applied when weeds are growing rapidly before or during early stages of bloom.

How to Apply: Use a fertilizer spreader. Following settings are approximate for applying contents of this package at suggested rate of 4 lbs. per 1,000 sq. ft. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

SPEED & SETTING CHART

Make	Setting
Wards 1001, 1003, 1005	6-3/4
Wards 1007	5
Central (Recessed Wheel)	6-3/4
Jackson & Sears	5
Lawn Beauty	6-3/4
Scott	5-1/2



CAUTION: Avoid inhaling dust. Avoid contact with skin, eyes or clothing. Do not apply directly or otherwise permit through drift, to contact vegetables, flowers, fruit trees, ornamentals or other desirable plants. Do not use in containers. Destroy this label. Do not contaminate water intended for irrigation, or domestic purposes.

DO NOT USE IN CONTAINERS, LBS. 4, 10, 25, 50, 100, 250, 500, 1000.

Avoid contamination of ornamental fish ponds. Do not store near fertilizers, seed, insecticides or fungicides. Vapors from this product may injure susceptible plants in the immediate vicinity. May injure plants and carpeting.



Occidental Chemical Corporation
DIVISION OF OCCIDENTAL PETROLEUM CORPORATION
LATHROP, CALIFORNIA

