

You Get Results With

BEST®

MANSUL

Read This Label Carefully

ACTIVE INGREDIENTS:

A co-ordination product of Zinc ion and manganese ethylene bisdithiocarbamate

BY WT.

40%

In which the ingredients are:

manganese ++ 8%

zinc ++ 1%

Ethylene bisdithiocarbamate ion

(C₄H₆N₂S₄) 31%

Micronized Sulfur

40%

INERT INGREDIENTS:

20%

TOTAL

100%

EPA Reg. No. 7001-98

Directions for Dilution

DILUTE APPLICATION: Ground Application: Apply specified rate in 20 to 60 gallons of water per acre.

CONCENTRATE APPLICATION: Ground Application: Apply specified rate in not less than 10 gallons of water per acre. Special concentrate equipment is necessary for these uses.

AIR APPLICATION: Apply specified rate in 10 to 20 gallons of water per acre.

DIRECTIONS FOR USE

GENERAL DIRECTIONS: Sift Best Brand Mansul slowly into spray tank as it is being filled or premix thoroughly in nurse tank for concentrate or aircraft sprayers. Add insecticide and nutritional sprays last. Best Brand Mansul can be applied alone or with various other pesticides in recommended spray schedules. For further details, see recommendations on this label.

Potatoes: Early Blight. Apply 4 lbs. per acre. Begin application when plants are 4 to 6 inches high. Repeat application every 10 to 14 days. Thorough uniform coverage is essential for good disease control.

CAUTION

KEEP OUT OF REACH OF CHILDREN

May cause irritation of nose, throat, eyes, and skin. Do not breathe dust or spray mist. In case of skin contact wash with water; for eyes, wash copiously with water and get medical attention.

Do not re-use containers. Destroy by burying with waste.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not use on sulfur sensitive plants. Sulfur may burn foliage when temperature is excessively high.

Keep away from fire and sparks. Store in a cool, dry place. Do not allow to become wet or overheated in storage. This may bring on chemical changes which will impair the fungicidal effectiveness of Best Brand Mansul and may also generate flammable vapors. Keep container closed when not in use.

ACCEPTED

3-23-72

UNDER THE FEDERAL INSECTICIDE,
FUNGICIDE AND MITTICIDE ACT
FOR E & M & P IN REGISTRATION
EQ UNDER NO. 7001-98

(682:1/72) rjw

OCCIDENTAL CHEMICAL COMPANY

A DIVISION OF OCCIDENTAL PETROLEUM CORPORATION

P. O. BOX 198 • LATHROP, CALIFORNIA 95330 • PHONE (209) 858-2511

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one, other than an officer of Seller, is authorized to make any other warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.

MANSUL

You Get Results With

BEST[®]

ACTIVE INGREDIENTS:

A co-ordination product of Zinc ion and manganese ethylene bisdithiocarbamate

in which the ingredients are:

manganese⁺⁺ - - - - 8%

zinc⁺⁺ - - - - - 1%

Ethylene bisdithiocarbamate ion

(C₄H₆N₂S₄) - - - - 31%

Micronized Sulfur - - - - -

INERT INGREDIENTS:

TOTAL

BY WT.

40%

20%

100%

EPA Reg. No. 7001-98

Directions for Dilution

DILUTE APPLICATION: Ground Application: Apply specified rate in 20 to 60 gallons of water per acre.

CONCENTRATE APPLICATION: Ground Application: Apply specified rate in not less than 10 gallons of water per acre. Special concentrate equipment is necessary for these uses.

AIR APPLICATION: Apply specified rate in 10 to 20 gallons of water per acre.

DIRECTIONS FOR USE

GENERAL DIRECTIONS: Sift Best Brand Mansul slowly into spray tank as it is being filled or premix thoroughly in nurse tank for concentrate or aircraft sprayers. Add insecticide and nutritional sprays last. Best Brand Mansul can be applied alone or with various other pesticides in recommended spray schedules. For further details, see recommendations on this label.

Potatoes: Early Blight. Apply 4 lbs. per acre. Begin application when plants are 4 to 6 inches high. Repeat application every 10 to 14 days. Thorough uniform coverage is essential for good disease control.

CAUTION

KEEP OUT OF REACH OF CHILDREN

May cause irritation of nose, throat, eyes, and skin. Do not breathe dust or spray mist. In case of skin contact wash with water; for eyes, wash copiously with water and get medical attention.

Do not re-use containers. Destroy by burying with waste.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not use on sulfur sensitive plants. Sulfur may burn foliage when temperature is excessively high.

Keep away from fire and sparks. Store in a cool, dry place. Do not allow to become wet or overheated in storage. This may bring on chemical changes which will impair the fungicidal effectiveness of Best Brand Mansul and may also generate flammable vapors. Keep container closed when not in use.

ACCEPTED

3-23-72

7001-98

OCCIDENTAL CHEMICAL COMPANY

A DIVISION OF

P. O. BOX 198 • LATHROP, CALIFORNIA 95330 • PHONE 209-333-1111

(682 172) rjw