

opper. Apply 2 to 5 pts. per acre. No  
 Armyworm, Green Peach Aphid, Serpentine  
 Leaf Miner, Vegetable Weevil. Apply 4  
 ch or after plants are half mature.  
 angelos, Tangerines): - Cutworm (climb-  
 days of harvest. Do not feed treated  
 hopper, Webworm, Armyworm (Not in  
 er acre. Do not feed treated forage to  
 limitation on use of grain.  
 rm, Cutworm (Climbing), Flea Beetle,  
 ly 2 to 8 pts. per acre. Cotton Leaf  
 ury animals or animals being finished  
 er 4 pts. to 8 pts. do not apply after  
 Potato Beetle, Cutworm (Climbing and  
 per acre. Do not apply within 5 days  
 s. do not apply after edible parts start  
 e. No time limitation.  
 to 3 pts. per acre. Do not use treated  
 worm (Climbing), Flea Beetle, Grass-  
 Cricket, Salt Marsh Caterpillar. Apply  
 leaf lettuce. Do not apply after head  
 Do not apply after pods begin to form  
 to green or spring onions.  
 5 pts. per acre. Do not use tops for  
 y 6 to 12 pts. per acre. Do not apply  
 per acre. Cutworm (Climbing), Dark-  
 ly after pods begin to form if pods are  
 not to be used as food. Do not feed  
 weevil, Apply 2 to 5 pts. per acre. Do  
 es over 2 pts. to 5 pts. do not apply  
 ptera). Apply 2 1/4 pts. per acre. Ap-  
 1 days later. Do not feed waste from  
 ed Leafroller. Apply 6 to 16 pts. per  
 cover spray.

**RICE:** Armyworm, Chinch Bug, Cutworm (Climbing and Surface), Grasshopper, Rice Stink Bug. Ap-  
 ply 2 to 3 1/2 pts. per acre. Do not feed treated forage to dairy animals or animals being finished  
 for slaughter. No limitation on the use of grain.  
**SOYBEANS:** Armyworm, Bean Leaf Beetle, Corn Earworm, Cricket, Flea Beetle, Grasshopper, Green  
 Cloverworm, Velvetbean Caterpillar. Apply 2 to 4 pts. per acre. Do not apply within 21 days of  
 harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals,  
 or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry.  
**SPINACH:** Armyworm, Cutworm (Climbing and Surface Feeding), Green Peach Aphid, Serpentine  
 Leaf Miner, Thrips. Apply 2 to 4 pts. per acre. Do not apply within 21 days of harvest and more  
 than once per season at the 2 pt. rate. Rates over 2 pts. to 4 pts. do not apply after seedling  
 stage.  
**STRAWBERRIES:** Cutworm (Climbing), Strawberry Crown Borer, Strawberry Weevil. Apply 2 to 3  
 pts. per acre. Do not apply after fruit starts to form.  
**TOMATOES:** Armyworm, Blister Beetle, Cabbage Looper, Colorado Potato Beetle, Cutworm (Climb-  
 ing and Surface Feeding), Flea Beetle, Grasshopper, Green Chrysanthemum Aphid, Pinworm,  
 Russet Mite, Serpentine Leaf Miner, Tomato Fruitworm, Tomato Hornworm. Apply 2 to 5 pts. per  
 acre. Do not apply within 1 day of harvest at the 2 pt. rate. Rates over 2 pts. to 5 pts. do not  
 apply within 3 days of harvest.

**WARNING --- KEEP OUT OF REACH OF CHILDREN**

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN OR EYES

DO NOT BREATHE SPRAY OR MIST

DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING

Wash Thoroughly After Handling — Avoid Storage Near Food and Feed Products.

Do not allow this product to drift onto adjoining food or feed crops as residues may contaminate  
 these crops making them unfit for sale, feed or human consumption. Keep clear of food or dairy  
 animals, or animals being finished for slaughter.

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas  
 may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do  
 not apply when weather conditions favor drift from areas treated. Do not contaminate water by  
 cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the crop.

Do not use, pour, spill or store near heat or open flame.

Avoid spillage while mixing and filling spray equipment. When container is empty immediately  
 wash thoroughly with water and detergent and destroy. Discard in a safe place; never re-use  
 container.

**CONDITIONS OF SALE:** 1. Seller warrants that this product consists of the ingredients speci-  
 fied and is reasonably fit for use as directed on the label. No one, other than an officer of  
 Seller, is authorized to make any other warranty, guarantee or direction concerning this product.  
 2. Because the time, place, rate of application and other conditions of use are beyond Seller's  
 control, Seller's liability from the handling, storage and use of this product is limited to replace-  
 ment of product or refund of purchase price.

You Get Results With

**BEST**®

**TOXAPHENE 8 EC**

**READ THIS LABEL CAREFULLY**

| ACTIVE INGREDIENTS: | BY WT.        |
|---------------------|---------------|
| Toxaphene*          | 70.9%         |
| Xylene              | 15.6%         |
| INERT INGREDIENTS   | 13.5%         |
| <b>TOTAL</b>        | <b>100.0%</b> |

Contains 8 lbs. Toxaphene per gallon.

\*Technical Chlorinated Camphene containing 67-69% Chlorine.

EPA Reg. No. 7001-110-AA

(138:9/72) rjw

**WARNING KEEP OUT OF REACH OF CHILDREN**  
 SEE ADDITIONAL WARNINGS ON SIDE PANEL

**NET CONTENTS 1 GALLON**

**OCCIDENTAL CHEMICAL COMPANY**

A DIVISION OF OCCIDENTAL PETROLEUM CORPORATION

P. O. Box 198 • LATHROP, CALIFORNIA 95330 • Phone (209) 858-2511

UNDEF  
 FUNC  
 FOR  
 ED  
 TO A

9/12/72  
 7004

**POISON STOP — READ THE LABEL DANGER**

See Side Panels  
for Antidote &  
Precautions



Keep Out of  
Reach of  
Children

**NOT FOR HOME USE**

METHYL PARATHION 25 WP

|                    |  |             |        |
|--------------------|--|-------------|--------|
| ACTIVE INGREDIENT: | Methyl Parathion (O,O-Dimethyl O-p-nitrophenyl phosphorothioate) | 25%         | BY WT. |
| INERT INGREDIENTS: |  | 75%         |        |
|                    | <b>TOTAL</b>   | <b>100%</b> |        |

Under the Federal Fungicide, Insecticide, and Plant Disease Act, as amended, for use as a pesticide registered under EPA Reg. No. 7001-207

**DANGER — POISON — PRECAUTIONS ☠**



**CAN KILL YOU IF SWALLOWED**

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



**CAN KILL YOU BY SKIN CONTACT**

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING  
(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a pesticide respirator jointly approved by the mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. (4) Wear heavy duty, natural rubber gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**☠ POISON SIGNS (Symptoms)**

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**✚ FIRST AID TREATMENT ✚**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give any thing by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor.