

Process Report & ORNAMENTAL

Plant Food with Systemic-Insecticide

A scientifically prepared plant tach into tach in effective system, insentilide that enters the plant through the contrastent When planet hear the most the insertingle is poixed up and movement the lag of them to account of the point where the complets as they feed on the plant

When with this to the transfer with the wife of the transfer

1.5 Mag Aprilde is a final Mind CARA TO Leath pper . i 😲 . 95 g + 15 V = 6 Whitely

DIRECTION FOR USE THE RESERVE OF THE PROPERTY OF THE PROPERTY

ESTABLISHED ROSES

FLOWERS BULBS AND BEDDING PLANTS 5 ... And the American Control of the Cont

OUTDOOR POTTED PLANTS A ...

DRNAMENTAL SHRUBS A... : Notes of the second sec

WARNING May be the control of the co

the grade that the second control of the The state of the s

DO NOT STORE WHERE THIS PRODUCT CAN CONTAMINATE FEED OR FOOD

. The probability of the probab


Note to physician 119

NON WARRANTY

GUARANTEED ANALYSIS . . .

Arriva Naja

A American Company of the American



E.P.A. Reg. No. 7001-132-AA

Label No. 1072


This product is sold by weight not volume. Some settling of contents in ay have occurred duting shipping and handling





Rose & Ornament

Plant Food with Systemic-Incontinide 10-10-10



Control of the Control MILLS April 1 to Vince

F'EDS Markers State of the All green green as for the

A 16 10-10 ROSE & FLOWER FOOD WITH DI-S/STON' SYSTEMIC-INSECTICIDE

ACT VEHICLES STORY The state of the s INDEX SQUARES

A Section of the Control of the Contro

WARNING: KEEP OUT OF REACH OF CHILDREN See back panel for additional warnings

HET WEIGHT 48 OUNCES (3 LBS.)



ROSE & ORNAMENTAL

Plant Food with Systemic-Insecticide 10-10-10

A scientifically prepared plant food combined with an effective systemic insecticide that enters the plant through the root system. When placed near the roots, the insecticide is picked up and moves in the sap stream to all parts of the plant where it kills insects as they feed on the plant.

When used as directed, this product will kill the following insects on Roses, Ornamental Shrubs and Flowers:

Aphids (plant lice)

Leafhoppers

Whiteflies Lace Bugs Spider Mites

Birch Leaf Miners

Holly Leaf Miners Pine Tip Moths

Mimosa Webworms

Thrips

DIRECTION FOR USE: Use 2 tablespoons (1 oz.) for measuring. Apply when plants have about one inch of new growth in the spring and at intervals of six weeks through the summer.

ESTABLISHED ROSES: Spread 4 tablespoons (2 ozs.) evenly around the base of each plant and work into the top 1 to 2 inches of soil. Water thoroughly.

FLOWERS, BULBS AND BEDDING PLANTS: Apply 2 lbs. per each 100 sq. ft. (5' x 20') of bed area and work into top 1 to 2 inches of soil. Plant seeds, bulbs, or set plants and water thoroughly.

OUTDOOR POTTED PLANTS: Apply one level teaspoonful per six inch pot by punching a number of small holes into pot soil with a small stick. Pour the granules into the holes and water thoroughly.

ORNAMENTAL SHRUBS: Apply 8 tablespoonfuls (4 oz.) per each foot of shrub height (12 ounces for a 3 foot high shrub). Distribute evenly from the base to the drip line on all sides of the shrub. Work into the top 1 to 2 inches of soil and water thoroughly.

WARNING: May be fatal if swallowed. May be absorbed through the skin. Wear rubber gloves. Do not get on skin, clothing or in eyes. Do not breathe dust. Poisoning may occur as a result of excessive exposure. Do not contaminate feed or foodstuffs. Do not use around fruit trees or vegetable plants. Do not broadcast application to lawn. Keep children and pets away from treated area until product is worked and watered into soil, and treated area is completely dry. Wash hands thoroughly after handling. Do not reuse container for any purpose. Destroy empty container by burning. Stay away from smoke and fumes. Keep container tightly sealed during storage. Sweep up spills on walks and patios, and hose area.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DO NOT STORE WHERE THIS PRODUCT CAN CONTAMINATE FEED OR FOOD.

If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately,

Note to physician: Contains organic phosphate insecticide (inhibits cholinesterase). ANTI-DOTE: Atrophine Sulfate.

NON-WARRANTY: Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from the handling, storage and use of this product is limited to repacement of product or refund of purchase price.

GUARANTEED ANALYSIS: Plant food.

Whitefiles
Lace Bugs

Birch Leaf Miners Holly Leaf Miners Pine Tip Moths

iners Thrips

DIRECTION FOR USE: Use 2 tablespoons (1 oz.) for measuring. Apply when plants have about one inch of new growth in the spring and at intervals of six weeks through the summer.

ESTABLISHED ROSES: Spread 4 tablespoons (2 ozs.) evenly around the base of each plant and work into the top 1 to 2 inches of soil. Water thoroughly.

FLOWERS, BULBS AND BEDDING PLANTS: Apply 2 lbs. per each 100 sq. ft. (5' x 20') of bed area and work into top 1 to 2 inches of soil. Plant seeds, bulbs, or set plants and water thoroughly.

PUTDOOR POTTED PLANTS: Apply one level teaspoonful per six inch pot by punching a number of small holes into pot soil with a small stick. Pour the granules into the holes and water thoroughly.

contamental shrubs: Apply 8 tablespoonfuls (4 oz.) per each foot of shrub height (12 ounces for a 3 foot high shrub). Distribute evenly from the base to the drip line on all sides of the shrub. Work into the top 1 to 2 inches of soil and water thoroughly.

WARNING: May be fatal if swallowed. May be absorbed through the skin. Wear rubber gloves. Do not get on skin, clothing or in eyes. Do not breathe dust. Poisoning may occur as a result of excessive exposure. Do not contaminate feed or foodstuffs. Do not use around fruit trees or vegetable plants. Do not broadcast application to lawn. Keep children and pets away from treated area until product is worked and watered into soil, and treated area is completely dry. Wash hands thoroughly after handling. Do not reuse container for any purpose. Destroy empty container by burning. Stay away from smoke and fumes. Keep container tightly sealed during storage. Sweep up spills on walks and patios, and hose area.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DO NOT STORE WHERE THIS PRODUCT CAN CONTAMINATE FEED OR FOOD.

If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

Note to physician: Contains organic phosphate insecticide (inhibits cholinesterase). ANTI-DOTE: Atrophine Sulfate.

MON-WARRANTY: Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from the handling, storage and use of this product is limited to repacement of product or refund, of purchase price.

GUARANTEED ANALYSIS: Plant food.

Ammonic Nitrogen	10%
Available Phosphoric Acid	
Soluble Potash	10%
An Ammonium Phosphate Sulfate with Potas	ssium Sulfate



E.P.A. Reg. No. 7001-132-AA

Label No. 1072

This product is load by weight not varifine. Some settling