

Shaker Can
Ready to Use

BEST
LOGO

\$2.49

GARDEN
WEEDER

ACCEPTED

JUN 18 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENT CIDE ACT
FOR ECONOMIC POISON REG. STER-
ED UNDER NO. 2001-140 SUBJECT
TO ATTACHED COMMENTS.

Illustration

Contains DACTHAL (R)*

Kills weeds and grasses as they sprout from seed.
Controls Crabgrass, Common Chickweed, Annual Blue-
Grass, Spotted Spurge in Vegetables, Flowers, Shrubs
and Lawns. Treats 375 Sq. Ft.

ACTIVE INGREDIENTS:

** Dimethyl ester of tetrachloroterephthalic acid ----- 5.0%
INERT INGREDIENTS- - - - - 95.0%

*DACTHAL^R is the trademark of Diamond-Shamrock Chemical Co.

**Use as a pre-emergence herbicide patented under U.S. Patent
No. 2,923,634

EPA Reg. No. 7001-140-AA

CAUTION: Keep out of the reach of children. See back panel
for additional cautions.

NET WEIGHT 24 oz. (1½ lbs.)

Best Logo

GARDEN WEEDER

Read entire label. Use strictly in accordance with label cautions, warnings and directions.

GENERAL INFORMATION

This product is a ready to use granule product for control of annual grasses and certain broadleaf weeds. It is a pre-emergence weed control and must be used before weeds germinate. Used as directed it will control the following grasses and broadleaf weeds:

<u>LARGE CRABGRASS</u>	<u>NODDING SPURGE</u>	<u>YELLOW FOXTAIL</u>
<u>Crabgrass (smooth) & large)</u>	<u>Carpetweed</u>	<u>Purslane</u>
<u>FOXTAIL (GREEN & YELLOW)</u>	<u>Lambsquarters</u>	<u>Lovegrass</u>
<u>Common Chickweed</u>	<u>Annual Bluegrass</u>	<u>Goosegrass</u>
<u>Spurge (Spotted) & Nodding)</u>	<u>Johnsongrass</u>	<u>Witchgrass</u>
<u>Barnyard Grass</u>	<u>Groundcherry</u>	<u>Dodder</u>

Remove existing weeds by cultivation and apply to a uniform weed-free soil surface within 2-3 days following cultivation to control weeds. Cultivating soil surfaces after application will reduce effectiveness. Weed control up to 4 months or more may be expected following proper application.

FLOWER GARDENS: For weed control in the following:

<u>Aster</u>	<u>Cosmos</u>	<u>Iris</u>	<u>Snapdragon</u>
<u>Babysbreath</u>	<u>Delphinium</u>	<u>Lily</u>	<u>Strawflower</u>
<u>Bleeding Heart</u>	<u>Forget-Me-Nots</u>	<u>Marigold</u>	<u>Spiderwort</u>
<u>Candle Larkspur</u>	<u>Four O'Clock</u>	<u>Morning Glory</u>	<u>Sunflower</u>
<u>Candytufts</u>	<u>Foxglove</u>	<u>Moss Rose</u>	<u>Sweet Pea</u>
<u>Chrysanthemum</u>	<u>Gaillardia</u>	<u>Nasturtium</u>	<u>Verbena</u>
<u>Columbine</u>	<u>Geranium</u>	<u>Peonies</u>	<u>Violet</u>
<u>Coleus</u>	<u>Gladiolus</u>	<u>Petunias</u>	<u>Zinnia</u>
<u>Coreopsis</u>	<u>Gold Dust</u>	<u>Salvia</u>	
<u>Coral Bells</u>	<u>Gold Marguerite</u>	<u>Scarlet Sage</u>	

Apply at the rate of 1 lb. per 250 sq. ft. after seedlings are established in weed free cultivated soil. Sprinkle soil for moisture. A slightly higher rate, 1 1/2 lbs per 250 sq.ft. should be used where control of Annual Bluegrass, Barnyard Grass, Browntop Panicum, Dodder, Goosegrass, Groundcherry, Johnson Grass and Nodding Spurge is required.

HORTICULTURAL CAUTION: Do not use on Bugleweed (Ajuga), Buttonpink, Carnation, Geum, Germander, Mesembryanthemum (Ice Plant), Pansy, Phlox, Sweet William, etc.

ORNAMENTALS: Apply to established plants at the same rate and method as above. Application should be made to soil recently cultivated to a fine texture. Use for weed control with the following:

STRAWBERRIES (Established plantings): Apply in fall and early spring at the rate of 1 lb. per 250 sq. ft. Apply uniformly to the soil. Applications may be applied to control late summer or early fall germinating weeds. DO NOT apply after first bloom. These applications can be made directly over plants without injury.

BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER & CABBAGE: Apply at seeding or transplanting at the rate of 1 lb. per 250 sq. ft. Apply uniformly to the soil. Granules can be applied directly over transplants without injury. If weeds have emerged, crops should be clean cultivated or weeded prior to application.

PEAS (blackeyed): Apply at seeding at the rate of 1 lb. per 250 sq. ft. Apply uniformly to the soil at time of seeding.

DRY BEANS SNAP BEANS

CUCUMBERS, SQUASH (winter & summer) MELONS (cantaloupe, watermelon, honeydew): Apply 4-6 weeks after seeding at the rate of 1 lb. per 250 sq. ft. Apply uniformly to the soil 4 to 6 weeks after seeding. Crops should be cultivated or weeded prior to the application if weeds have emerged.

SUMMER SQUASH

COLLARDS, KALE, MUSTARD GREENS, TURNIPS (greens & roots): Apply at seeding at the rate of 1 lb. per 250 sq. ft. Apply uniformly to the soil at time of seeding.

LETTUCE (leaf): Apply 1-3 weeks after emergence at the rate of 1 lb. per 250 sq. ft. Apply one application only, uniformly to the soil but not later than 3 weeks after emergence.

LETTUCE (head): Apply 1-6 weeks after seeding at the rate of 1 lb. per 250 sq. ft. Apply one application only, uniformly to the soil, 1-6 weeks after seeding.

TOMATOES: Apply 4-6 weeks after transplanting at the rate of 1 lb. per 250 sq. ft. Application uniformly to the soil should be confined to a period of 4 to 6 weeks after transplanting. Can be applied directly over transplants without injury. If weeds have emerged, the crop should be cultivated or weeded prior to making the application.

EGGPLANT & PEPPERS: Apply at transplanting and layby at the rate of 1 lb. per 250 sq. ft. Apply uniformly to the soil at transplanting. Can be applied directly over transplants without injury. Layby application can be made up to 6 weeks after planting. If weeds are present, the crop should be weeded or cultivated prior to making the layby application.


CAUTION: Keep out of reach of children. Avoid contact with eyes. Wash after handling or using. **DO NOT** store near feed and foodstuffs, seed, fertilizers or other pesticides in order to prevent contamination of these products. **DO NOT** graze or treat areas or feed plant refuse to livestock. **DO NOT** use in water. Destroy after use. **NON-WARRANTY** - The user assumes the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from the handling of this product is limited to the replacement of product or refund of purchase price.

ACCEP
6-18-73
7001-144

Comment

Abelia	Elm	Maple	Sycamore
Arborvitse	Enonymus	Mock Orange	Tulip Tree
Ash	Fir	Mt. Laurel	Var. Privet
Azalea	Forsythia	Oak	Viburnum
Boxwood	Hawthorn	Pine	Walnut
Birch	Holly	Pittosporum	Weigela
Camellia	Hydrangea	Podocarpus	Yew
Cotoneaster	Jap. Andromeda	Poplar	Boston Ivy
Crabapple	Juniper	Privet	English Ivy
Cypress	Lantana	Rhododendron	Honeysuckle
Deutzia	Lilac	Rose	Pachysandra
Dogwood	Locust	Spiraea	Wilson Ivy
Euonymus	Magnolia	Spruce	

NOTICE: This product is sold by weight, not by volume. Some settling of contents may have occurred during shipping & handling.



Comment