

SCOTCH GARDENER

LAWN

WEED & FEED
17-3-4

April 6, 1973

7001-145

SCOTCH GARDENER

Feeds and Weeds 5000 Sq. Ft.

Ingredient Statement as a Herbicide

ACTIVE INGREDIENTS:

*Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.103
Dimethylamine salt of related acids	0.016
**Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	0.687
INERT INGREDIENTS	99.194

*Equivalent to .086% 3,6-dichloro-o-anisic acid
 **Equivalent to 0.57% 2,4-dichlorophenoxyacetic acid

E.P.A. Reg. No. 7001-145-AA

WARNING

KEEP OUT OF REACH OF CHILDREN

See back panel for additional warnings.

Read entire label. Use strictly in accordance with label cautions, warnings and directions.

Guaranteed Analysis:

Total Nitrogen	17.0%
Ammoniac Nitrogen	8.0%
Nitrogen from Urea	9.0%
Available Phosphoric Acid from Ammonium Phosphate	3.0%
Water Soluble Potash from Muriate	4.0%
Combined Sulfur as Elemental	9.1%
Iron as elemental from Sulfides and Sulfates	0.75%
Manganese as elemental from Sulfides and Sulfates	0.05%
Zinc as elemental from Sulfides and Sulfates	0.05%

DESCRIPTION

1. Scotch Gardener Lawn Weed & Feed is especially designed to feed grass lawns

*Equivalent to .088% 3,6-dichloro-o-anisic acid
**Equivalent to 0.57% 2,4-dichlorophenoxyacetic acid

E.P.A. Reg. No. 7001-145-M

WARNING
KEEP OUT OF REACH OF CHILDREN

See back panel for additional warnings.

Read entire label. Use strictly in accordance with label cautions, warnings and directions.

Guaranteed Analysis:

Total Nitrogen	17.0%
Ammoniac Nitrogen	8.0%
Nitrogen from Urea	9.0%
Available Phosphoric Acid from Ammonium Phosphate	3.0%
Water Soluble Potash from Muriate	4.0%
Combined Sulfur as Elemental	9.15%
Iron as elemental from Sulfides and Sulfates	0.75%
Manganese as elemental from Sulfides and Sulfates	0.05%
Zinc as elemental from Sulfides and Sulfates	0.05%

DESCRIPTION

1. Scotch Gardener Lawn Weed & Feed is especially designed to feed grass lawns and to control Broadleaf weeds.
2. Nitrogen, Phosphate and Potassium are combined in a ratio recommended by turf authorities.
3. Added Sulfur, Iron, Zinc and Manganese helps to overcome deficiencies common in many western soils.
4. Dicamba and 2,4-D effectively control most common lawn weeds, annual and perennial,

Black Medic	Henbit	Plantain, Buckhorn
Chickweed, Common	Ground Ivy	Plantain, Common
Chickweed, Houseear	Knotweed	Sheep Sorrell
Clover	Lambsquarter	Speedwell (Veronica)
Dandelion	Mallow	Yarrow
Dock, Curly	Morning Glory	Wild Lettuce
Heal-All	Pigweed	

WHEN TO USE


Scotch Gardener Lawn Weed & Feed should be used anytime weeds are actively growing. Hormone like weed killers are most effective when daytime temperatures are above 60 F. Do not use on newly planted lawns until after third mowing.

DIRECTIONS FOR USE

1. Use only on grass lawns: (Kentucky Bluegrass, Bermudagrass, Fescue, Ryegrass).
Water lawn thoroughly before treatment. Do not water or mow lawn for at least two days after treatment - then resume normal watering.
3. Apply to lawn at recommended rate when lawn is damp (after rain, sprinkling or dew) so pellets will stick to weeds.
4. Avoid drift to or contact with desirable plants. Do not apply within dripline of trees and shrubs.
5. Do not exceed recommended rate of application which is 4 lbs. per 1,000 square feet (20' x 50').
6. Spreader Settings* (1 lb. per 250 sq. ft.):

SPREADER
St Deluxe
The Whirlybird
Cyclone 2-wheel Spreader
Lawn Beauty
Jackson 20"
Scotts
Sears
Wards

SETTING



*Settings for spreaders in new conditions. After use spreaders will vary and should always be checked for accuracy before use.

HORTICULTURAL CAUTION: Do not use on Dichondra, St. Augustine or ground covers. Delay planting until 4 weeks after treatment.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

WARNING

KEEP OUT OF REACH OF CHILDREN

Use only in accordance with label directions. May be fatal if swallowed or inhaled. If swallowed, induce vomiting. Call physician immediately. Avoid contact with skin, eyes, and clothing. Keep pets and children off treated areas until material has been washed into soil and lawn is dry. In case of contact with skin or eyes, flush with plenty of water. For eyes, get medical attention. Wash hands with soap and water after handling and before eating or smoking. Wash clothing.

*Settings for spreaders in new conditions. After use spreaders will vary and should always be checked for accuracy before use.

HORTICULTURAL CAUTION: Do not use on Dichondra, St. Augustine or ground covers. Delay planting until 4 weeks after treatment.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

WARNING
KEEP OUT OF REACH OF CHILDREN


Use only in accordance with label directions. May be fatal if swallowed or inhaled. If swallowed, induce vomiting. Call physician immediately. Avoid contact with skin, eyes, and clothing. Keep pets and children off treated areas until material has been washed into soil and lawn is dry. In case of contact with skin or eyes, flush with plenty of water. For eyes, get medical attention. Wash hands with soap and water after handling and before eating or smoking, wash clothing.

Do not apply when weather conditions favor drift from areas treated. Do not apply directly on vegetables, fruits or crops. Do not store near fertilizers, seeds, insecticides or fungicides.

Birds feeding on treated areas may be killed. Keep out of any body of water. Do not use where runoff will contaminate streams, lakes, ponds, irrigation or domestic water.

Do not reuse container. Destroy by burying in a safe place away from water supplies. Do not burn.


NON-WARRANTY: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such and/or handling is contrary to label instructions. Because the time, place, rate of application and other conditions are beyond seller's control, seller's liability from the handling and use of this product is limited to replacement of product for refund of purchase price. Return unused portion of bag to your dealer for refund if not satisfied with results.



OCCIDENTAL CHEMICAL COMPANY

A DIVISION OF OCCIDENTAL PETROLEUM CORPORATION

P. O. BOX 192 • LATHROP, CALIFORNIA 94548 • PHONE (925) 451-1111



CRABGRASS KILLER

DIRECTIONS

FOR CONTROL OF SMOOTH CRABGRASS AND HAIRY CRABGRASS IN GRASS AND DICHONDRA LAWNS: Most effective control is obtained by applying Crabgrass Killer evenly over the area to be treated. Soil should be moist at time of treatment and not watered for 2 days after treatment. Most effective control is obtained at temperatures above 80 F.

1. **Early Season Crabgrass:** (Seedlings less than two inches tall) Mix Crabgrass Killer at the rate of 3 tablespoons per gallon of water. Apply to 100 sq. ft. of lawn area.
2. **Crabgrass in Branching Stage:** Use at the rate of 3 tablespoons per gallon of water. Apply to 100 sq. ft. of lawn area. Repeat treatment 7 days later for most effective control. Do not use on new lawns until after the second mowing. Rinse sprayer thoroughly after using.

FOR CONTROL OF NUTGRASS (NUTSEGE), DALLISGRASS, SANDBUR, BAHAGRASS, BARNYARD GRASS, CHICKWEED AND WOOD SORREL IN LAWNS AND ORNAMENTAL TURF: On new lawns, do not treat until after three mowings. Good grasses may be temporarily discolored. Zoysia, Bluegrasses, and Bermuda are quite tolerant. Do not use on St. Augustine or Centipede.

Mow lawns to 1½ inches high before treatment. Mix 8 fluid ounces to 5 gallons of water and apply to an area of 1,000 square feet. Spray thoroughly to wet all undesirable plants. Repeat applications, 10 to 14 days apart, may be needed for good control.

You Get Results With



\$2.49

Crabgrass

AC Killer

Jan 24, 1974

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENT BAIT ACT FOR ECONOMIC PEELING REGISTERED UNDER NO. 2001-167 SUBJECT TO ATTACHED COMMENTS

Contains D.S.M.A.

Controls Crabgrass, Nutgrass (Nutsedge), Dallisgrass, Sandbur, Barnyardgrass, Chickweed, Bahiagrass in grass or dichondra lawns.

ACTIVE INGREDIENT: Disodium Methanearsonate 12.30%
INERT INGREDIENTS 87.70%
Total arsenic, as elemental, all in water soluble form 5%.

CAUTION: KEEP OUT OF REACH OF CHILDREN.
See side panel for additional precautions.

NET CONTENTS 16 fluid ounces (1 pint)



CRABGRASS KILLER

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Crabgrass Killer is useful for the control of Dallisgrass, Sandbur, Bahiagrass, Nutgrass (Nutsedge), Barnyardgrass, Chickweed and Wood Sorrell, as well as Smooth Crabgrass and Hairy Crabgrass in grass lawns or dichondra.

CAUTION: Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Wash hands after using. Avoid storage near feed or food products. Keep children and domestic animals off treated areas until this material has been washed into the soil.

ANTIDOTE: If taken internally, induce vomiting and call physician at once.

Do not contaminate waters used for irrigation or domestic purposes.

Container Disposal: Do not reuse container. Wash thoroughly with water and detergent, crush if possible and discard in a safe place.

NOTICE: Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one is authorized to make any other warranty, guarantee or direction concerning this product. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.




Occidental Chemical Company

A DIVISION OF OCCIDENTAL PETROLEUM CORPORATION
POST OFFICE BOX 198 • LATHROP, CALIF. 94330

E.P.A. Reg. No. 7001-167-AA

Label No. 1173



CHEMPAR MCPA TECHNICAL ACID

Active ingredient:	
MCPA (2-methyl-4-chlorophenoxyacetic acid)	95%
Inert ingredients:.....	<u>5%</u>
	100%

SOLD FOR MANUFACTURING PURPOSES ONLY
FOR THE FORMULATION OF ECONOMIC POISONS

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid skin contact. Avoid inhalation of dust. May irritate eyes, nose, throat and skin. Avoid contact with eyes and clothing. Wash thoroughly with plenty of water after handling. In case of swallowing, apply stomach drain (by doctors only) or induce vomiting.

Do not reuse container. Do not burn. When empty bury in a safe place away from water supplies.

This product is toxic to fish.

Do not contaminate water used for irrigation or domestic purposes.

KEEP AWAY FROM FOODSTUFFS AND FEEDS

Notice: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

CHEMPAR CHEMICAL CO., INC.

200 MADISON AVENUE • NEW YORK, NEW YORK 10017 U.S.A.