

Crabgrass Preventer
and Lawn Food 12-3-6
TREATS 2500 SQ. FT.

Crabgrass Preventer & Lawn Food
for Grass or Dichondra • Treats 2500 Sq. Ft.

\$95
TREATS
2500
SQ. FT.

TREATS
2500
SQ. FT.

\$95
TREATS
2500
SQ. FT.

Crabgrass Preventer & Lawn Food

12-3-6

1. **KILLS** crabgrass seedlings and prevents seed germination.
2. **SUPPLIES 7** essential nutrients for richer soil, greener lawns.

CAUTION: Keep out of reach of children.

Crabgrass Preventer & Lawn Food
12-3-6 • For Grass or Dichondra • Treats 2500 Sq. Ft.

Crabgrass Preventer & Lawn Food

12-3-6

for Grass or Dichondra Lawns

| | | |
|---|-------|--------|
| TOTAL NITROGEN | 6.0% | 12.00% |
| Ammoniac Nitrogen | 6.0% | |
| Water-Soluble Nitrogen (derived from Urea) | 6.0% | |
| AVAILABLE PHOSPHORIC ACID (derived from Ammonium Phosphate) | 3.00% | |
| WATER SOLUBLE POTASH (derived from Muriate of Potash) | 6.00% | |
| COMBINED SULFUR expressed as elemental (derived from Sulphates & Sulphides) | 5.50% | |
| IRON expressed as elemental (derived from Sulphides & Sulphates) | 0.50% | |
| MANGANESE expressed as elemental (derived from Sulphates & Sulphides) | 0.05% | |
| ZINC expressed as elemental (derived from Sulphates & Sulphides) | 0.05% | |

Many lawns are either pure dichondra or a mixture of grass and dichondra. This product is designed to control Crabgrass and Annual Bluegrass (Poa annua) in established turf. At the recommended rate Dichondra, Kentucky Bluegrass, Bermudagrass (Hybrid and Common), Red Fescue, Bentgrass, St. Augustine, Centipede Grass, and Zoysia are tolerant of Crabgrass Preventer. In addition, our balanced fertilizer will give a complete feeding.

- 1) **CRABGRASS CONTROL:** Crabgrass Preventer prevents germination of crabgrass seed and kills small seedlings through root absorption. Apply in the fall after crabgrass goes to seed up to the end of March prior to germination.
- 2) **Annual Bluegrass (Poa annua):** Apply before germination starts. In cooler coastal areas, make first applications starting August 15th inland areas from September 15th through November.

- 1) Measure area to be treated. Contents of this bag will treat 2500 square feet (50'x50').
- 2) Check spreader for accuracy.
- 3) Apply evenly at recommended rate. Be careful to avoid skips and misses.
- 4) Water immediately after application to wash Crabgrass Preventer onto soil surface.
- 5) Keep children and pets off of treated area until material has been washed off of leaf surfaces and blades are dry.

HORTICULTURAL CAUTIONS: Use only at recommended rate. Excess of recommended dosage may cause discoloration or thinning. Discoloration from slight over-application usually disappears shortly. Do not use in spring in areas where reseedling is planned before fall. Do not apply to newly seeded lawns.

| | |
|--|-------|
| Control | 4 |
| 6) SUGGESTED SPREADER SETTINGS* | |
| Jackson 20-CP | 6 |
| Scott | 4 1/2 |

*Settings for spreaders in new condition. After use, spreaders will vary and should be checked for accuracy before use.

CAUTION: Keep out of reach of children. Use only in accordance with label directions. Avoid contact with skin, eyes, and clothing. Keep pets and children off treated areas until material has been washed into soil and lawn is dry. In case of contact with skin or eyes, flush with plenty of water. For eyes get medical attention. Wash hands with soap and water after handling and before eating or smoking. Wash clothing. Do not apply when weather conditions favor drift from areas treated. Do not apply directly on vegetables, fruits or crops. Do not reuse container. Destroy when empty.

KEEP OUT OF ANY BODY OF WATER. DO NOT USE WHERE RUNOFF WILL CONTAMINATE STREAMS, LAKES, PONDS, IRRIGATION OR DOMESTIC WATER. Dispose of empty

Crabgrass Preventer & Lawn Food
12-3-6 • For Grass or Dichondra • Treats


D

3

SIDE
ACT
STER-

0

24 30 2005 211000
 0-0-0 (0-0-0) 0-0
 0-0-0-0-0-0-0-0-0-0



\$995
 TREATS
 2500
 SQ. FT.


Crabgrass Preventer & Lawn Food

12-3-6

1. **KILLS** crabgrass seedlings and prevents seed germination.
2. **SUPPLIES 7** essential nutrients for richer soil, greener lawns.

CAUTION: Keep out of reach of children

12-3-6 • For Grass or Dichondra • Treats
Crabgrass Preventer & Lawn Food



ED
 3
 SECTICIDE
 CHEM ACT
 REGISTER
 0

24 30 2005 211000
 0-0-0 (0-0-0) 0-0
 0-0-0-0-0-0-0-0-0-0

\$995

TREATS
 2500
 SQ. FT.

Crabgrass Preventer & Lawn Food

12-3-6

for Grass or Dichondra Lawns

| | |
|---|--------|
| TOTAL NITROGEN | 12.00% |
| Ammoniac Nitrogen | 6.0% |
| Water-Soluble Nitrogen (derived from Urea) | 6.0% |
| AVAILABLE PHOSPHORIC ACID (derived from Ammonium Phosphate) | 3.00% |
| WATER SOLUBLE POTASH (derived from Potash) | 6.50% |
| COMBINED SULFUR expressed as elemental (derived from Sulfates & Sulfides) | 6.50% |
| IRON expressed as elemental (derived from Sulfates & Sulfides) | 0.50% |
| MANGANESE expressed as elemental (derived from Sulfates & Sulfides) | 0.50% |
| ZINC expressed as elemental (derived from Sulfates & Sulfides) | 0.05% |

Many lawns are either pure dichondra or a mixture of grass and dichondra. This product is designed to control Crabgrass and Annual Bluegrass (Poa annua) in established turf. At the recommended rate Dichondra, Kentucky Bluegrass, Bermudagrass (Hybrid and Common), Red Fescue, Bontgrass, St. Augustine, Centipede Grass, and Zoysia are tolerant of Crabgrass Preventer. In addition, our balanced fertilizer will give a complete feeding.

- 1) **CRABGRASS CONTROL:** Crabgrass Preventer prevents germination of crabgrass seed and kills small seedlings through root absorption. Apply in the fall after crabgrass goes to seed up to the end of March prior to germination.
- 2) **Annual Bluegrass (Poa annua):** Apply before germination starts. In cooler coastal areas, make first applications starting August 15th. Inland areas from September 15th through November.

- 1) Measure area to be treated. Contents of this bag will treat 2500 square feet (30'x30').
- 2) Check spreader for accuracy.
- 3) Apply evenly at recommended rate. Be careful to avoid edges and ridges.
- 4) Water immediately after application to wash Crabgrass Preventer into soil surface.
- 5) Keep children and pets off of treated area until material has been washed off of leaf surfaces and blades are dry.

NON-COMMERCIAL CAUTION: Use only at recommended rate. Excess in excess of recommended dosage may cause discoloration or blighting. Discoloration from slight over-application usually disappears shortly. Do not use in areas where recording is planned before fall. Do not apply to newly seeded lawns.

*Settings for granules in new conditions. After use, granules will vary and should be checked for accuracy before use.

CAUTION: Keep out of reach of children. Use only in accordance with label directions. Avoid contact with skin, eyes, and clothing. Keep pets and children off treated areas until material has been washed into soil and lawn is dry. In case of contact with skin or eyes, flush with plenty of water. For eyes get medical attention. Wash hands with soap and water after handling and before eating or smoking. Wash clothing. Do not apply when weather conditions favor drift from areas treated. Do not apply directly on vegetables, fruits or crops. Do not reuse container. Destroy when empty.

KEEP OUT OF ANY BODY OF WATER. DO NOT USE WHERE RUNOFF WILL CONTAMINATE STREAMS, LAKES, PONDS, IRRIGATION OR DOMESTIC WATER. Dispose of empty

ED
3
INSECTICIDE
ACT
REGISTERED

12-3-6 • For Grass or Dichondra • Treats 2500 Sq. Ft.
Crabgrass Preventer & Lawn Food

Crabgrass Preventer & Lawn Food

12-3-6

For Grass or Dichondra

1. **KILLS** crabgrass seedlings and prevents seed germination.
2. **SUPPLIES 7** essential nutrients for richer soil, greener lawns.

CAUTION: Keep out of reach of children.
See back of bag for additional cautions.

EPA Reg. No. 7001-150-AA



ACTIVE INGREDIENTS:
2,6-Di-tert-butyl-p-tolyl-methylcarbamate 2.87%

INERT INGREDIENTS: 97.13%

NET WT. 20 LBS.

Crabgrass Preventer & Lawn Food
For Grass or Dichondra • Treats 2500 Sq. Ft.

Crabgrass Preventer & Lawn Food
12-3-6 • For Grass or Dichondra • Treats 2500 Sq. Ft.

12-3-6 for Grass or Dichondra Lawns

| | |
|---|--------|
| TOTAL NITROGEN | 12.00% |
| Ammoniacal Nitrogen | 6.0% |
| Water-Soluble Nitrogen (derived from Urea) | 6.0% |
| AVAILABLE PHOSPHORIC ACID (derived from Ammonium Phosphate) | 3.00% |
| WATER SOLUBLE POTASH (derived from Murates of Potash) | 4.00% |
| COMBINED SULFUR (expressed as elemental) (derived from Sulfates & Sulfites) | 4.50% |
| BON (expressed as elemental) (derived from Sulfates & Sulfites) | 0.50% |
| MANGANESE (expressed as elemental) (derived from Sulfates & Sulfites) | 0.05% |
| ZINC (expressed as elemental) (derived from Sulfates & Sulfites) | 0.05% |

Many lawns are either pure dichondra or a mixture of grass and dichondra. This product is designed to control Crabgrass and Annual Bluegrass (Poa annua) in established turf. At the recommended rate Dichondra, Kentucky Bluegrass, Bermuda Grass (Hybrid and Common), Red Fescue, Bentgrass, St. Augustine, Coast-pole Grass, and Zoysia are tolerant of Crabgrass Preventer. In addition, our balanced fertilizer will give a complete feeding.

- 1) **CRABGRASS CONTROL:** Crabgrass Preventer prevents germination of crabgrass seed and kills small seedlings through root absorption. Apply in the fall after crabgrass goes to seed up to the end of March prior to germination.
- 2) **Annual Bluegrass (Poa annua):** Apply before germination starts. In cooler coastal areas, make first applications starting August 15th. Inland areas from September 15th through November.

- 1) Measure area to be treated. Contents of this bag will treat 2500 square feet (50'x50').
 - 2) Check spreader for accuracy.
 - 3) Apply evenly at recommended rate. Be careful to avoid dips and ridges.
 - 4) Water thoroughly after application to wash Crabgrass Preventer onto soil surface.
 - 5) Keep children and pets off of treated area until material has been washed off of leaf surfaces and plants are dry.
- NON-DICHONDRA CONTROL:** Use only at recommended rate. Rates in excess of recommended charge may cause discoloration or staining. Discoloration from slight over-application usually disappears shortly. Do not use in spring in areas where reseedling is planned before fall. Do not apply to newly seeded lawns.
- Control 4
Judson 20-CP 6
Salt 4%

*Settings for spreader in new condition. After use, spreader will vary and should be checked for accuracy before use.

CAUTION: Keep out of reach of children. Use only in accordance with label directions. Avoid contact with skin, eyes, and clothing. Keep pets and children off treated areas until material has been washed into soil and lawn is dry. In case of contact with skin or eyes, flush with plenty of water. For eyes get medical attention. Wash hands with soap and water after handling and before eating or drinking. Wash clothing. Do not apply when weather conditions favor drift from areas treated. Do not apply directly on vegetables, fruits or crops. Do not reuse container. Destroy when empty.

KEEP OUT OF ANY BODY OF WATER. DO NOT USE WHERE RUNOFF WILL CONTAMINATE STREAMS, LAKES, PONDS, IRRIGATION OR DOMESTIC WATER. Dispose of empty container or any spillage promptly—burn or bury. Do not contaminate water by cleaning of equipment or disposal of waste.

NON-WARRANTY: Seller makes no warranty, express or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. Because the time, place, rate of application and other conditions are beyond seller's control, seller's liability for the handling and use of this product is limited to replacement of product or refund of purchase price. Return unused portions of bag to your BEST dealer for refund if not satisfied with results.

Product of U. S. A.



A DIVISION OF OCCIDENTAL PETROLEUM CORPORATION
POST OFFICE BOX 198 • LATHROP, CALIF. 95330
Label No. 1272

Crabgrass Preventer & Lawn Food
For Grass or Dichondra • Treats 2500 Sq. Ft.

Crabgrass Preventer & Lawn Food

12-3-6

for Grass or Dichondra Lawns

| | | |
|---|-------|--------|
| TOTAL NITROGEN | | 12.00% |
| Ammoniac Nitrogen | 6.0% | |
| Water-Soluble Nitrogen (derived from Urea) | 6.0% | |
| AVAILABLE PHOSPHORIC ACID (derived from Ammonium Phosphate) | 3.00% | |
| WATER SOLUBLE POTASH (derived from Murates of Potash) | 6.00% | |
| COMBINED SULFUR expressed as elemental (derived from Sulfates & Sulfides) | 6.50% | |
| BOM expressed as elemental (derived from Sulfates & Sulfides) | 0.50% | |
| MANGANESE expressed as elemental (derived from Sulfates & Sulfides) | 0.05% | |
| ZINC expressed as elemental (derived from Sulfates & Sulfides) | 0.05% | |

Many lawns are either pure dichondra or a mixture of grass and dichondra. This product is designed to control Crabgrass and Annual Bluegrass (Poa annua) in established turf. At the recommended rate Dichondra, Kentucky Bluegrass, Bermudagrass (Hybrid and Common), Red Fescue, Bentgrass, St. Augustine, Coast-pole Grass, and Zoysia are tolerant of Crabgrass Preventer. In addition, our balanced fertilizer will give a complete feeding.

- CRABGRASS CONTROL:** Crabgrass Preventer prevents germination of crabgrass seed and kills small seedlings through root absorption. Apply in the fall after crabgrass goes to seed up to the end of March prior to germination.
- Annual Bluegrass (Poa annua):** Apply before germination starts. In cooler coastal areas, make first applications starting August 15th. Inland areas from September 15th through November.

- Measure area to be treated. Contents of this bag will treat 2500 square feet (50'x50').
 - Check spreader for accuracy.
 - Apply evenly at recommended rate. Be careful to avoid dips and ridges.
 - Water immediately after application to wash Crabgrass Preventer onto soil surface.
 - Keep children and pets off of treated area until material has been washed off of leaf surfaces and blades are dry.
- NON-CORROSIVE CAUTION:** Use only at recommended rate. Rates in excess of recommended dosage may cause discoloration or thinning. Discoloration from slight over-application usually disappears shortly. Do not use in spring in areas where reseedling is planned before fall. Do not apply to newly seeded lawns.
- | | |
|--|-------|
| Control | 4 |
| 6" SUPERB SPREADER SETTINGS* → Jackson 20-CF | 6 |
| Soil | 4 1/2 |
- *Settings for spreaders in new condition. After use, spreaders will vary and should be checked for accuracy before use.

CAUTION: Keep out of reach of children. Use only in accordance with label directions. Avoid contact with skin, eyes, and clothing. Keep pets and children off treated areas until material has been washed with soil. In case of contact with skin or eyes, flush with plenty of water. For eyes get medical attention. Wash hands with soap and water after handling and before eating or drinking. Wash clothing. Do not apply when weather conditions favor drift from areas treated. Do not apply directly on vegetables, fruits or crops. Do not reuse container. Destroy when empty.

KEEP OUT OF ANY BODY OF WATER. DO NOT USE WHERE RUNOFF WILL CONTAMINATE STREAMS, LAKES, PONDS, IRRIGATION OR DOMESTIC WATER. Dispose of empty container or any spillage promptly—burn or bury. Do not contaminate water by cleaning of equipment or disposal of wastes.

NON-WARRANTY: Seller makes no warranty, express or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. Because the time, place, rate of application and other conditions are beyond seller's control, seller's liability for the handling and use of this product is limited to replacement of product or refund of purchase price. Return unused portions of bag to your BEST dealer for refund if not satisfied with results.

Product of U. S. A.



A DIVISION OF OCCIDENTAL PETROLEUM CORPORATION
POST OFFICE BOX 198 • LATHROP, CALIF. 95330
Label No. 1272

Crabgrass Preventer & Lawn Food

12-3-6

- KILLS** crabgrass seedlings and prevents seed germination.
- SUPPLIES 7** essential nutrients for richer soil, greener lawns.

CAUTION: Keep out of reach of children.
See back of bag for additional cautions

E.P.A. Reg. No. 7001-150-AA



ACTIVE INGREDIENTS:
2,6-Di-tert-butyl-p-tolyl-methylcarbamate 2.87%

INERT INGREDIENTS: 97.13%

NET WT. 20 LBS.

Crabgrass Preventer & Lawn Food
For Grass or Dichondra • Treats 2500 Sq. Ft.

Crabgrass Preventer & Lawn Food

12-3-6 • For Grass or Dichondra • Treats 2500 Sq. Ft.

Crabgrass Preventer & Lawn Food
12-3-6 • For Grass or Dichondra • Treats 2500 Sq. Ft.

D
3
KILLS CRABGRASS
ACTS AS FERTILIZER