


You Get Results With

BEST

Snail & Slug

BAIT-M



Contains MESUROL[®]
Attracts and Kills Snails & Slugs



Occidental Chemical Company

WARNING: KEEP OUT OF THE REACH OF CHILDREN.
See additional warning statements on side panel.

NET WEIGHT 32 OZ. (2 LBS.)

EPA Reg. No. 7001-165-AA

Label No. 1078

You Get Results With

BEST

Snail & Slug

BAIT-M

READ ENTIRE LABEL USE STRICTLY
IN ACCORDANCE WITH LABEL CAU-
TIONS, WARNINGS AND DIRECTIONS.

WARNING: Keep out of the reach of children, pets and domestic animals. Care should be taken to keep these animals out of treated areas. May be harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use. Do not use on plants grown for food. Do not put bait in piles. Scatter bait so that it is hardly visible on the ground. Do not contaminate feed or food. If poisoning occurs, obtain prompt medical aid. **ANTIDOTE:** Atropine Sulfate.

This product is toxic to fish and wild-
life. Keep out of lakes, streams, and
ponds. Birds feeding on treated
areas may be killed. Do not contami-
nate water by cleaning of equipment,
or disposal of wastes.

Do not re-use this container. Com-
pletely empty the contents and bury
the unused chemical at least 18
inches deep in an isolated location
away from water supplies. Burn the
empty container. Exercise extreme
caution and stay well away from
smoke. Do not use container in any
connection with feed, food or drink-
ing water.

NOTICE

Because the time, place, rate of
application, and other conditions are
beyond seller's control, seller's li-
ability from the handling, storage and
use of this product is limited to
replacement of product or refund of
purchase price.

ANOTHER  PRODUCT




FIDELITONE

You Get Results With

BEST

Snail & Slug

BAIT-M



Contains MESUROL[®]
Attracts and Kills Snails & Slugs

ACTIVE INGREDIENT:

*4-(Methylthio)-3,5-xylyl methylcarbamate 2.0%

INERT INGREDIENTS

98.0%

*U.S. Patent No. 3,313,684 Canadian Patent No. 812,008
Mesurol is a registered trademark. Farbenfabriken Bayer A.G.,
Chemagro Corporation licensee.

WARNING: KEEP OUT OF THE REACH OF CHILDREN.
See additional warning statements on side panel.

NET WEIGHT 32 OZ. (2 LBS.)

EPA Reg. No. 7001-165-AA

You Get Results With
BEST

Snail & Slug

BAIT-M

You Get Results With

BEST

Snail & Slug BAIT-M

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

WARNING: Keep out of the reach of children, pets and domestic animals. Care should be taken to keep these animals out of treated areas. May be harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use. Do not use on plants grown for food. Do not put bait in piles. Scatter bait so that it is hardly visible on the ground. Do not contaminate feed or food. If poisoning occurs, obtain prompt medical aid. **ANTIDOTE:** Atropine Sulfate

This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not re-use this container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Burn the empty container. Exercise extreme caution and stay well away from smoke. Do not use container in any connection with feed, food or drinking water.

NOTICE

Because the time, place, rate of application, and other conditions are beyond seller's control, seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.

ANOTHER  PRODUCT

Label No. 1079




FIDELITONE

You Get Results With

BEST

Snail & Slug BAIT-M



Contains MESUROL[®]
Attracts and Kills Snails & Slugs

ACTIVE INGREDIENT:

*4-(Methylthio)-3,5-xylyl methylcarbamate 2.0%

INERT INGREDIENTS

98.0%

*U.S. Patent No. 3,313,684 Canadian Patent No. 812,008
Mesurol is a registered trademark. Farbenfabriken Bayer A.G.,
Chemagro Corporation licensee.

WARNING: KEEP OUT OF THE REACH OF CHILDREN.
See additional warning statements on side panel.

NET WEIGHT 32 OZ. (2 LBS.)

EPA Reg. No. 7001-165-AA

You Get Results With

BEST

Snail & Slug BAIT-M

You Get Results With

BEST

Snail & Slug BAIT-M

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

Snail & Slug Bait-M is very effective for the control of snails and slugs on lawn and turf areas, in flower gardens, in ornamental ground covers and in greenhouses. The bait should be applied to soil around ornamental plants but not directly to plant foliage. Do not use on or around plants used for food.

FLOWER GARDENS, GROUND COVERS, LANDSCAPE PLANTINGS, GREENHOUSES: Spread bait uniformly over area to be treated at the rate of 1 lb. per 1,000 square feet. For best results, lightly water area to be treated before application. Special attention should be given to treating areas around flower beds, around building foundations and under greenhouse benches.

To avoid damage to your garden, start applying when snails and slugs first appear at the beginning of the spring planting season. Repeat as needed to keep areas free of snails and slugs.

LAWNS AND TURF AREAS: Distribute bait evenly over lawn area at the rate of 1 lb. per 1,000 square feet. Brush lightly with broom or leaf rake to shake bait off of lawn surface to soil. Water lightly after application.

NOTE: Snails and Slugs are most active at night and when conditions are warm and moist. Treatment after watering, in late afternoon or evening, will often improve control.

This product is sold by weight not by volume. Some settling of contents may have occurred during shipping and handling.

ANOTHER  PRODUCT

201
112
114

You Get Results With
BEST

Snail & Slug

BAIT-M



Contains MESUROL[®]
Attracts and Kills Snails & Slugs

OXY Occidental Chemical Company

WARNING: KEEP OUT OF THE REACH OF CHILDREN.
See additional warning statements on side panel.

NET WEIGHT 32 OZ. (2 LBS.)

EPA Reg. No. 7001-165-AA

Label No. 1073

You Get Results With
BEST

Snail & Slug

BAIT-M

READ ENTIRE LABEL. USE STRICTLY
IN ACCORDANCE WITH LABEL CAUTIONS,
WARNINGS AND DIRECTIONS.

WARNING: Keep out of the reach of children, pets, and domestic animals. For use only on lawns. Keep these areas out of the reach of children. May be harmful if swallowed. Do not get in eyes. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse. Do not use on plants grown for food. Do not put bait in areas where children play. Do not contaminate feed or food. If poisoning occurs, obtain prompt medical aid. **ANTIDOTE:** Atropine Sulfate.

Toxic to fish, birds, and wild life. Avoid use in lakes, streams, and ponds. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse this container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Burn the empty container. Exercise extreme caution and stay well away from smoke. Do not use container in any connection with feed, food or drinking water.

NOTICE: Because the time, place, rate of application, and other conditions are beyond seller's control, seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.

ANOTHER **OXY** PRODUCT



FIDEL-TONE

Snail & Slug



Co
Attracts

ACTIVE INGREDIENT
*4-(Methylthio)
INERT INGREDIENT
*U.S. Patent No.
Mesurol is a reg.
Chemagro Corp.

WARNING: KE
See additional w

NET W

You Get Results With
BEST

Snail & Slug

You Get Results With
BEST

You Get Results With
BEST

You Get Results With
BEST

Snail & Slug BAIT-M

ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS
Keep out of the reach of cats and domestic animals. Do not be taken to keep these out of treated areas. May be fatal if swallowed, inhaled, or absorbed through the skin. Do not get on skin, or on clothing. Wash thoroughly with soap and water after handling. Wash soiled clothing with soap and water before re-use. Do not use as a lawn for food. Do not put in feed. Scatter bait so that it is not visible on the ground. Do not contaminate feed or food. If poisoning occurs obtain prompt medical aid. **ANTIDOTE:** Atropine

Do not use in fish and wildfowl ponds, streams, and lakes. Do not use in areas where birds feed. Do not contaminate by cleaning of equipment. Do not use in areas where birds feed.

Do not use this container. Completely empty the contents and bury or dispose of chemical at least 18 inches in an isolated location away from water supplies. Burn the container. Exercise extreme caution and stay well away from children. Do not use container in any way with feed, food or drink.

NOTICE
At the time, place, rate of application, and other conditions are under the control, seller's liability for the handling, storage and use of this product is limited to the amount of product or refund of price.

Snail & Slug BAIT-M



Contains MESUROL[®]
Attracts and Kills Snails & Slugs

ACTIVE INGREDIENT:
*4-(Methylthio)-3,5-xylyl methylcarbamate 2.0%
INERT INGREDIENTS 98.0%
*U.S. Patent No. 3,313,684 Canadian Patent No. 812,008
Mesurol is a registered trademark Farbwerke Bayer A. G.,
Chemagro Corporation licensee.

WARNING: KEEP OUT OF THE REACH OF CHILDREN.
See additional warning statements on side panel.

NET WEIGHT 32 OZ. (2 LBS.)

EPA Reg. No. 7001-165-AA

Snail & Slug BAIT-M

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS
This Snail & Slug BAIT-M is very effective for the control of snails and slugs in lawns and turf areas, in flower gardens, in residential areas, around cover crops, and in greenhouses. The bait attracts and kills snails and slugs by its action on the digestive system.

FLOWER GARDENS, GROUND COVERS, LANDSCAPE PLANTINGS, GREENHOUSES: Spread bait uniformly over area to be treated at the rate of 1 lb per 1,000 square feet for best results. Lightly water area to be treated before application. Special attention should be given to treating areas around flower beds, around buildings, foundations and under greenhouse benches.

To avoid damage to your garden, start applying when snails and slugs first appear at the beginning of the spring planting season. Repeat as needed to keep areas free of snails and slugs.

LAWNS AND TURF AREAS: Distribute bait evenly over lawn area at the rate of 1 lb per 1,000 square feet. Brush lightly with broom or leaf rake to snake bait off of lawn surface to soil. Water lightly after application.

NOTE: Snails and Slugs are most active at night and when conditions are warm and moist. Treatment after watering, in late afternoon or evening will often improve control.

This product is sold by weight not by volume. Some settling of contents may have occurred during shipping and handling.

ANOTHER OXY PRODUCT

ANOTHER OXY PRODUCT

FIDEL-I-TONE

Snail & Slug BAIT-M

123457810
112131415
171820223