

Dormant and growing season Oil Spray controls Scale Insects, Mealybugs, White Flies, Red Spider Mites.

ACTIVE INGREDIENT:

Petroleum Oil - - - - - 98%

INERT INGREDIENTS: - - - - - 2%

Petroleum Oil minimum unsulfonated residue - 93%

Petroleum Oil classification: Unclassified

E.P.A. Reg. No. 7001-173-AA E.P.A. Est. No. 7001-CA-1

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

Keep pesticide in original container. Do not put concentrate into or dilute by using food or drink containers.

DIRECTIONS FOR USE

Shake well before using. Use a forceful spray, wetting pests and all parts of plants thoroughly. Do not store diluted spray. Make new dilution for each use.

When fungicides or pesticides are wettable powders, they must be added to the water before adding the oil.

Growing Season: To control scale insects, red spider mites, mealybugs and white fly larvae on citrus (oranges, grapefruit, lemon), fruit trees (apricots, apples, cherries, nectarines, peaches, pears, plums, prunes), shade trees, evergreens, camellias, azaleas, hardy shrubs. Use 1/2 pint of Oil Spray in 6 gals. of water (2 1/2 tablespoonfuls per 1 gal). This application is also effective in the removal of sooty mold fungus through the control of white fly larvae. Do not apply to camellias and azaleas during bloom.

As A Sticker Spreader: To increase efficiency of spray treatment use 4 tablespoonfuls (2 oz.) of Oil Spray in 6 gals. water (2 teaspoonfuls per 1 gal.) along with certain other insecticides or fungicides used at regular strength. Note caution.

Greenhouses: To control scale insects, red spider mites, white fly, mealybugs on hardy shrubs, gardenias, camellias and azaleas. Use 1/4 pint (4 oz.) per 6 gals. of water (4 teaspoonfuls per 1 gal.). Allow at least 60 days between oil sprays and limiting to 3 applications per year.

For Dormant Use: To control scale insects, red spider mites, mealybugs on dormant shrubs, evergreens (note caution), woody plants, fruit trees (apricots, apples, cherries, nectarines, peaches, pears, plums, prunes), and shade trees. Use 1 pint of Oil Spray in 6 gals. of water (5 tablespoonfuls per 1 gal.).

Combination Winter Spray: Fruit trees (apricots, apples, cherries, nectarines, peaches, pears, plums, prunes), roses and ornamentals (dormant, deciduous only). For control of San Jose Scale, rose scale, oyster shell scale, brown apricot scale, black scale, insect eggs.

Use 1/2 pint of Oil Spray plus 1 1/2 pints of Lime Sulfur spray in 6 gals. of water (2 1/2 tablespoonfuls of Oil Spray plus 7 1/2 tablespoonfuls of Lime Sulfur Spray per 1 gal. of water). Note cautions on Lime Sulfur Spray label before use.

OCCIDENTAL CHEMICAL COMPANY

A DIVISION OF OCCIDENTAL PETROLEUM CORPORATION


P. O. BOX 198 • OILFIELD, CALIFORNIA 95330 • PHONE (209) 858-7511

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not induce vomiting. Call a physician immediately. Wash hands after use. Do not combine with sulfur sprays for use on foliage. Do not use on foliage within 30 days before or after use of sulfur or sulfur sprays. Avoid spraying when temperatures are above 85 degrees or when plants are suffering from drought. Oil sprays should not be applied to broadleaf evergreens when freezing or near freezing temperatures may be expected. Do not use on ferns or cocos palms. Oil sprays may cause discoloration of Blue Spruce.

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.



(GL-5)

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one, other than an officer of Seller, is authorized to make any other warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.