



Read This Label Carefully

4 lbs. will treat 1,000 sq. ft. (20' x 50'). 2. Soil should be moist at time of application.

6. Repeat in 5 to 7 days after first treatment.

ACTIVE INGREDIENT:	BY WT.
Disodium methanearsonate	1.65%
INERT INGREDIENTS:	98.35%
Total arsenic (as elemental) all in water soluble form 0.65%	

EPA Reg. No. 7001 - 190 - AA EPA Est. No. 7001 - CA - 1

CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid contact with skin or eyes. In case of ingestion, severe skin or eye irritation, get medical attention promptly. After use wash all exposed skin areas thoroughly. Clear water must be used as eye wash. Avoid inhalation. Keep away from feed or food products.

Never reuse container. Destroy when empty.

Spreader	Setting
Central Model #1622E Imperial Mark	4 1 2
Sears Model #1919	4 3.14
M.T.D. #431 - 340	5 3/4
Wards Model #89-1081	5 3./4
Scott Model #35	4 1/2

DIRECTIONS

4. Apply when lawn foliage is moist from dew, rain or sprinkling.

dichondra may brown temporarily but they will recover.

1. Use only the recommended amount. Measure to determine the area to be treated.

3. Choose a time when rain is not likely for 24 hours. Do not water in for 24 hours.

Horticultural Caution: Do not use on southern grass lawns except bermuda or

zoysia. Do not use on new lawns until after third mowing. Do not plant grass seed for 48 hours after using this product. In hot weather good grasses or

5. Apply evenly to area with properly calibrated spreader. See setting below.

*Settings are for spreaders in new condition. After use spreaders will vary and must be checked for accuracy.

Contains DSMA — Controls Summer Cragbrass in grass // 25/17/25 cr dichondra lawns. Dry « Ready to Apply

y and the second

DESCRIPTION

This is a granular crabgrass killer formulation ready to use as it comes from the bag. May be used on either grass or dichondra lawns.

- 1. Controls growing summer crabgrass
- 2. Controls yellow and green foxtail
- 3. Controls young goosegrass
- 4. Controls bar yardgrass and papsalums such as dallisgrass

WHEN TO USE

This product is intended to be used during the time when the listed weeds are actively growing in lawns. For best results temperature should be above 65°.

net wt. 20 lbs.

(Gt - 12:10/74)

OCCIDENTAL CHEMICAL COMPANY

CONDITIONS OF SALE 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one, other than an officer of Seller, is authorized to make any other warranty guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control. Seller's liability from the handling, storage and use of this product is limited to replacement of product or intuind of purchase price.

P O BOX 198 . LATHROP CALIFORNIA 95330 . PHONE (209) 8"8-2513